

## 1. Wideband slow-light propagation with no distortion in a nanofiber-plane-grating composite waveguide

**Accession number:** 20162702569605

**Authors:** Ma, Chengju (1); Ren, Liyong (2); Guo, Wenge (1); Fu, Haiwei (1); Xu, Yiping (3); Liu, Yinggang (1); Zhang, Xiaozhen (1)

**Author affiliation:** (1) Xi'an Shiyu University, School of Science, No. 18, DianZiEr Road, Yan-Ta Zone, Xi'an; 710065, China; (2) Xi'an Institute of Optics and Precision Mechanics, State Key Laboratory of Transient Optics and Photonics, Chinese Academy of Sciences, No. 17, XinXi Road, Xi'an; 710119, China; (3) Yangtze University, School of Physics and Optoelectronic Engineering, No. 1, Nanhuan Road, Jingzhou, Hubei; 434023, China

**Corresponding author:** Ma, Chengju(chengjuma@xsyu.edu.cn)

**Source title:** Optical Engineering

**Abbreviated source title:** Opt Eng

**Volume:** 55

**Issue:** 6

**Issue date:** June 1, 2016

**Publication year:** 2016

**Article number:** 066120

**Language:** English

**ISSN:** 00913286

**E-ISSN:** 15602303

**CODEN:** OPEGAR

**Document type:** Journal article (JA)

**Publisher:** SPIE

**Abstract:** A nanofiber-plane-grating composite slow-light waveguide to achieve wideband slowlight propagation with no distortion is proposed. The waveguide is formed by embedding a tapered nanofiber into a V-groove on a plane-grating surface. By optimizing the waveguide structural parameters, a slow-light effect with bandwidth of about 1453 GHz is obtained. Based on finite-difference time-domain (FDTD) method, we analyze the waveguide's optical properties and slow-light characteristics. Simulation results show that a picosecond optical pulse propagating in the slow-light waveguide can be delayed for about 980 fs and without distortion. The group velocity of the optical pulse can be reduced to about  $0.3c$  ( $c$  is the speed of light in vacuum). This study will provide important theoretical basis and innovative ideas for the development of new-Type slow-light elements. © 2016 Society of Photo-Optical Instrumentation Engineers (SPIE).

**Number of references:** 28

**Main heading:** Slow light

**Controlled terms:** Nanofibers - Optical properties - Laser pulses - Finite difference time domain method - Optical waveguides

**Uncontrolled terms:** Composite waveguides - Group velocities - Innovative ideas - Light effects - Light elements - Picoseconds - Plane grating - Structural parameter

**Classification code:** 714.3 Waveguides - 741.1 Light/Optics - 741.3 Optical Devices and Systems - 744.1 Lasers, General - 761 Nanotechnology - 921 Mathematics - 933 Solid State Physics

**Numerical data indexing:** Frequency 1.45e+12Hz, Time 9.80e-13s

**DOI:** 10.1117/1.OE.55.6.066120

**Funding Details:** Number: 61275149,61505160,61535015, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This work was supported in part by the National Natural Science Foundation of China under Grant nos. 61275149, 61505160 and 61535015

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 2. A electrochemical sensor based on poly (sulfosalicylic acid) film modified electrode and application to phenol detection in oilfield wastewater

**Accession number:** 20163102677896

**Authors:** Xiao, Zengli (1); Qin, Wenlong (1); Shi, Liangliang (2)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Petroleum University, No. 18, East section of Electronic Road, Xi'an, Shaanxi Province; 710065, China; (2) The No.6 Oil Production Plant of Changqing Oilfield Company, Xi'an, Shaanxi Province; 710018, China

**Corresponding author:** Xiao, Zengli(zengzengxiao@163.com)

**Source title:** International Journal of Smart Home

**Abbreviated source title:** Int. J. Smart Home

**Volume:** 10

**Issue:** 6

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 299-308

**Language:** English

**ISSN:** 19754094

**Document type:** Journal article (JA)

**Publisher:** Science and Engineering Research Support Society

**Abstract:** In this paper, a highly sensitive and selective method based on the poly (sulfosalicylic acid) modified electrode (PSA /CPE) to detect phenol was established. The morphologies and interface properties of PSA film were characterized by scanning electron microscopy and electrochemical impedance spectroscopy. It was illustrated that the PSA/CPE had an excellent electrocatalytic ability towards the oxidation of phenol. Meanwhile the influence of parameters such as pH and scan rate effect on the analytical performance of the sensor was evaluated. Moreover, the interference from o-nitrophenol can be neglected. By using differential pulse voltammetry (DPV), linear calibration curves were obtained as 5-175 and 220-555  $\mu\text{mol L}^{-1}$  for phenol. The detection limits are 2.2  $\mu\text{mol L}^{-1}$  for phenol. With favorable selectivity and sensitivity, the present method has been applied to the determination of phenol in oilfield wastewater. © 2016 SERSC.

**Number of references:** 30

**Main heading:** Phenols

**Controlled terms:** Voltammetry - Interfaces (materials) - Scanning electron microscopy - Electrochemical impedance spectroscopy - Electrochemical electrodes - Electrochemical sensors - Surface treatment - Oil well flooding

**Uncontrolled terms:** Differential pulse voltammetry - Electrocatalytic ability - Film modified electrode - Linear calibration curve - Oilfield wastewaters - Phenol detection - Selectivity and sensitivity - Sulfosalicylic acid

**Classification code:** 511.1 Oil Field Production Operations - 732.2 Control Instrumentation - 801 Chemistry - 801.4.1 Electrochemistry - 804.1 Organic Compounds - 951 Materials Science

**Numerical data indexing:** Molar\_Concentration 2.20e-01mol/m<sup>3</sup> to 5.55e-01mol/m<sup>3</sup>, Molar\_Concentration 2.20e-03mol/m<sup>3</sup>

**DOI:** 10.14257/ijsh.2016.10.6.29

**Funding Details:** Number: 2014JM7251, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province; Number: 15JS087, Acronym: -, Sponsor: Education Department of Shaanxi Province; Number: 51304159, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This study is supported by the Key laboratory research project of Education Department of Shaanxi Province (No.15JS087), the National Natural Science Foundation of China(Grant no. 51304159), and the Natural Science Basic Research Plan in Shaanxi Province (Nos. 2014JM7251).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 3. A new spectral-spatial algorithm method for hyperspectral image target detection

**Accession number:** 20161902371775

**Authors:** Wang, Cai-Ling (1, 2); Wang, Hong-Wei (3); Hu, Bing-Liang (1); Wen, Jia (4); Xu, Jun (5); Li, Xiang-Juan (2)

**Author affiliation:** (1) Xi'an Institute of Optics and Precision Mechanics of Chinese Academy of Sciences, Key Lab of Spectral Imaging, Xi'an; 710119, China; (2) Xi'an Shiyu University, School of Computer Science, Xi'an; 710065, China; (3) Engineering University of the Chinese People's Armed Police Force, Xi'an; 710086, China; (4) Institute of Software of Chinese Academy of Sciences, Beijing; 100080, China; (5) School of Information Engineering, East China Jiaotong Univeristy, Nanchang; 330013, China

**Source title:** Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis

**Abbreviated source title:** Guang Pu Xue Yu Guang Pu Fen Xi

**Volume:** 36

**Issue:** 4

**Issue date:** April 1, 2016

**Publication year:** 2016

**Pages:** 1163-1169

**Language:** Chinese

**ISSN:** 10000593

**CODEN:** GYGFED**Document type:** Journal article (JA)**Publisher:** Science Press

**Abstract:** With high-resolution spatial information and continuous spectrum information, hyperspectral remote sensing image -has a unique advantage in the field of target detection. Traditional hyperspectral remote sensing image target detection methods emphasis on using spectral information to determine deterministic algorithm and statistical algorithms. Deterministic algorithms find the target by calculating the distance between the target spectrum and detected spectrum however, they are unable to detect sub-pixel target and are easily affected by noise. Statistical methods which calculate background statistical characteristics to detect abnormal point as target. It can detect subpixel target targets and small targets better thanbig size target,. With the spatial resolution increasing, subpixel target detection target has gradually grown to a single pixel and multi-pixel target. At this point, hyperspectral image usually has large homogeneous regions where the neighboring pixels within the regions consist of the same type of materials and have a similar spectral characteristics, therefore, the spatial information should be needed to incorporate into the algorithm for targe detection. This paper proposes an algorithm for hyperspectral target detection combined spectrum characteristics and spatial characteristics. The algorithm is based on traditional target detection operator and combined neighborhood clustering statistics. Firstly, the algorithm uses target detection operator to divided hyperspectral image into a potential target region and background region. Then, it calculates the centroid of the potential target area. Finally, as the centroid for neighborhood clustering center to clust data in order to exclud background from potential target area, through iterative calculation to obtain the final results of the target detection. The traditional statistics algorithms defines the total image as background area in order to extract background statistics features, and the algorithm propsed devided the total image into background part and potential target part, which cut off the target interference for background statistics feature extraction. Compared with CEM operators and ACE operators, the algorithm proposed outperforms than traditional operators in big target detection. © 2016, Peking University Press. All right reserved.

**Number of references:** 12**Main heading:** Iterative methods**Controlled terms:** Spectroscopy - Remote sensing - Radar target recognition - Statistics - Clustering algorithms - Pixels - Feature extraction**Uncontrolled terms:** Deterministic algorithms - Hyperspectral Remote Sensing Image - Hyperspectral target detection - Neighborhood clustering - Spectral algorithm - Statistical characteristics - Statistical operators - Subpixel target detection**Classification code:** 716.2 Radar Systems and Equipment - 903.1 Information Sources and Analysis - 921.6 Numerical Methods - 922.2 Mathematical Statistics**DOI:** 10.3964/j.issn.1000-0593(2016)04-1163-07**Compendex references:** YES**Database:** Compendex**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

#### 4. Strain modulating half-metallicity of semifluorinated GaN nanosheets

**Accession number:** 20161802333942**Authors:** Xiao, Meixia (1, 2); Ao, Zhimin (3, 4); Xu, Tianhan (1); He, Cheng (2); Song, Haiyang (1); Wang, Lei (1)**Author affiliation:** (1) College of Materials Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China;

(2) State Key Laboratory for Mechanical Behavior of Materials, Xi'an Jiaotong University, Xi'an; 710049, China;

(3) Institute of Environmental Health and Pollution Control, School of Environmental Science and Engineering, Guangdong University of Technology, Guangzhou; 510006, China; (4) Centre for Clean Energy Technology, School of Mathematical and Physical Sciences, University of Technology Sydney, Broadway, PO Box 123, Sydney; NSW; 2007, Australia

**Corresponding author:** Xiao, Meixia(mxxiao@xsyu.edu.cn)**Source title:** Chemical Physics Letters**Abbreviated source title:** Chem. Phys. Lett.**Volume:** 653**Issue date:** June 1, 2016**Publication year:** 2016**Pages:** 42-46**Language:** English**ISSN:** 00092614**CODEN:** CHPLBC**Document type:** Journal article (JA)**Publisher:** Elsevier B.V., Netherlands

**Abstract:** Strain-dependent half-metallicity of two-bilayer GaN nanosheets (NSs) with fluorinated Ga atoms is studied using density-functional theory. Our results demonstrate that the band gaps in spin-up states and half-metallic gaps vary with biaxial strain and uniaxial compressive strain along the zigzag direction, while the metallic behaviors in spin-down states remain regardless of strain. However, biaxial strain has a better effect on the half-metallicity. Semifluorinated GaN NSs may undergo a structural phase transition from wurtzite to graphite-like phase at high biaxial tension. Therefore, biaxial strain tuning half-metallicity efficiently could provide a viable route to GaN-based spintronic nanodevices. © 2016 Published by Elsevier B.V.

**Number of references:** 39

**Main heading:** Surface treatment

**Controlled terms:** Astrophysics - Density functional theory - Zinc sulfide - Energy gap - Gallium nitride - Metals - Nanosheets - III-V semiconductors

**Uncontrolled terms:** Biaxial tensions - Half-metallicity - Metallic behaviors - Spin-down state - Spintronic nanodevices - Strain-dependent - Structural phase transition - Uniaxial compressive

**Classification code:** 657.2 Extraterrestrial Physics and Stellar Phenomena - 712.1 Semiconducting Materials - 761 Nanotechnology - 804.2 Inorganic Compounds - 922.1 Probability Theory - 931.3 Atomic and Molecular Physics - 931.4 Quantum Theory; Quantum Mechanics - 933 Solid State Physics

**DOI:** 10.1016/j.cplett.2016.04.066

**Funding Details:** Number: -, Acronym: NCI, Sponsor: National Computational Infrastructure; Number: NCET-12-1046, Acronym: MOE, Sponsor: Ministry of Education of the People's Republic of China; Number: 2015JM6327, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province; Number: 2013JK0894, Acronym: -, Sponsor: Education Department of Shaanxi Province; Number: 20151708, Acronym: -, Sponsor: State Key Laboratory for Mechanical Behavior of Materials; Number: 2012BS004, Acronym: XSYU, Sponsor: Xi'an Shiyou University;

**Funding text:** The authors acknowledge the support by Scientific Research Program Funded by Shaanxi Provincial Education Department ( 2013JK0894 ), Program for New Century Excellent Talent in University of Ministry of Education of China (Grant No. NCET-12-1046 ), State Key Laboratory for Mechanical Behavior of Materials ( 20151708 ), Natural Science Foundation of Shaanxi Province ( 2015JM6327 ), and Youth Science and Technology Innovation Fund Project at the Xi'an Shiyou University ( 2012BS004 ). This research is also supported by the National Computational Infrastructure (NCI) through the merit allocation scheme and used NCI resources and facilities in Canberra, Australia.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 5. Brittleness index prediction in shale gas reservoirs based on efficient network models

**Accession number:** 20163902836487

**Authors:** Shi, Xian (1); Liu, Gang (1); Cheng, Yuanfang (1); Yang, Liu (2); Jiang, Hailong (3); Chen, Lei (4); Jiang, Shu (5); Wang, Jian (6)

**Author affiliation:** (1) College of Petroleum Engineering, China University of Petroleum (Huadong), Qingdao; Shandong; 266555, China; (2) State Key Laboratory of Petroleum Resources and Prospecting, China University of Petroleum(Beijing), Beijing; 102249, China; (3) College of Mechanical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (4) College of Geoscience and Technology, Southwest Petroleum University, Chengdu; 610500, China; (5) Energy & Geoscience Institute, University of Utah, Salt Lake City; UT; 84108, United States; (6) College of Science, China University of Petroleum(Huadong), Qingdao; Shandong; 266555, China

**Corresponding author:** Wang, Jian(nikebill@163.com)

**Source title:** Journal of Natural Gas Science and Engineering

**Abbreviated source title:** J. Nat. Gas Sci. Eng.

**Volume:** 35

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 673-685

**Language:** English

**ISSN:** 18755100

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** Brittleness index is one of the critical geomechanical properties of unconventional reservoir rocks to screen effective hydraulic fracturing candidates. In petroleum engineering, brittleness index can be generally calculated from the mineralogical composition by X-ray diffraction (XRD) test or rock mechanical parameters by tri-axial experiments and well logs. However, mineral composition analysis or tri-axial experiments cannot produce continuous brittleness profile. Well log-based brittleness index prediction conventionally relies on Young's modulus and

Poisson's ratio, but sometimes shear compressional velocity is not available to derive elastic inputs for the brittleness index calculation. This study proposes some data-driven practical brittleness prediction approaches based on back-propagation artificial neural network (BP-ANN), extreme learning machine (ELM) and linear regression using commonly available conventional logging data and lab mineralogical-derived brittleness. A dataset of 71 mineralogical-derived brittleness measurements from Silurian Longmaxi marine shale, Jiaoshiba Shale Gas Field, Sichuan Basin, China were established. The model comparisons and error analysis reveal that the application of artificial intelligence models can be more effectively applied to brittleness prediction compared with simple regression correlations. Both BP-ANN and ELM models are competent for brittleness prediction while BP-ANN model can produce slightly better brittleness prediction results with same inputs and ELM model require less running time. Thus, more choices can be made according to accuracy and computational speed demand. Moreover, an overall ranking of sensitivity degree is then provided to show the impacts of different well logs as inputs on the BP-ANN and ELM model, which is helpful to find optimal inputs in given case. Comparing to traditional well-log based brittleness approaches, data-based approaches show its wider applications because the integration of mineralogical composition and well log information can provide continuous brittleness profile in terms of high accuracy while acoustic full waveform velocities are no longer necessary inputs in brittleness evaluation. © 2016 Elsevier B.V.

**Number of references:** 35

**Main heading:** Hydraulic fracturing

**Controlled terms:** Backpropagation - Shale gas - Brittleness - Hydraulic machinery - Plasticity - Regression analysis - Well logging - Fracture mechanics - Gas industry - X ray diffraction - Elastic moduli - Forecasting - Neural networks - Petroleum reservoirs - Porosity - Shear flow - Natural gas fields

**Uncontrolled terms:** Back propagation artificial neural network (BPANN) - Extreme learning machine - Regression - Rock brittleness - Well logs

**Classification code:** 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 512.2 Natural Gas Deposits - 512.2.1 Natural Gas Fields - 522 Gas Fuels - 631.1 Fluid Flow, General - 632.2 Hydraulic Equipment and Machinery - 723.4 Artificial Intelligence - 922.2 Mathematical Statistics - 931.1 Mechanics - 931.2 Physical Properties of Gases, Liquids and Solids - 951 Materials Science

**DOI:** 10.1016/j.jngse.2016.09.009

**Funding Details:** Number: -, Acronym: -, Sponsor: Natural Science Foundation of Shandong Province; Number: 2015CB251206, Acronym: -, Sponsor: National Basic Research Program of China (973 Program); Number: 20130133120014, Acronym: SRFDP, Sponsor: Specialized Research Fund for the Doctoral Program of Higher Education of China; Number: 61305075, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: RT1086, Acronym: -, Sponsor: -;

**Funding text:** This study was supported by the National Basic Research Program of China (No. 2015CB251206), the Program of Changjiang Scholars and Innovative Research Team in University (No. RT1086), the China National Natural Science Foundation (No. 61305075, No. 51504280), the Specialized Research Fund for the Doctoral Program of Higher Education of China (No. 20130133120014), the Natural Science Foundation of Shandong Province (No. ZR2013FQ004, No. ZR2013DM015) and the Open Fund (No. G5800-I5-ZS-WX038) from Petroleum Exploration and Production Research Institute of SINOPEC. We would also like to thank the anonymous reviewers for their thoughtful comments that helped to improve the paper.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 6. Geochemical characteristics and genesis of high-H<sub>2</sub>S natural gas in the Dagang exploration area, Huanghua depression

**Accession number:** 20171203473023

**Authors:** Guo, Jianying (1, 2); Fu, Lixin (3); Xiao, Xin (4); Wang, Dongliang (1, 2); Li, Jian (1, 2); Zhang, Lu (1, 2); Xiao, Dunqing (3); Xie, Zengye (1, 2); Liu, Xiaoxuan (5); Wang, Jinyou (6)

**Author affiliation:** (1) CNPC Key Laboratory for Natural Gas Accumulation and Development, Langfang; Hebei; 065007, China; (2) Langfang Branch, PetroChina Research Institute of Petroleum Exploration & Development, Langfang; Hebei; 065007, China; (3) Research Institute of Exploration and Development, PetroChina Dagang Oilfield Company, Tianjin; 300280, China; (4) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (5) School of Earth and Space Science, Peking University, Beijing; 100871, China; (6) Branch of the Second Mudioging, CNPC Bohai Drilling Engineering Company Limited, Langfang; Hebei; 065007, China

**Corresponding author:** Guo, Jianying(gjy\_17711224@petrochina.com.cn)

**Source title:** Shiyou Xuebao/Acta Petrolei Sinica

**Abbreviated source title:** Shiyou Xuebao

**Volume:** 37

**Issue date:** December 1, 2016

**Publication year:** 2016

**Pages:** 31-38

**Language:** Chinese

**ISSN:** 02532697

**CODEN:** SYHPD9

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** After the discovery of H<sub>2</sub>S gas reservoir in Jinxian Depression, Jizhong Sag, Bohai Bay Basin, high-H<sub>2</sub>S gas reservoir was discovered in the Dagang exploration area, Huanghua sag. Such high H<sub>2</sub>S and CO<sub>2</sub> contents have been first found in coal-formed gas reservoir in China, and the genesis of acid gas has attracted attentions of domestic scholars. Through comparing the organic geochemistry parameters of gas and rock, it is believed that high content of H<sub>2</sub>S in the area is the product of thermochemical sulphate reduction (TSR), which reveals that TSR can also occur in the coal-formed gas area and enriches the previous geological recognition that TSR only occurs in the marine crude oil cracking gas area; high content of organic-inorganic CO<sub>2</sub> is related to thermal metamorphism of carbonate rock and TSR, and is also strongly associated with coal-formed hydrocarbon gas. The enrichment of H<sub>2</sub>S in the Dagang exploration area, Huanghua Sag is controlled by formation temperature and the enrichment degree of sulfur source in reservoir. High-H<sub>2</sub>S natural gas is mainly distributed in the south central region covered by Carboniferous-Permian strata with a relatively great burial depth, such as Chenghai, Bogu-Wumaying-Wangguantun, and etc. The research results have a positive guiding significance to discover the formation mechanism of high acidic natural gas and carry out the next exploration deployment of natural gas. © 2016, Editorial Office of ACTA PETROLEI SINICA. All right reserved.

**Number of references:** 18

**Main heading:** Sulfur compounds

**Controlled terms:** Rocks - Gases - Natural gas - Petroleum prospecting - Carbon dioxide - Coal - Crude oil - Exploratory geochemistry

**Uncontrolled terms:** Dagang exploration area - Formation temperature - Geochemical characteristic - Guiding significances - Huanghua Depression - Organic geochemistry - Sulphate reduction - Thermal metamorphism

**Classification code:** 481.2 Geochemistry - 512.1 Petroleum Deposits - 512.1.2 Petroleum Deposits : Development Operations - 522 Gas Fuels - 524 Solid Fuels - 804.2 Inorganic Compounds

**DOI:** 10.7623/syxb2016S2004

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 7. Nonlinear tunneling and robust energy transfer in sum frequency generation

**Accession number:** 20164202918783

**Authors:** Xu, Yonggang (1); Zhang, Jing (1, 2); Zhu, Haifei (1); Zhang, Jie (1); Ma, Pingping (1); Wang, Jiang (1); Liu, Huanhuan (1); Li, Yongfang (1)

**Author affiliation:** (1) School of Physics and Information Technology, Shaanxi Normal University, Xi'an; 710119, China; (2) School of Electronic Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Li, Yongfang (yfli@snnu.edu.cn)

**Source title:** Journal of the Optical Society of America B: Optical Physics

**Abbreviated source title:** J Opt Soc Am B

**Volume:** 33

**Issue:** 10

**Issue date:** October 1, 2016

**Publication year:** 2016

**Pages:** 2038-2044

**Language:** English

**ISSN:** 07403224

**E-ISSN:** 15208540

**CODEN:** JOBPDE

**Document type:** Journal article (JA)

**Publisher:** OSA - The Optical Society

**Abstract:** Based on the counter-diabatic protocol in quantum physics and the quasi-phase-matching method in nonlinear optics, we present a method of achieving robust energy transfer between the sum frequency and signal fields in an optical crystal system by adding a counter-diabatic field (CDF). Adding the CDF does not loosen the adiabatic condition, but rather separates the single original diabatic step into two so that the system remains adiabatic. The two

resulting diabatic steps exhibit nonlinear tunneling, where the second step is the inverse of the first one. Moreover, we predict the fabrication of a nonlinear optical crystal with quasi-periodicity in terms of the CDF. Not only does this work provide a solid theoretical foundation for the design of nonlinear optical devices, but it also elucidates physical processes that can be applied in many areas of modern science, ranging from quantum information processing and coherent manipulation of quantum systems to high-precision measurements. © 2016 Optical Society of America.

**Number of references:** 22

**Main heading:** Energy transfer

**Controlled terms:** Interferometry - Quantum optics - Nonlinear optics - Phase matching

**Uncontrolled terms:** Coherent manipulation - Counter diabatic fields - High-precision measurement - Nonlinear optical crystal - Nonlinear optical devices - Quantum-information processing - Sum frequency generation - Theoretical foundations

**Classification code:** 713 Electronic Circuits - 741.1 Light/Optics - 741.1.1 Nonlinear Optics - 931.4 Quantum Theory; Quantum Mechanics - 941.4 Optical Variables Measurements

**DOI:** 10.1364/JOSAB.33.002038

**Funding Details:** Number: 11474191, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** National Natural Science Foundation of China (NSFC) (11474191).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 8. Analysis on the electromechanical fields in a piezoelectric semiconducting nanowire under torque deformation

**Accession number:** 20171003413467

**Authors:** Cui, Zhi-Jian (1); Fan, Shuai-Qi (2)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyu University, Xi'an; 710065, China; (2) Department of Mechanics, Huazhong University of Science and Technology, Wuhan; 430074, China

**Corresponding author:** Fan, Shuai-Qi(fsq@hust.edu.cn)

**Source title:** Proceedings of the 2016 Symposium on Piezoelectricity, Acoustic Waves and Device Applications, SPAWDA 2016

**Abbreviated source title:** Proc. Symp. Piezoelectricity, Acoustic Waves Device Appl., SPAWDA

**Part number:** 1 of 1

**Issue title:** Proceedings of the 2016 Symposium on Piezoelectricity, Acoustic Waves and Device Applications, SPAWDA 2016

**Issue date:** January 23, 2017

**Publication year:** 2016

**Pages:** 253-256

**Article number:** 7829999

**Language:** English

**ISBN-13:** 9781509011896

**Document type:** Conference article (CA)

**Conference name:** 2016 Symposium on Piezoelectricity, Acoustic Waves and Device Applications, SPAWDA 2016

**Conference date:** October 21, 2016 - October 24, 2016

**Conference location:** Xi'an, China

**Conference code:** 126085

**Sponsor:** IEEE Ultrasonics, Ferroelectrics, and Frequency Control Society (UFFC-S); The Acoustical Society of China (ASC); The Chinese Society of Theoretical and Applied Mechanics (CSTAM); Xi'an University of Technology

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** A piezoelectric semiconducting ZnO nanowire under the action of a torque is analyzed. The shear stresses in the cross-section are acquired from classical elasticity. Based on the obtained results, the electric potential, the electric field and the electric displacements can be found from the Gauss law in electrostatics together with the conservation of charge. Numerical results show that the torque deformation produces large effect on the electric displacements but little contribution to the electric potential. The study is helpful to development of piezoelectric semiconductor devices. © 2016 IEEE.

**Number of references:** 7

**Main heading:** Piezoelectricity

**Controlled terms:** Crystallography - Shear stress - Nanowires - Wide band gap semiconductors - II-VI semiconductors - Magnetic semiconductors - Electric potential - Zinc oxide - Deformation - Semiconducting zinc compounds - Semiconductor devices

**Uncontrolled terms:** Conservation of charge - Electric displacement - Electro-mechanical fields - Numerical results - Piezoelectric semiconductors - Semiconducting - Semiconducting nanowires - ZnO nanowires  
**Classification code:** 701.1 Electricity: Basic Concepts and Phenomena - 708.4 Magnetic Materials - 712.1 Semiconducting Materials - 712.1.2 Compound Semiconducting Materials - 714.2 Semiconductor Devices and Integrated Circuits - 761 Nanotechnology - 804.2 Inorganic Compounds - 933 Solid State Physics - 933.1 Crystalline Solids  
**DOI:** 10.1109/SPAWDA.2016.7829999  
**Compendex references:** YES  
**Database:** Compendex  
**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 9. Preparation and characterization of Ti-O units anchored on silica by surface organometallic chemistry method

**Accession number:** 20162202452671  
**Authors:** Li, Jinling (1, 2); Gao, Ziwei (2)  
**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyu University, Xi'an; 710065, China; (2) School of Chemistry & Chemical Engineering, Shaanxi Normal University, Xi'an; 710119, China  
**Corresponding author:** Gao, Ziwei(zwgao@snnu.edu.cn)  
**Source title:** Gaodeng Xuexiao Huaxue Xuebao/Chemical Journal of Chinese Universities  
**Abbreviated source title:** Gaodeng Xuexiao Huaxue Xuebao  
**Volume:** 37  
**Issue:** 5  
**Issue date:** May 10, 2016  
**Publication year:** 2016  
**Pages:** 956-963  
**Language:** Chinese  
**ISSN:** 02510790  
**CODEN:** KTHPDM  
**Document type:** Journal article (JA)  
**Publisher:** Higher Education Press Limited Company

**Abstract:** Based on the surface organometallic chemistry method, four surface organotitanium complexes anchored on silica were obtained by the reaction of spacer ligand (phenol, benzoic acid, 1-naphthol and 1-naphthol acid as spacer ligand, respectively),  $Ti(NMe_2)_4$  and silica in one pot reaction system. Then, the four products were calcined respectively to obtain the titanium oxide anchored on silica. The surface organotitanium complexes and surface titanium oxides were characterized by Fourier transform infrared spectrum (FTIR), thermogravimetry analysis (TG-DTA), X-ray photoelectron spectrometry (XPS) and atomic force microscopy (AFM). The results showed that after calcination of surface organotitanium complexes at high temperature in  $O_2$ , not only were the organic ligands removed, but also the surface hydroxy was regenerated, which ensured that the four coordination forms of Ti were not changed. Meanwhile, titanium oxides anchored on silica surface by Si-O-Ti bonds, and existed as isolated, dispersed and ordered form. In addition, the skeleton structure of the silica was kept well after calcination of surface organotitanium complexes. © 2016, Higher Education Press. All right reserved.

**Number of references:** 27

**Main heading:** Silica

**Controlled terms:** Ligands - Fourier transform infrared spectroscopy - Organometallics - Thermogravimetric analysis - Benzoic acid - Titanium oxides - Atomic force microscopy - Calcination

**Uncontrolled terms:** Four coordination - Fourier transform infrared spectrum (FTIR) - High temperature - One-pot reaction - Skeleton structure - Surface organometallic chemistry - Thermogravimetry analysis - X-ray photoelectron spectrometries

**Classification code:** 741.3 Optical Devices and Systems - 801 Chemistry - 801.4 Physical Chemistry - 802.3 Chemical Operations - 804.1 Organic Compounds - 804.2 Inorganic Compounds

**DOI:** 10.7503/cjcu20150707

**Funding Details:** Number: 14JS086, Acronym: -, Sponsor: -; Number: 20771071, 21271124, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2014JQ2056, Acronym: -, Sponsor: Natural Science Basic Research Program of Shaanxi Province;

**Funding text:** Supported by the National Natural Science Foundation of China (Nos. 21271124, 20771071), the Natural Science Basic Research Plan of Shaanxi Province, China (No. 2014JQ2056) and the Key Laboratory Scientific Research Program of Shaanxi Provincial Education Department, China (No. 14JS086)

**Compendex references:** YES

**Database:** Compendex  
**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 10. Effect of carbon content on microstructures, mechanical and tribological properties and thermal stability in WBC films

**Accession number:** 20161002054611

**Authors:** Liu, Y.M. (1, 2); Pei, Z.L. (2); Gong, J. (2); Sun, C. (2)

**Author affiliation:** (1) College of Materials Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Institute of Metal Research, Chinese Academy of Sciences, Shenyang; 110016, China

**Corresponding author:** Pei, Z.L.(zlpei@imr.ac.cn)

**Source title:** Surface and Coatings Technology

**Abbreviated source title:** Surf. Coat. Technol.

**Volume:** 291

**Issue date:** April 15, 2016

**Publication year:** 2016

**Pages:** 276-285

**Language:** English

**ISSN:** 02578972

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** The study is mainly to develop a new type of hard nanocomposite films based on the AIB2-type WB2 (h-WB2) system by studying the influence of carbon contents on the microstructures, mechanical and tribological properties, and thermal stability of the WBC films. By increasing the C<sub>2</sub>H<sub>2</sub> partial pressure (PC<sub>2</sub>H<sub>2</sub>), carbon atoms present in forms of solid solution h-WB<sub>x</sub>C<sub>y</sub> and amorphous carbide a-WC, a-WB<sub>x</sub>C<sub>y</sub>, a-C:H (polymeric carbon) successively. Consequently, two- or three-phase nanocomposite films with microstructures comprising of nanocrystalline grains embedded in an amorphous matrix have been developed. Films with the h-WB<sub>x</sub>C<sub>y</sub>/a-WC and h-WB<sub>x</sub>C<sub>y</sub>/a-WC/a-C:H (or h-WB<sub>x</sub>C<sub>y</sub>/a-WB<sub>x</sub>C<sub>y</sub>/a-WC/a-C:H) nanocomposite structure deposited at PC<sub>2</sub>H<sub>2</sub> ≤ 0.01 Pa (14.9-26.4 at.% C) exhibit highest hardness about 45 GPa and lowest wear rate about 10-8 mm<sup>3</sup>/mN. And the transformation temperature of the h-WB<sub>2</sub> phase has been enhanced greatly from 700 to 1000 °C by slight C-doping due to the formation of the strong interfaces between the nanocrystalline and amorphous phase in the films deposited at PC<sub>2</sub>H<sub>2</sub> = 0.008 Pa. Moreover, proper C content (less than 26.4 at.%) can refine the film structure and reduce the oxygen impurity content and thereby improve the film properties. The residual stress of the films changes from tensile to compressive stress with the introduction of carbon, and the value of compressive stress is closely related to the film structures. © 2016 Elsevier B.V.

**Number of references:** 40

**Main heading:** Nanocomposites

**Controlled terms:** Amorphous films - Semiconductor doping - Amorphous carbon - Interfaces (materials) - Aluminum compounds - Tribology - Microstructure - Carbides - Compressive stress - Nanocomposite films - Nanocrystals - Carbon films - Thermodynamic stability

**Uncontrolled terms:** Amorphous matrices - Mechanical and tribological properties - Nano-composite structure - Nanocrystalline and amorphous - Nanocrystalline grains - Reactive magnetron sputtering - Transformation temperatures - Tribological properties

**Classification code:** 641.1 Thermodynamics - 712.1 Semiconducting Materials - 761 Nanotechnology - 804.2 Inorganic Compounds - 812.1 Ceramics - 813.2 Coating Materials - 931 Classical Physics; Quantum Theory; Relativity - 933 Solid State Physics - 933.1 Crystalline Solids - 933.2 Amorphous Solids - 951 Materials Science

**Numerical data indexing:** Pressure 4.50e+10Pa, Pressure 8.00e-03Pa, Temperature 9.73e+02K to 1.27e+03K

**DOI:** 10.1016/j.surfcoat.2016.02.049

**Funding Details:** Number: 2013020093, Acronym: -, Sponsor: Natural Science Foundation of Liaoning Province;

Number: 2012CB625100, Acronym: -, Sponsor: National Basic Research Program of China (973 Program);

**Funding text:** This work was supported by the National Key Basic Research Program of China (973 Program, No. 2012CB625100), and the Natural Science Foundation of Liaoning Province of China (No. 2013020093).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 11. Adsorptive removal of organic chloride from model jet fuel by Na-LSX zeolite: Kinetic, equilibrium and thermodynamic studies

**Accession number:** 20163902845918

**Authors:** Ma, Rui (1); Zhu, Jianhua (1); Wu, Bencheng (1); Li, Xiaohui (2)

**Author affiliation:** (1) College of Chemical Engineering, China University of Petroleum, Beijing; 102249, China; (2) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Zhu, Jianhua(rdcas@cup.edu.cn)

**Source title:** Chemical Engineering Research and Design

**Abbreviated source title:** Chem. Eng. Res. Des.

**Volume:** 114

**Issue date:** October 1, 2016

**Publication year:** 2016

**Pages:** 321-330

**Language:** English

**ISSN:** 02638762

**CODEN:** CERDEE

**Document type:** Journal article (JA)

**Publisher:** Institution of Chemical Engineers

**Abstract:** The commercial Na-loaded low-silica X zeolite (Na-LSX) was used as adsorbent for the removal of organic chloride compound (5-chloro-2-methylaniline) from model jet fuel. The Na-LSX adsorbent was characterized by XRD, BET, FT-IR, SEM-EDS, and XRF, respectively. A series of experiments were carried out to investigate the adsorption performance of organic chloride onto Na-LSX zeolite by batch adsorption experiments. In the batch experiments, some key operational parameters, such as temperature, adsorption time, initial concentration of organic chloride in model jet sample as well as the dosage of adsorbent were investigated. Equilibrium isotherms were analyzed by using Langmuir, Freundlich, Temkin and Dubinin–Radushkevich (D–R) adsorption models. The pseudo-first-order, the pseudo-second-order and intra-particle diffusion models were used to fit the kinetics data. The results revealed that Langmuir isotherm provided a better fit to the experimental data than other isotherms. And it was also found that the adsorption kinetics followed the pseudo-second-order kinetic equation well. The thermodynamic analysis results indicated that the adsorption process was an endothermic, feasible and spontaneous process under the specified conditions. Above mentioned investigation results implied that the Na-LSX zeolite would be an effective adsorbent for adsorption removal of organic chloride from distillate of crude oil. © 2016 Institution of Chemical Engineers

**Number of references:** 48

**Main heading:** Adsorption

**Controlled terms:** Chlorine compounds - Integral equations - Jet fuel - Adsorption isotherms - Crude oil - Fighter aircraft - Zeolites - Silica - Thermoanalysis - Kinetics - Thermodynamic properties

**Uncontrolled terms:** Adsorption performance - Batch adsorption experiments - Equilibrium isotherms - Intra-particle diffusion - Operational parameters - Organic chlorides - Pseudo second order kinetics - Thermo dynamic analysis

**Classification code:** 512.1 Petroleum Deposits - 523 Liquid Fuels - 631.1 Fluid Flow, General - 641.1

Thermodynamics - 652.1.2 Military Aircraft - 801 Chemistry - 802.3 Chemical Operations - 804.2 Inorganic Compounds - 921.2 Calculus - 931 Classical Physics; Quantum Theory; Relativity

**DOI:** 10.1016/j.cherd.2016.08.028

**Funding Details:** Number: -, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This work was supported by the No. 21206194 project of National Natural Science Foundation of China.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 12. Effect of silicon dose and pH on coagulation performance and Floc fractal dimension of poly-silicic-cation coagulant

**Accession number:** 20162902616549

**Authors:** Li, Ran (1); Pan, Jie (1); Yang, Jiang (1); Qin, Wenlong (1); He, Yanling (2)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an, Shaanxi Province; 710065, China; (2) School of Human Settlement and Civil Engineering, Xi'an Jiaotong University, Xi'an, China

**Corresponding author:** Li, Ran(rli@xsyu.edu.cn)

**Source title:** Environmental Engineering Science

**Abbreviated source title:** Environ. Eng. Sci.

**Volume:** 33

**Issue:** 7

**Issue date:** July 1, 2016

**Publication year:** 2016

**Pages:** 478-483

**Language:** English

**ISSN:** 10928758

**E-ISSN:** 15579018

**CODEN:** EESCF5

**Document type:** Journal article (JA)

**Publisher:** Mary Ann Liebert Inc.

**Abstract:** Poly-silicic-cation coagulants (PSiCs) were prepared from industrial wastes. Optimal conditions for synthesis of PSiCs were determined from orthogonal experiments. Coagulation performance was evaluated through jar tests in treatment of pulping and papermaking wastewater, and fractal dimensions of the flocs during coagulation were analyzed on basis of floc images on GRViewer. Results showed that coagulation performance and floc fractal dimension were significantly influenced by the Si/(Fe + Al) molar ratio and the pH of PSiCs. Optimal Si/(Fe + Al) ratio and pH were 0.8 and 1.5, respectively. Turbidity removal rate from pulping and papermaking wastewater decreased with the increasing Si/(Al + Fe) ratio, which increased with the rise of pH, but decreased at high pH. The floc fractal dimension was improved with the increase of silicon dose or pH, but decreased when the Si/(Fe + Al) ratio or pH was high. Adsorption bridging ability of PSiCs played a key role in the aggregation and breakup of flocs. © Mary Ann Liebert, Inc. 2016.

**Number of references:** 23

**Main heading:** Fractal dimension

**Controlled terms:** Silicon - Positive ions - Coagulation - Wastewater treatment

**Uncontrolled terms:** Coagulation performance - flocs - Jar test - Optimal conditions - Orthogonal experiment - Papermaking wastewater - poly-silicic-cation coagulant - Turbidity removal

**Classification code:** 452.4 Industrial Wastes Treatment and Disposal - 549.3 Nonferrous Metals and Alloys excluding Alkali and Alkaline Earth Metals - 802.3 Chemical Operations - 921 Mathematics

**DOI:** 10.1089/ees.2015.0494

**Funding Details:** Number: 51304160, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This study was supported by the National Natural Science Foundation of China (Nos. 51504192 and 51304160).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 13. Plastic stress-strain relationship of thick-walled titanium alloy tube under compressive stress state

**Accession number:** 20164703040724

**Authors:** Liu, Jing (1, 2); Li, Lan-Yun (1); Li, Xiao (1); Li, Yuan-Bo (1)

**Author affiliation:** (1) School of Materials Science and Engineering, Xi'an Shiyu University, Xi'an; 710065, China; (2) State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, Xi'an; 710072, China

**Corresponding author:** Liu, Jing(jingliu@xsyu.edu.cn)

**Source title:** Zhongguo Youse Jinshu Xuebao/Chinese Journal of Nonferrous Metals

**Abbreviated source title:** Zhongguo Youse Jinshu Xuebao

**Volume:** 26

**Issue:** 10

**Issue date:** October 1, 2016

**Publication year:** 2016

**Pages:** 2093-2101

**Language:** Chinese

**ISSN:** 10040609

**CODEN:** ZYJXFK

**Document type:** Journal article (JA)

**Publisher:** Central South University of Technology

**Abstract:** An inverse method for fast and accurate identifying the material parameters of thick-walled titanium alloy tube under compressive stress state was developed combining ring axial compression test, FE method, regression analysis and genetic algorithm. Considering the evitable elastic deformation of testing machine, the specimen barreling and machine elastic deformation were examined in testing thick-walled TA18 tube specimen with varying heights. Then, a reasonable range of specimen height and the experimental load-displacement curves were determined accordingly. Employing the curves, the material parameters of tube were obtained by using the inverse method. In

order to verify the reliability of the identified parameters, FE simulations of ring compression tests were carried out using the determined material parameters and compared with experiments. Comparison results show that the obtained stress-strain curves can describe the compressive deformation behaviors of tube material with prediction errors of maximum diameter, and the load deviates from the experiments less than 1.5% and 11%, respectively. © 2016, Science Press. All right reserved.

**Number of references:** 21

**Main heading:** Regression analysis

**Controlled terms:** Titanium alloys - Genetic algorithms - Finite element method - Tubes (components) - Compression testing - Elastic deformation - Inverse problems - Compressive stress - Stress-strain curves

**Uncontrolled terms:** Compressive deformation behavior - Identified parameter - Load-displacement curve - Reverse method - Ring compression - Ring compression tests - Stress-strain relationships - Thick-walled titanium alloy tubes

**Classification code:** 542.3 Titanium and Alloys - 619.1 Pipe, Piping and Pipelines - 921.6 Numerical Methods - 922.2 Mathematical Statistics

**Numerical data indexing:** Percentage 1.10e+01%, Percentage 1.50e+00%

**Funding Details:** Number: 14JK1565,15JK1575, Acronym: -, Sponsor: -; Number: 2014JQ7237, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: SKLSP201403, Acronym: -, Sponsor: Education Department of Shaanxi Province; Number: 2015QNKYCXTD02, Acronym: SKLSP, Sponsor: State Key Laboratory of Solidification Processing;

**Funding text:** Project(51405386) supported by the National Natural Science Foundation of China; Project (2014JQ7237) supported by the Natural Science Basic Research Plan in Shaanxi Province, China; Projects(14JK1565, 15JK1575) supported by the Scientific Research Program Funded by Shaanxi Provincial Education Department, China; Project(SKLS201403) supported by the State Key Laboratory of Solidification Processing in Northwestern Polytechnical University, China; Project(2015QNKYCXTD02) supported by the Young Innovation Research Team in Xi'an Shiyou University, China

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

#### 14. Molecular dynamics simulation of effect of grain on mechanical properties of nano-polycrystal $\alpha$ -Fe (Open Access)

**Accession number:** 20165203163227

**Authors:** Wang, Peng (1, 2); Xu, Jian-Gang (1); Zhang, Yun-Guang (1); Song, Hai-Yang (2)

**Author affiliation:** (1) School of Science, Xi'an University of Posts and Telecommunications, Xi'an; 710121, China; (2) College of Material Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Song, Hai-Yang(gsfshy@sohu.com)

**Source title:** Wuli Xuebao/Acta Physica Sinica

**Abbreviated source title:** Wuli Xuebao

**Volume:** 65

**Issue:** 23

**Issue date:** December 5, 2016

**Publication year:** 2016

**Article number:** 236201

**Language:** Chinese

**ISSN:** 10003290

**CODEN:** WLHPAR

**Document type:** Journal article (JA)

**Publisher:** Institute of Physics, Chinese Academy of Sciences

**Abstract:** The nanocrystalline metals are widely investigated due to their unique mechanical properties. Currently, the available studies about deformation mechanisms of metals mainly focus on face-centered cubic metals such as Ni, Cu and Au. However, the body-centered cubic metals are still very limited, despite their industrial importance. Here, we investigate the effects of grain size and temperature on the mechanical behavior of nano-polycrystal  $\alpha$ -Fe under uniaxial tensile loading by using molecular dynamics (MD) simulation. The models of nanocrystalline  $\alpha$ -Fe with the grain sizes of 3.95, 6.80, 9.70, 12.50, 15.50, 17.50, 20.70 and 26.00 nm are geometrically created in three dimensions by using Voronoi construction, and these models are relaxed to reach an equilibrium state. Then, each of them has a strain of 0.001 along the Z-direction in each step, keeping zero pressure in the X- and Y-directions until the strain increases up to 0.2. A 1.0 fs time step is used in all of the MD simulations. Based on the data output, the stress-strain curves at different grain sizes are obtained. The results indicate that the peak stresses of nano-polycrystal  $\alpha$ -

Fe decrease with the decrease of grain size, exhibiting a breakdown in the Hall-Petch relation when the grain size is smaller than a critical size. The major deformation mechanism is found to change from dislocation slips and twinning-mediated plasticity in a model with a larger grain size to grain boundary sliding in a model with a smaller grain size. It should be noted that twinning is formed by the emission of partial dislocations along the {112} slip plane. The results show that crack formation during tension is a cause of reducing the flow stress of nano-polycrystal  $\alpha$ -Fe with a large grain size and that the Young's modulus of nano-polycrystal  $\alpha$ -Fe decreases with the grain size decreasing. The main reason for the crack nucleation is here that grain boundaries perpendicular to the loading direction bear higher stress and the twin band interacts with grain boundaries at a larger grain size, causing the stress to concentrate at the intersections of grain boundaries. The results also show the detwinning behavior and migration of deformed twins in nano-polycrystal  $\alpha$ -Fe. The detwinning behavior occurs via the migration of the intersection of grain boundary and twin, and this intersection is incoherent boundary. The migration of deformed twins proceeds by repeating initiation and glide of partial dislocations on adjacent {112} planes. In addition, we find that the nucleation and propagation of dislocation become easier at higher temperature than at lower temperature. © 2016 Chinese Physical Society.

**Number of references:** 32

**Page count:** 6

**Main heading:** Molecular dynamics

**Controlled terms:** Grain size and shape - Deformation - Elastic moduli - Nanocrystals - Metals - Stress-strain curves - Cracks - Polycrystals - Grain boundaries - Mechanisms

**Uncontrolled terms:** Deformation mechanism - Deformed twins - Face-centered cubic metals - Grain size - Molecular dynamics simulations - Nanocrystalline metal - Partial dislocations - Uniaxial tensile loading

**Classification code:** 601.3 Mechanisms - 761 Nanotechnology - 801.4 Physical Chemistry - 933.1 Crystalline Solids - 951 Materials Science

**Numerical data indexing:** Size 2.07e-08m, Size 2.60e-08m, Time 1.00e-15s

**DOI:** 10.7498/aps.65.236201

**Funding Details:** Number: 2016KW-049, Acronym: -, Sponsor: -; Number: 2012KJXX-39, Acronym: -, Sponsor: -; Number: 11572259, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: NCET-12-1046, Acronym: MOE, Sponsor: Ministry of Education of the People's Republic of China;

**Funding text:** Project supported by the National Natural Science Foundation of China (Grant No. 11572259), the Program for New Century Excellent Talent in University of the Ministry of Education of China (Grant No. NCET-12-1046), the New Scientific and Technological Star of Shaanxi Province (Grant No. 2012KJXX-39), and the International Cooperation and Exchanges of Shaanxi Province (Grant No. 2016KW-049).

**Compendex references:** YES

**Open Access type(s):** All Open Access, Hybrid Gold

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 15. Creative thinking of database course for economics and management major in conceive of the "big course" and "big task"

**Accession number:** 20164302951264

**Authors:** Hou, Ke (1); Li, Guo-Ying (2)

**Author affiliation:** (1) School of Computer Science and Engineering, Xi'an University of Technology, Xi'an; 710048, China; (2) School of Economics and Management, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Hou, Ke(kehough\_cn@188.com)

**Source title:** International Journal of Database Theory and Application

**Abbreviated source title:** Int. J. Database Theory Appl.

**Volume:** 9

**Issue:** 9

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 119-126

**Language:** English

**ISSN:** 20054270

**Document type:** Journal article (JA)

**Publisher:** Science and Engineering Research Support Society

**Abstract:** According to the teaching and reform practice experience of database course for economics and management major, the paper makes a comparative analysis of the database courses of the universities in china and foreign, in terms of textbook, teaching content, teaching method, homework form, examination method and so on. In

this paper, some new ideas about system and content of database course based on the "big course" and "big task" are put forward, and some improvements on teaching method have been discussed. © 2016 SERSC.

**Number of references:** 7

**Main heading:** Curricula

**Controlled terms:** Database systems - Economics - Teaching

**Uncontrolled terms:** Comparative analysis - Course system - Creative thinking - Database course - Database technology - Examination methods - Teaching contents - Teaching resources

**Classification code:** 723.3 Database Systems - 901.2 Education - 971 Social Sciences

**DOI:** 10.14257/ijdta.2016.9.9.11

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 16. A Novel and Complete Framework for Face Recognition with Pose Variations Using a Single Image

**Accession number:** 20171503566803

**Authors:** Zhao, Minghua (1); Mo, Ruiyang (1); Zhao, Yonggang (2); Shi, Zhenghao (1)

**Author affiliation:** (1) Faculty of Computer Science and Engineering, Xi'an University of Technology, Xi'an; 710048, China; (2) Faculty of Earth Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Abbreviated source title:** Proc. - Int. Conf. Enterp. Syst.: Adv. Enterp. Syst., ES

**Part number:** 1 of 1

**Issue title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Issue date:** March 16, 2017

**Publication year:** 2016

**Pages:** 203-207

**Article number:** 7880492

**Language:** English

**ISBN-13:** 9780769559841

**Document type:** Conference article (CA)

**Conference name:** 4th International Conference on Enterprise Systems, ES 2016

**Conference date:** November 2, 2016 - November 3, 2016

**Conference location:** Melbourne, VIC, Australia

**Conference code:** 126897

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** A novel and complete framework for face recognition with pose variations using only one image is proposed in this paper. Firstly, feature points on face images are located with view-based AAM (Active Appearance Model), based on which, alignment and normalization are operated on face images. Secondly, mapping from non-frontal images to frontal images is constructed based on the algorithm of linear regression and frontal images are obtained from images with different poses. Finally, genetic algorithm is used to determine parameters of SVM that is applied to classify the facial features after dimension reduction. Experiments based on face database of CAS-PEAL-R1 show that performance of our proposed framework is better than other approaches for face recognition with pose variations. Recognition rates for face images with rotation of 15 degree, 30 degree and 45 degree can reach 98%, 84% and 76% respectively. © 2016 IEEE.

**Number of references:** 10

**Main heading:** Support vector machines

**Controlled terms:** Genetic algorithms - Face recognition - Gesture recognition

**Uncontrolled terms:** Active appearance models - Dimension reduction - Face database - Facial feature - Frontal images - Pose variation - Pose-invariant face recognition - View-based aam

**Classification code:** 723 Computer Software, Data Handling and Applications

**Numerical data indexing:** Percentage 7.60e+01%, Percentage 8.40e+01%, Percentage 9.80e+01%

**DOI:** 10.1109/ES.2016.33

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 17. Experimental investigation on heat transfer characteristics of supercritical water in 2x2 tight rod bundle

**Accession number:** 20164502977583

**Authors:** Wu, Gang (1); Pan, Jie (1); Bi, Qin-Cheng (2); Wang, Han (2)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) State Key Laboratory of Multiphase Flow in Power Engineering, Xi'an Jiaotong University, Xi'an; 710049, China

**Source title:** Yuanzineng Kexue Jishu/Atomic Energy Science and Technology

**Abbreviated source title:** Yuanzineng Kexue Jishu

**Volume:** 50

**Issue:** 10

**Issue date:** October 20, 2016

**Publication year:** 2016

**Pages:** 1756-1762

**Language:** Chinese

**ISSN:** 10006931

**CODEN:** YKJIEZ

**Document type:** Journal article (JA)

**Publisher:** Atomic Energy Press

**Abstract:** Within the experimental parameters of pressure of 23-28 MPa, mass flux of 350-1000 kg/(m<sup>2</sup>·s) and heat flux of 200-1000 kW/m<sup>2</sup>, heat transfer characteristics of supercritical water in a 2x2 rod bundle were experimentally investigated. The variations of circumferential wall temperature distribution were obtained, and the reasons for this phenomenon were discussed. The effects of pressure, mass flux and heat flux on heat transfer characteristics were investigated and the heat transfer deterioration which occurred at low mass flux condition was analyzed. The experimental results indicate that the circumferential wall temperature is non-uniform, the wall temperature in the corner sub-channel is the highest, whereas the central sub-channel is the lowest. The wall temperature difference is closely related to the non-uniform cross-sectional flow area. The heat transfer of supercritical water is weakened with the increase of heat flux or the decrease of mass flux. Deteriorated heat transfer occurs in the rod bundle when the heat flux to mass flux ratio increases to a certain level. © 2016, Editorial Board of Atomic Energy Science and Technology. All right reserved.

**Number of references:** 23

**Main heading:** Heat flux

**Controlled terms:** Deterioration - Heat transfer

**Uncontrolled terms:** Experimental investigations - Experimental parameters - Heat transfer characteristics - Heat transfer deterioration - Supercritical water - Tight rod bundles - Wall temperatures - Wall-temperature distribution

**Classification code:** 641.2 Heat Transfer - 951 Materials Science

**Numerical data indexing:** Pressure 2.30e+07Pa to 2.80e+07Pa, Surface\_Power\_Density 2.00e+05W/m<sup>2</sup> to 1.00e+06W/m<sup>2</sup>

**DOI:** 10.7538/yzk.2016.50.10.1756

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 18. Corrosion research of quinoline inhibitor for pipeline steel in simulated occluded solution

**Accession number:** 20164703043837

**Authors:** Li, Shanjian (1, 2); Feng, Lajun (1); Zhang, Jing (1)

**Author affiliation:** (1) School of Materials Science and Technology, Xi'an University of Technology, Xi'an; 710048, China; (2) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Yingyong Jichu yu Gongcheng Kexue Xuebao/Journal of Basic Science and Engineering

**Abbreviated source title:** Yingyong Jichu yu Gongcheng Kexue Xuebao

**Volume:** 24

**Issue:** 5

**Issue date:** October 1, 2016

**Publication year:** 2016

**Pages:** 1025-1033

**Language:** Chinese

**ISSN:** 10050930

**Document type:** Journal article (JA)

**Publisher:** Editorial Board of Journal of Basic Science and

**Abstract:** Simulated Occluded Corrosion Cell (OCC) was used to study the changes of chemical state of N80 pipeline steel within the OCC in the Na<sub>2</sub>S+NaCl solution containing a quinoline inhibitor. The potentiodynamic polarization curves, electrochemical impedance spectroscopy (EIS) and SEM were used to study the anodic and cathodic corrosion behavior of N80 steel and the corrosion effects of Cl<sup>-</sup> and S<sub>2</sub><sup>-</sup> on N80 steel. The results showed that the occluded solution was acidified and the pH value had a sharp decline in the three solution systems (2%Na<sub>2</sub>S+5%NaCl, 2%Na<sub>2</sub>S+8%NaCl and 2%Na<sub>2</sub>S+10%NaCl) after anodic polarizing in occluded cell. The migration amount of Cl<sup>-</sup> and S<sub>2</sub><sup>-</sup> into the occluded cell was increased and accumulated. When the quinoline inhibitor was added into the bulk solution, the inhibitor could effectively retard the migration of Cl<sup>-</sup> and S<sub>2</sub><sup>-</sup> and the acidification of solution within the OCC. The inhibitor efficiency 82% within the OCC could be reached with 0.8% addition in the bulk solution. © 2016, The Editorial Board of Journal of Basic Science and Engineering. All right reserved.

**Number of references:** 8

**Main heading:** Localized corrosion

**Controlled terms:** Cytology - Electrochemical corrosion - Pipelines - Sodium chloride - Steel pipe - Pipeline corrosion - Steel corrosion - Cells - Corrosive effects

**Uncontrolled terms:** Corrosion behavior - Corrosion cells - Corrosion research - Electrochemical impedance spectroscopies - Inhibitor efficiency - N80 Steel - Potentiodynamic polarization curves - Quinoline inhibitor

**Classification code:** 461.2 Biological Materials and Tissue Engineering - 461.9 Biology - 539.1 Metals Corrosion - 545.3 Steel - 619.1 Pipe, Piping and Pipelines - 801.4.1 Electrochemistry - 802.2 Chemical Reactions

**Numerical data indexing:** Percentage 8.20e+01%, Percentage 8.00e-01%

**DOI:** 10.16058/j.issn.1005-0930.2016.05.014

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 19. Synthesis of no-glycerol biodiesel through transesterification catalyzed by CaO from different precursors

**Accession number:** 20162902601063

**Authors:** Tang, Ying (1, 2); Yan, Tianlan (1); Shen, Bo (1); Li, Huafeng (1); Jeje, Ayodeji (2)

**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an Shaanxi; 710065, China; (2) Department of Chemical & Petroleum Engineering, University of Calgary, Calgary; AB; T2N 1N4, Canada

**Corresponding author:** Tang, Ying(tangying78@xsyu.edu.cn)

**Source title:** Canadian Journal of Chemical Engineering

**Abbreviated source title:** Can. J. Chem. Eng.

**Volume:** 94

**Issue:** 8

**Issue date:** August 1, 2016

**Publication year:** 2016

**Pages:** 1466-1471

**Language:** English

**ISSN:** 00084034

**E-ISSN:** 1939019X

**CODEN:** CJCEA7

**Document type:** Journal article (JA)

**Publisher:** Wiley-Liss Inc.

**Abstract:** Three component mixtures of canola oil, dimethyl carbonate, and methanol, catalyzed by suspended calcium oxide (CaO) particles, produced a biodiesel that required little further processing. Only the catalyst particles needed to be recovered and reused. Substrates for the CaO were laboratory-grade acetate, hydroxide, oxalate, and carbonate compounds of calcium heated to temperatures  $\geq 850$  °C at which calcination is complete. The catalyst substrate and conversion process determined the effectiveness of the catalyst for high product yields. CaO derived from calcium carbonate exhibited morphological characteristics that included larger contact surface areas, and thus more reactive sites, compared to the other precursors. Moreover, with only 0.17  $\mu\text{g/g}$  (0.017 %) free glycerol present in the produced biodiesel, the biodiesel can be used directly without further treatment. © 2016 Canadian Society for Chemical Engineering.

**Number of references:** 28

**Main heading:** Biodiesel

**Controlled terms:** Carbonation - Catalysis - Substrates - Glycerol - Calcium carbonate - Transesterification - Lime - Catalysts

**Uncontrolled terms:** Carbonate compounds - Contact surface area - Different precursors - Dimethyl carbonate - Further treatments - Morphological characteristic - Oxide precursors - Three-component mixtures

**Classification code:** 523 Liquid Fuels - 802.2 Chemical Reactions - 803 Chemical Agents and Basic Industrial Chemicals - 804 Chemical Products Generally - 804.1 Organic Compounds - 804.2 Inorganic Compounds

**Numerical data indexing:** Percentage 1.70e-02%, Temperature 1.12e+03K

**DOI:** 10.1002/cjce.22543

**Funding Details:** Number: 2016JM2012, Acronym: -, Sponsor: -; Number: 21306149, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This work was financially supported by grants from the Natural Science Research Plan Projects of Shaanxi Science and Technology Department (2016JM2012), and the National Natural Science Foundation of China (21306149).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 20. Pore structure characterization, permeability evaluation and enhanced gas recovery techniques of tight gas sandstones

**Accession number:** 20160101762302

**Authors:** Gao, Hui (1); Li, Huazhou Andy (2)

**Author affiliation:** (1) School of Petroleum Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) School of Mining and Petroleum Engineering, Faculty of Engineering, University of Alberta, Edmonton; T6G 1H9, Canada

**Corresponding author:** Gao, Hui(ghtopsun1@163.com)

**Source title:** Journal of Natural Gas Science and Engineering

**Abbreviated source title:** J. Nat. Gas Sci. Eng.

**Volume:** 28

**Issue date:** January 01, 2016

**Publication year:** 2016

**Pages:** 536-547

**Language:** English

**ISSN:** 18755100

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** This mini review provides an overview of the recent developments in the pore structure characterization of tight gas sandstones, permeability measurement techniques, and enhanced tight gas recovery techniques. Firstly, we review the various testing techniques used for characterizing pore structures of tight gas sandstones, namely, the characteristics of pore, throat and micro-cracks in tight sandstones. These techniques can be grouped into qualitative, semi-quantitative and quantitative methods. We review the capabilities of these methods as well as their resolutions in pore-throat diameter measurement. Then the descriptive theories of pore networks of tight sandstones are overviewed, with a special attention paid to the fractal theory. Secondly, the commonly used permeability measurement techniques for tight cores are discussed; these measurements techniques are unsteady-state methods that accommodate the nature of low permeability of tight sandstones. Their merits and drawbacks are provided in this review. We next elaborate on the effect of effective stress and water saturation on the gas relative permeability in tight sandstones; a consensus is found to exist that agrees on the pronounced reduction of gas relative permeability due to increasing water presence and higher effective stress. The permeability jail concept can be used to explain some field observations where there is little water or gas production. Lastly, we move on to review the enhanced gas recovery techniques including waterless fracturing and CO<sub>2</sub>-based enhanced gas recovery. Both lab experiments and field applications demonstrate that, due to the negative impact that water causes on gas-phase relative permeability, waterless hydraulic fracturing holds a large potential in effectively unlocking tight gas resources. It deserves further detailed experimental and numerical investigation as well as field studies. In addition, CO<sub>2</sub> injection into tight gas formations is an important technology that is worth of consideration by both industry and governments due to its promising potential for enhancing CH<sub>4</sub> recovery as well as sequestering CO<sub>2</sub> into depleted tight gas formations. © 2015.

**Number of references:** 114

**Main heading:** Carbon dioxide

**Controlled terms:** Energy resources - Gas permeability - Hydraulic fracturing - Pore structure - Sandstone - Tight gas - Recovery - Testing - Gases

**Uncontrolled terms:** Diameter Measurement - Enhanced gas recoveries - Gas relative permeabilities - Numerical investigations - Permeability measurements - Pore structure characterizations - Relative permeability - Unsteady-state methods

**Classification code:** 482.2 Minerals - 512.1.2 Petroleum Deposits : Development Operations - 512.2 Natural Gas Deposits - 522 Gas Fuels - 525.1 Energy Resources and Renewable Energy Issues - 804.2 Inorganic Compounds - 931.2 Physical Properties of Gases, Liquids and Solids

**DOI:** 10.1016/j.jngse.2015.12.018

**Funding Details:** Number: RGPIN 05394, Acronym: NSERC, Sponsor: Natural Sciences and Engineering Research Council of Canada; Number: -, Acronym: U of A, Sponsor: University of Alberta; Number: -, Acronym: XSYU, Sponsor: Xi'an Shiyou University;

**Funding text:** The authors greatly acknowledge a Discovery Grant to H. Li provided by the Natural Sciences and Engineering Research Council of Canada ( NSERC RGPIN 05394 ) and a start-up fund from the University of Alberta. The first author also acknowledges a Young Excellent Scholar Fund provided by Xi'an Shiyou University to support H. Gao's academic stay between 2014 and 2015 at the University of Alberta. The authors would like to thank all the engineers and academics who have made significant contributions to the understanding and effective development of tight gas sandstone reservoirs over the last decades.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 21. Demulsification mechanism of O/W emulsion containing polymer using oligomeric quaternary ammonium salt

**Accession number:** 20162702571360

**Authors:** Wu, Ya (1, 2); Chen, Shi-Jun (1); Chen, Gang (1); Xu, Jia-Ye (1)

**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyou Univ, Xi'an; Shaanxi; 710065, China; (2) School of Chemistry and Chemical Engineering, Shaanxi Normal Univ, Xi'an; Shaanxi; 710062, China

**Corresponding author:** Chen, Gang(gangchen@xsyu.edu.cn)

**Source title:** Hunan Daxue Xuebao/Journal of Hunan University Natural Sciences

**Abbreviated source title:** Hunan Daxue Xuebao

**Volume:** 43

**Issue:** 6

**Issue date:** June 25, 2016

**Publication year:** 2016

**Pages:** 117-123

**Language:** Chinese

**ISSN:** 16742974

**CODEN:** HDAXE3

**Document type:** Journal article (JA)

**Publisher:** Hunan University

**Abstract:** To address polymer flooding emulsion in high water cut crude oil demulsification and oil-water separation, the bottle test method for the screening of a class of polymer containing liquid oil-water separation was used and the oligomeric quaternary ammonium salt I was found to show excellent demulsification performance, When ammonium salt I was added with the concentration of 25 mg/L, and the emulsion was demulsified at 55 for 60 min, the dehydration rate reached 96.5%. Compared with conventional polyether or polyamines demulsifiers, the quaternary ammonium salt I made the solution clearer and oil-water interface neater. The mechanism of the quaternary ammonium salt I affecting the emulsion was studied with optical microscope, dynamic analyzer and contact angle analyses. It was shown that free water in the oil droplet coalescence separation zone accounting for a leading role was instable and the emulsion oil droplet moved upward when oligomeric quaternary ammonium salt I was added to polymer flooding produced water. Being immersed, the solution of ammonium salt I on the surface of the pore core turned to water wet state. The result showed that changes of the interfacial wettability of the pore core on the membrane emulsification of strong dissolving capacity might lead to the rupture of the liquid film and oil-water separation. The contact angle measurement showed that the salt I of the liquid surface of the emulsion changed to water wet state, the strong wettability of the emulsion film was caused by the change of the film breakup, and the oil water was successfully separated. © 2016, Editorial Department of Journal of Hunan University. All right reserved.

**Number of references:** 15

**Main heading:** Emulsification

**Controlled terms:** Heavy oil production - Liquid films - Phase interfaces - Drops - Testing - Floods - Lakes - Oil well flooding - Bottles - Contact angle - Crude oil - Demulsification - Microscopes - Wetting - Emulsions - Oligomers - Salts

**Uncontrolled terms:** Contact angle analysis - Dynamic analyzers - Membrane emulsification - O/W emulsions - Oil water interfaces - Oil water separation - Quaternary ammonium salt - Stability analysis

**Classification code:** 511.1 Oil Field Production Operations - 512.1 Petroleum Deposits - 694.2 Packaging Materials - 741.3 Optical Devices and Systems - 801.4 Physical Chemistry - 802.3 Chemical Operations - 804 Chemical Products Generally - 815.1.1 Organic Polymers - 931.2 Physical Properties of Gases, Liquids and Solids

**Numerical data indexing:** Mass\_Density 2.50e-02kg/m<sup>3</sup>, Percentage 9.65e+01%, Time 3.60e+03s

**Funding Details:** Number: 21376189,21571121, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** National Natural Science Foundation of China (21571121, 21376189)

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 22. H# output tracking control for uncertain networked control systems via a switched system approach

**Accession number:** 20151600769223

**Authors:** Wu, Ying (1); Liu, Tianshi (1); Wu, Yanpeng (2); Zhang, Yabin (3)

**Author affiliation:** (1) School of Computer Science, Xi'an Shiyou University, Xi'an; 710065, China; (2) Department of Automation, Northwestern Polytechnical University, Xi'an, China; (3) No.4 Gas Production Plant, Changqing Oilfield Company, Xi'an, China

**Corresponding author:** Wu, Ying(wuyg1226@hotmail.com)

**Source title:** International Journal of Robust and Nonlinear Control

**Abbreviated source title:** Int J Robust Nonlinear Control

**Volume:** 26

**Issue:** 5

**Issue date:** March 25, 2016

**Publication year:** 2016

**Pages:** 995-1009

**Language:** English

**ISSN:** 10498923

**E-ISSN:** 10991239

**CODEN:** IJRCEA

**Document type:** Journal article (JA)

**Publisher:** John Wiley and Sons Ltd

**Abstract:** In this paper, the problem of H# output tracking control for networked control systems with random time delays and system uncertainties is investigated. Effective sampling instant that is tightly related with transmission delay from sensor to actuator is proposed to ensure that the random variable time delay is always shorter than one effective sampling period. By using both active time-varying sampling period strategy and hybrid node-driven mechanism, the switching instant is coincided with the effective sampling instant. An augmented time-varying networked tracking system model is provided by including the output tracking error as an additional state. However, random transmission delay causes indeterminate sampling period, which induces infinite subsystems. Gridding approach is introduced to transform the continuous time axis into discrete-time sequences, which guarantees the finite number of switching rules. By employing multiple Lyapunov-Krasovskii functions, linear matrix inequality (LMI)-based output tracking H# performance analysis is presented, and robust switching H# model reference tracking controller for networked control systems with communication constraints and system uncertainties is designed to guarantee asymptotic tracking of prescribed reference outputs while rejecting disturbances. Finally, simulation results illustrate the correctness and effectiveness of the proposed approaches. © 2015 John Wiley & Sons, Ltd.

**Number of references:** 35

**Main heading:** Networked control systems

**Controlled terms:** Delay control systems - Robustness (control systems) - Navigation - Continuous time systems - Time varying control systems - Linear matrix inequalities - Time delay - Uncertainty analysis - Robust control

**Uncontrolled terms:** Communication constraints - Discrete-time sequences - Lyapunov Krasovskii function - Output tracking control - Performance analysis - System uncertainties - Time-varying sampling period - Variable time delay

**Classification code:** 713 Electronic Circuits - 731 Automatic Control Principles and Applications - 731.1 Control Systems - 731.2 Control System Applications - 921.1 Algebra - 922.1 Probability Theory - 961 Systems Science

**DOI:** 10.1002/rnc.3347

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### **23. An analysis of prototype basin Period and its genetic mechanism of Huangqikou Period and Wangquankou Period, Southwest Ordos Basin**

**Accession number:** 20163502745613

**Authors:** Song, Lijun (1, 3); Liu, Chiyang (2, 3); Zhao, Hongge (2, 3); Wang, Jianqiang (2, 3); Zhang, Xiaolong (2, 3)

**Author affiliation:** (1) Geosciences and Engineering Faculty, Xi'an Shiyou University, Xi'an; 710065, China; (2) Department of Geology, Northwest University, Xi'an; 710069, China; (3) State Key Laboratory of Continental Dynamics, Northwest University, Xi'an; 710069, China

**Corresponding author:** Liu, Chiyang(lcy@nwu.edu.cn)

**Source title:** Earth Science Frontiers

**Abbreviated source title:** Earth Sci. Front.

**Volume:** 23

**Issue:** 5

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 221-234

**Language:** Chinese

**ISSN:** 10052321

**Document type:** Journal article (JA)

**Publisher:** Science Frontiers editorial department

**Abstract:** Owing to complicated geological evolution and the following reformation caused by the succeeding strong multiphase tectonic movement, the multi-period prototype basin of the Mesoproterozoic southwestern Ordos Basin was vertically stacked, and the original appearance of each prototype basin was no longer in existence, which restricted the in-depth understanding of the original appearance of each prototype basin, of the stacking process of multiphase basin prototype, of its dynamic environment, and of the reasonable exploration of oil and gas. Combined with the tectonic background research of North China Craton at the same time, the prototype basin and its genetic mechanism of Huangqikou and Wangquankou in Daijian Period, Southwest Ordos Basin have been analyzed through the seismic interpretation, drilling data interpretation, and test data analysis. The research findings show that in the early stage of Huangqikou Period, under the background of the clockwise rotation of the North China Craton, the research area, the southwestern Ordos Basin, was rifting under the strike-slip extensional dynamic environment, and filled with a large number of alluvial fan systems and delta systems and a small lake system. In the late stage of Huangqikou Period, the research area began to enter into the post-rift depression stage, mainly was filled with lake-delta system covered the lower lacunae sequence of lower Huangqikou Formation. In Wangquankou Period, with the increase in regional extrusion, owing to the subduction of oceanic crust, the "S" type of monzonitic granite of Xiazhai System derived from volcanic arc or syn-collision orogeny intruded in Maxianshan group; the southwestern Ordos Basin was under the back-arc compressive depression dynamic environment, which developed a set of carbonate rocks of tidal flat depositional system, mainly stromatolite dolostone. Then, because of compressive uplifting, the Daijian System (Huangqikou Formation and Wangquankou Formation), underwent erosion in Qingbaikou Period and Nanhua Period. © 2016, Editorial Office of Earth Science Frontiers. All right reserved.

**Number of references:** 6

**Main heading:** Tectonics

**Controlled terms:** Petroleum prospecting - Metamorphic rocks - Lakes - Seismology

**Uncontrolled terms:** Daijian System - Dynamic environments - Genetic mechanism - Geological evolution - In-depth understanding - Ordos Basin - Prototype basin - Seismic interpretation

**Classification code:** 481.1 Geology - 484.1 Earthquake Measurements and Analysis - 512.1.2 Petroleum Deposits : Development Operations

**DOI:** 10.13745/j.esf.2016.05.023

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 24. Rayleigh wave velocity analysis in pan f-k domain

**Accession number:** 20163402737375

**Authors:** Shen, Hong-Yan (1); Yan, Yue-Ying (1); Zhang, Bao-Wei (2)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Langfang Geophysical and Geochemical Exploration Institute, Chinese Academy of Geological Science, Langfang; 065000, China

**Source title:** Meitan Xuebao/Journal of the China Coal Society

**Abbreviated source title:** Meitan Xuebao

**Volume:** 41

**Issue:** 8

**Issue date:** August 1, 2016

**Publication year:** 2016

**Pages:** 2033-2040

**Language:** Chinese

**ISSN:** 02539993

**CODEN:** MTHPDA

**Document type:** Journal article (JA)

**Publisher:** China Coal Society

**Abstract:** Rayleigh wave survey is an important method to solve the near-surface geological problems, and an important technical aspect of this method is the extraction of the Rayleigh wave phase velocity. Based on the conventional reflection wave velocity analysis method, an effective phase velocities analysis method of Rayleigh wave in pan f-k domain is proposed. In the method proposed, the relationship among phase velocity, frequency and wave number, and the relationship between penetration depth and wavelength are employed in order to transform the frequency-wave number (f-k) spectrum into depth-phase velocity (H-vR) spectrum. The effectiveness of the method is proved by the analysis of one example model data and one set of real seismic data for urban active fault survey. The analysis results show that the method can effectively extract near-surface geological information with high precision and strong resistance to noise. © 2016, Editorial Office of Journal of China Coal Society. All right reserved.

**Number of references:** 33

**Main heading:** Rayleigh waves

**Controlled terms:** Faulting - Seismology - Phase velocity - Acoustic wave velocity - Surveys

**Uncontrolled terms:** 2d fourier transforms - Geological information - Near surfaces - Pan f-k domain - Velocity analysis

**Classification code:** 484 Seismology - 484.1 Earthquake Measurements and Analysis - 711.1 Electromagnetic Waves in Different Media - 751.1 Acoustic Waves

**DOI:** 10.13225/j.cnki.jccs.2015.1675

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 25. A face recognition algorithm based on discriminant sparse locality and preserving projections

**Accession number:** 20162602532850

**Authors:** Yang, Yifang (1, 3); Wang, Yuping (2)

**Author affiliation:** (1) School of Mathematics and Statistics, Xidian University, Xi'an; 710071, China; (2) School of Computer Science and Technology, Xidian University, Xi'an; 710071, China; (3) College of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Wang, Yuping

**Source title:** Hsi-An Chiao Tung Ta Hsueh/Journal of Xi'an Jiaotong University

**Abbreviated source title:** Hsi An Chiao Tung Ta Hsueh

**Volume:** 50

**Issue:** 6

**Issue date:** June 10, 2016

**Publication year:** 2016

**Pages:** 54-60

**Language:** Chinese

**ISSN:** 0253987X

**CODEN:** HCTPDW

**Document type:** Journal article (JA)

**Publisher:** Xi'an Jiaotong University

**Abstract:** A new face recognition algorithm, i.e. a discriminant sparse locality and preserving projection algorithm (DSLPP), is proposed to solve the problem that the construction between-class scatters is too complex in the discriminant sparse neighborhood and preserving embedding (DSNPE) method. A novel between-class scatter is constructed by using the mean vector of each class as dictionary and preserving the sparse reconstructive relationship of mean face. Then, an optimal projection matrix is obtained by maximizing the between-class scatter and minimizing the within-class compactness simultaneously. The nearest neighbor classifier is finally used for face recognition. The proposed between-class scatter maximizes the difference of samples between different classes and has more discriminant power, so that the recognition rate of the proposed algorithm is markedly improved. Moreover, the computational complexity of the DSLPP algorithm is reduced because of the simple design of the dictionary. Experimental results show that the DSLPP algorithm achieves average recognition rates 83.38% and 95.72% on Yale, and UMIST face database respectively, and a maximal recognition rate 83.71% on AR face database, and that the recognition rates are obviously higher than the recognition rates of some conventional methods. The experimental results on UMIST face databases also show that the average computation time of the DSLPP algorithm is less 81.7% than that of the DSNPE algorithm. © 2016, Editorial Office of Journal of Xi'an Jiaotong University. All right reserved.

**Number of references:** 19

**Main heading:** Face recognition

**Controlled terms:** Database systems

**Uncontrolled terms:** Between class scatter - Conventional methods - Dimension reduction - Face recognition algorithms - Local preserving - Nearest Neighbor classifier - Projection algorithms - Sparse reconstructive

**Classification code:** 723.3 Database Systems

**Numerical data indexing:** Percentage 8.17e+01%, Percentage 8.34e+01%, Percentage 8.37e+01%, Percentage 9.57e+01%

**DOI:** 10.7652/xjtuxb201606009

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 26. Crystal structure, spectroscopic investigation and thermal properties of l-lysine p-toluenesulfonate

**Accession number:** 20155201711954

**Authors:** Wang, L. (1, 2); Wang, D.H. (1); Zhang, G.H. (2); Xu, D. (2); Deng, W.X. (1)

**Author affiliation:** (1) School of Materials Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) State Key Laboratory of Crystal Materials, Institute of Crystal Materials, Shandong University, Jinan; 250100, China

**Corresponding author:** Wang, L. (leiw@xsyu.edu.cn)

**Source title:** Journal of Molecular Structure

**Abbreviated source title:** J. Mol. Struct.

**Volume:** 1108

**Issue date:** March 15, 2016

**Publication year:** 2016

**Pages:** 179-186

**Language:** English

**ISSN:** 00222860

**CODEN:** JMOSB4

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** A novel organic crystal was prepared from l-lysine (Lly) and p-toluenesulfonic acid (pTS), which was grown from an aqueous solution by slow cooling method. The crystal system and the lattice parameters have been confirmed by single crystal X-ray diffraction studies. The FT-IR, FT-Raman, <sup>1</sup>H-NMR and <sup>13</sup>C-NMR spectra of the crystal have been recorded and analyzed. The spectral analyses confirmed the presence of various functional groups and the molecular configurations in LLTS crystal. The UV-Vis-NIR transmittance spectrum has been carried out which shows the cutoff wavelength around 280 nm. The thermal properties of crystal have been evaluated from thermogravimetric (TG) and differential thermal analysis (DTA). The melting point of grown crystal is fairly high, at around 259 °C. The nonlinear optical (NLO) properties of LLTS crystal were demonstrated by powder SHG experiment and also by quantum chemical calculations. The powder SHG efficiency of LLTS crystal is relatively low and very different from theoretical calculation results. © 2015 Elsevier B.V.

**Number of references:** 42

**Main heading:** Crystal structure

**Controlled terms:** Spectrum analysis - Thermogravimetric analysis - X ray diffraction - Quantum chemistry - Single crystals - Differential thermal analysis - Harmonic generation - Optical properties - Spectroscopic analysis - Thermodynamic properties - Amino acids - Solutions

**Uncontrolled terms:** Molecular configurations - Molecule spectroscopy - Nonlinear optical properties - Quantum chemical calculations - Single-crystal X-ray diffraction studies - Spectroscopic investigations - Theoretical calculations - Thermal properties of crystals

**Classification code:** 641.1 Thermodynamics - 741.1 Light/Optics - 801 Chemistry - 801.4 Physical Chemistry - 804.1 Organic Compounds - 933.1 Crystalline Solids - 933.1.1 Crystal Lattice

**Numerical data indexing:** Size 2.80e-07m, Temperature 5.32e+02K

**DOI:** 10.1016/j.molstruc.2015.11.019

**Funding Details:** Number: BS2011CL025, Acronym: -, Sponsor: -; Number: -, Acronym: SEM, Sponsor: Society for Experimental Mechanics; Number: 50872067, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: -, Acronym: SRF, Sponsor: Smoking Research Foundation; Number: 2015JM6327, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province; Number: 2015BS40, Acronym: XSYU, Sponsor: Xi'an Shiyou University; Number: 201510705223, Acronym: -, Sponsor: National College Students Innovation and Entrepreneurship Training Program;

**Funding text:** This work was supported by National Natural Science Foundation of China (No. 50872067), the SRF for ROCS, SEM and the Youth Scientist Fund of Shandong Province (BS2011CL025), Natural Science Foundation of Shaanxi Province (No. 2015JM6327), National College Students' Training Programs for Innovation and Entrepreneurship (201510705223) and Youth Science and Technology Innovation Fund Project at Xi'an Shiyou University (2015BS40).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 27. Theoretical investigation on the interfacial properties of carbon deposited on $\beta$ -SiC(111) substrate

**Accession number:** 20160101757659

**Authors:** Yang, Yan-Qing (1); Li, Jian (1, 2); Luo, Xian (1)

**Author affiliation:** (1) State Key Laboratory of Solidification Processing, School of Materials, Northwestern Polytechnical University, Xi'an; 710072, China; (2) School of Materials Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Yang, Yan-Qing(yqyang@nwpu.edu.cn)

**Source title:** Diamond and Related Materials

**Abbreviated source title:** Diamond Relat. Mat.

**Volume:** 62

**Issue date:** February 2016

**Publication year:** 2016

**Pages:** 22-29

**Language:** English

**ISSN:** 09259635

**CODEN:** DRMTE3

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** The deposition process of carbon atoms on SiC(111) substrates is simulated step by step using density functional theory calculations. Three stacking sites [center-, hollow- and top-sites on clean SiC(111)], two deposition rates (one or two carbon layers per step), two substrate areas [SiC(111) (1 × 1) and (2 × 2)], and two SiC(111) terminations (C- and Si-terminations) are considered respectively. The interfacial atomic structure, binding energy and electronic structures are calculated. The results show that interfacial carbon layers tend to epitaxially deposit on SiC(111) with ordered diamond-like stacking style. Regardless of the different deposition rates and different substrate areas, the diamond-like stacking style always exists in the equilibrium structures. However, due to the perturbations caused by uncontrolled factors, this stacking style disappears after some carbon layers deposited, and the amorphous carbon layer will form. Besides that, the deposited carbon atoms have stronger interfacial bonding on C-terminated SiC(111) than Si-terminated substrate. © 2015 Published by Elsevier B.V.

**Number of references:** 30

**Main heading:** Silicon carbide

**Controlled terms:** Binding energy - Substrates - Atoms - Amorphous carbon - Chemical bonds - Deposition rates - Crystal atomic structure - Amorphous silicon - Density functional theory - Electronic structure

**Uncontrolled terms:** Amorphous carbon layer - Carbon deposition - Different substrates - Equilibrium structures - Interfacial atomic structure - Interfacial bonding - Interfacial property - Theoretical investigations

**Classification code:** 549.3 Nonferrous Metals and Alloys excluding Alkali and Alkaline Earth Metals - 801.4 Physical Chemistry - 804.2 Inorganic Compounds - 922.1 Probability Theory - 931.3 Atomic and Molecular Physics - 931.4 Quantum Theory; Quantum Mechanics - 933.1.1 Crystal Lattice - 933.2 Amorphous Solids

**DOI:** 10.1016/j.diamond.2015.12.008

**Funding Details:** Number: 51071122,51271147, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: B08040, Acronym: -, Sponsor: Higher Education Discipline Innovation Project;

**Funding text:** The authors acknowledge the financial support for the research from the Natural Science Foundation of China ( 51071122 and 51271147 ) and the 111 Project of China ( B08040 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 28. Classification of iron ore based on acidity and alkalinity by laser induced breakdown spectroscopy coupled with: N -nearest neighbours (N3)

**Accession number:** 20163402724379

**Authors:** Yan, Chunhua (1); Wang, Zhanmei (1); Ruan, Fangqi (1); Ma, Junxiu (1); Zhang, Tianlong (1); Tang, Hongsheng (1); Li, Hua (1, 2)

**Author affiliation:** (1) Institute of Analytical Science, College of Chemistry and Material Science, Northwest University, Xi'an; 710069, China; (2) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Li, Hua(huali@nwu.edu.cn)

**Source title:** Analytical Methods

**Abbreviated source title:** Anal. Methods

**Volume:** 8

**Issue:** 32

**Issue date:** August 28, 2016

**Publication year:** 2016

**Pages:** 6216-6221

**Language:** English

**ISSN:** 17599660

**E-ISSN:** 17599679

**Document type:** Journal article (JA)

**Publisher:** Royal Society of Chemistry

**Abstract:** Laser induced breakdown spectroscopy (LIBS) coupled with N-nearest neighbours (N3) method was developed for classification and identification of four types of iron ore (acid iron ore, self-fluxing iron ore and alkaline iron ore). The parameters included spectral pretreatment methods and spectral range selection and the model parameter  $\alpha$  was optimized at the same time by 5-fold cross validation and evaluated by average classification error rate. The region of 400-600 nm was normalized by maximum integrated intensity and used to construct the N3 and KNN (K nearest neighbor) models. The N3 and KNN models were evaluated and applied to discriminate iron ore. The classification accuracy is 100% for the N3 model, which shows better predictive capabilities than the KNN model for the classification of iron ore. Therefore, LIBS technique combined with N3 could be a promising method for real-time online, rapid analysis in mining and mineral processing industries. © The Royal Society of Chemistry 2016.

**Number of references:** 34

**Main heading:** Iron ores

**Controlled terms:** Atomic emission spectroscopy - Laser induced breakdown spectroscopy - Nearest neighbor search

**Uncontrolled terms:** Classification accuracy - Classification and identifications - Classification error rate - Integrated intensities - Laserinduced breakdown spectroscopy (LIBS) - Mineral processing industry - Predictive capabilities - Spectral pre treatments

**Classification code:** 504.3 Heavy Metal Mines - 545.1 Iron - 921.5 Optimization Techniques - 931.1 Mechanics

**Numerical data indexing:** Percentage 1.00e+02%, Size 4.00e-07m to 6.00e-07m

**DOI:** 10.1039/c6ay01396a

**Funding Details:** Number: 21375105, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2011YQ030113, Acronym: -, Sponsor: National Key Scientific Instrument and Equipment Development Projects of China;

**Funding text:** This work was supported by the National Natural Science Foundation of China (No. 21375105) and the National Major Scientific Instruments and Equipment Development Projects of China (No. 2011YQ030113)

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 29. Quantitative analysis of the major components of coal ash using laser induced breakdown spectroscopy coupled with a wavelet neural network (WNN)

**Accession number:** 20160902015738

**Authors:** Wei, Jiao (1); Dong, Juan (1); Zhang, Tianlong (1); Wang, Zhanmei (1); Li, Hua (1, 2)

**Author affiliation:** (1) Institute of Analytical Science, College of Chemistry and Material Science, Northwest University, Xi'an; 710069, China; (2) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Li, Hua(huali@nwu.edu.cn)

**Source title:** Analytical Methods

**Abbreviated source title:** Anal. Methods

**Volume:** 8

**Issue:** 7

**Issue date:** February 21, 2016

**Publication year:** 2016

**Pages:** 1674-1680

**Language:** English

**ISSN:** 17599660

**E-ISSN:** 17599679

**Document type:** Journal article (JA)

**Publisher:** Royal Society of Chemistry

**Abstract:** A laser induced breakdown spectroscopy (LIBS) technique was applied to detect the major components of coal ash based on a wavelet neural network (WNN). Prior to constructing the WNN model, the spectra were preprocessed using wavelet threshold de-noising and Kalman filtering, and the principle components (PC), extracted using principle component analysis (PCA), were used as the input variables. Afterwards, the quantitative analysis of the major components in coal ash samples was completed using the WNN with the optimized WNN model parameters consisting of the number of hidden neurons (NHN), the number of iterations (NI), the learning rate (LR) and the momentum based on the root mean square error (RMSE). Finally, an artificial neural network (ANN) and the WNN were evaluated comparatively on their ability to predict the content of major components of test coal ash samples in terms of correlation coefficient (R) and RMSE, demonstrating that LIBS combined with a WNN model exhibited better prediction for coal ash, and is a promising technique for combustion process control even in the online mode. © The Royal Society of Chemistry 2016.

**Number of references:** 33

**Main heading:** Neural networks

**Controlled terms:** Laser induced breakdown spectroscopy - Wavelet analysis - Coal ash - Atomic emission spectroscopy - Coal combustion - Mean square error - Principal component analysis - Coal

**Uncontrolled terms:** Correlation coefficient - Laserinduced breakdown spectroscopy (LIBS) - Number of hidden neurons - Number of iterations - Principle component analysis - Root mean square errors - Wavelet neural networks - Wavelet threshold de-noising

**Classification code:** 521 Fuel Combustion and Flame Research - 524 Solid Fuels - 921 Mathematics - 922.2 Mathematical Statistics - 931.1 Mechanics

**DOI:** 10.1039/c5ay02994e

**Funding Details:** Number: 21375105, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2011YQ030113, Acronym: -, Sponsor: National Key Scientific Instrument and Equipment Development Projects of China; Number: 20126101110019, Acronym: SRFDP, Sponsor: Specialized Research Fund for the Doctoral Program of Higher Education of China;

**Funding text:** The work was supported by the National Major Scientific Instruments and Equipment Development Projects of China (No. 2011YQ030113), National Natural Science Foundation of China (No. 21375105), and the Research Fund for the Doctoral Program of Higher Education of China (No. 20126101110019).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 30. Improved method of processing downhole pressure data on smart wells

**Accession number:** 20163202703160

**Authors:** Zhang, Bing (1, 2); Xiong, Jiyou (1); Zhang, Ningsheng (2); Wang, Jinlong (2)

**Author affiliation:** (1) State Key Laboratory of Oil and Gas Reservoir Geology and Exploitation, Southwest Petroleum University, Chengdu; 610500, China; (2) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Zhang, Bing

**Source title:** Journal of Natural Gas Science and Engineering

**Abbreviated source title:** J. Nat. Gas Sci. Eng.

**Volume:** 34

**Issue date:** August 1, 2016

**Publication year:** 2016

**Pages:** 1115-1126

**Language:** English

**ISSN:** 18755100

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** New methods are presented in this paper to address the limitations and defects of existing methods of pressure data processing for smart wells. An absolute-deviation decision filtering method based on Hampel estimation is utilized to eliminate outliers. The conditional combination of wavelet threshold denoising is optimized through an orthogonal experiment. The data are reduced by using pressure and time thresholds and a derivative method to identify the transients of pressure data in accordance with different stages of pressure change. Results show that the new methods have a good practical value because they can solve problems in pressure data processing for smart wells. © 2016 Elsevier B.V.

**Number of references:** 22

**Main heading:** Data reduction

**Uncontrolled terms:** Filtering method - Pressure data - Smart wells - Transient identification - Wavelet threshold

**Classification code:** 723.2 Data Processing and Image Processing

**DOI:** 10.1016/j.jngse.2016.08.002

**Funding Details:** Number: 14JK1587, Acronym: -, Sponsor: -; Number: 51274165,U1262105, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** The authors are grateful for the financial support provided by the National Natural Science Foundation of China [A Study of Multi-layer Commingling with Intelligent Well Completion for the Optimization of the Node Combination Model (No. 51274165) and A Study of Intelligent Well System Design and the Production Optimization of a Control Model (No. U1262105)] and the Education Department of Shaanxi Provincial Government Special Scientific Research Projects in China [Water Invasion Monitoring and Optimization Control Model of a Horizontal Intelligent Well in a Low-Permeability Reservoir (No. 14JK1587)].

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 31. Numerical simulation of soot combustion process in a bubbling fluidized bed with segregation behavior

**Accession number:** 20155101678082

**Authors:** Zhong, Hanbin (1); Lan, Xingying (2); Gao, Jinsen (2)

**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China; (2) State Key Laboratory of Heavy Oil Processing, China University of Petroleum, Beijing; 102249, China

**Corresponding author:** Lan, Xingying(lanxy@cup.edu.cn)

**Source title:** Asia-Pacific Journal of Chemical Engineering

**Abbreviated source title:** Asia-Pac. J. Chem. Eng.

**Volume:** 11

**Issue:** 1

**Issue date:** January 1, 2016

**Publication year:** 2016

**Pages:** 140-150

**Language:** English

**ISSN:** 19322135**E-ISSN:** 19322143**Document type:** Journal article (JA)**Publisher:** John Wiley and Sons Ltd

**Abstract:** Although only about 1 wt.% soot is formed after asphalt gasification, it is generally recognized that handling of the soot places a considerable financial burden on the integrated deasphalting-gasification process, because the disposal of the filter soot to landfill or other destinations causes serious environment problems. The bubbling fluidized bed combustion process, which takes the advantage of segregation behavior, was proposed to solve soot handling problem. A multi-fluid model based on an Eulerian-Eulerian approach was developed to reveal the characteristics of segregation and combustion behavior. The distributions of flow, temperature, and species concentration were obtained, and the simulation results demonstrate that the segregation behavior is beneficial to discharge particle mixtures with low soot content at the bottom of the bed, which will favor the following vanadium recovering process. The effects of several key operating conditions, such as excess air coefficient, superficial gas velocity and initial static bed height were also discussed. © 2015 Curtin University of Technology and John Wiley & Sons, Ltd.

**Number of references:** 23**Main heading:** Soot**Controlled terms:** Air - Gasification - Fluidized beds - Numerical models - Dust - Segregation (metallography) - Bubble formation**Uncontrolled terms:** Bubbling fluidized bed - Bubbling fluidized bed combustion - Combustion behavior - Eulerian-Eulerian approach - Excess air coefficient - Gasification process - Species concentration - Superficial gas velocities**Classification code:** 451.1 Air Pollution Sources - 531.2 Metallography - 631.1.2 Gas Dynamics - 802.3 Chemical Operations - 804 Chemical Products Generally - 921 Mathematics**DOI:** 10.1002/apj.1951**Compendex references:** YES**Database:** Compendex**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 32. A novel spectral clustering method with superpixels for image segmentation

**Accession number:** 20155001675494**Authors:** Yang, Yifang (1, 3); Wang, Yuping (2); Xue, Xingsi (2)**Author affiliation:** (1) School of Mathematics and Statistics, Xidian University, Xi'an; 710071, China; (2) School of Computer Science and Technology, Xidian University, Xi'an; 710071, China; (3) College of Science, Xi'an Shiyou University, Xi'an; 710065, China**Corresponding author:** Yang, Yifang(yangyifang@xsyu.edu.cn)**Source title:** Optik**Abbreviated source title:** Optik**Volume:** 127**Issue:** 1**Issue date:** January 1, 2016**Publication year:** 2016**Pages:** 161-167**Language:** English**ISSN:** 00304026**Document type:** Journal article (JA)**Publisher:** Elsevier GmbH

**Abstract:** Similarity measure is critical to the performance of spectral clustering. The most commonly used similarity measure for spectral clustering is Gaussian kernel similarity measure. However, the selection of accurate scaling parameter in Gaussian kernel function is difficult. To reduce the sensitivity of scaling parameter, in this paper, a novel spectral clustering method with superpixels for image segmentation (SCS) is proposed. In particular, a novel kernel fuzzy similarity measure is presented, which uses membership distribution in partition matrix obtained by kernel fuzzy C-means clustering(KFCM). In addition, the superpixel is introduced into image segmentation to alleviate the computational burden of affinity matrix. The experimental results show that our approach is able to perform steadily under different parameters, and obtain good clustering results on various natural images. Moreover, the evaluation comparisons also indicate that our method can achieve comparable accuracy and significantly outperform most state-of-the-art algorithms. © 2015 Elsevier GmbH. All rights reserved.

**Number of references:** 38**Main heading:** Image segmentation**Controlled terms:** Cluster analysis - Superpixels - Fuzzy clustering - Clustering algorithms

**Uncontrolled terms:** Computational burden - Fuzzy C means clustering - Fuzzy similarity measure - Gaussian kernel functions - Partition matrixes - Spectral clustering - Spectral clustering methods - State-of-the-art algorithms

**Classification code:** 723 Computer Software, Data Handling and Applications - 903.1 Information Sources and Analysis

**DOI:** 10.1016/j.ijleo.2015.10.053

**Funding Details:** Number: 61472297,61503082,U1404622, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This work was supported by the National Natural Science Foundation of China under Grant No. 61472297 , U1404622 and 61503082 .

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 33. Acidity analysis of iron ore based on calibration-free laser-induced breakdown spectroscopy (CF-LIBS) combined with a binary search algorithm (BSA)

**Accession number:** 20163502741949

**Authors:** Wang, Zhanmei (1); Yan, Chunhua (1); Dong, Juan (1); Zhang, Tianlong (1); Wei, Jiao (1); Li, Hua (1, 2)

**Author affiliation:** (1) Institute of Analytical Science, College of Chemistry and Materials Science, Northwest University, Xi'an; 710069, China; (2) College of Chemistry and Chemical Engineering, Xi'An Shiyou University, Xi'an; 710065, China

**Corresponding author:** Li, Hua(huali@nwu.edu.cn)

**Source title:** RSC Advances

**Abbreviated source title:** RSC Adv.

**Volume:** 6

**Issue:** 80

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 76813-76823

**Language:** English

**E-ISSN:** 20462069

**CODEN:** RSCACL

**Document type:** Journal article (JA)

**Publisher:** Royal Society of Chemistry

**Abstract:** Calibration-free laser-induced breakdown spectroscopy (CF-LIBS) combined with a binary search algorithm (BSA) is proposed to determine the acidity (CaO/SiO<sub>2</sub> mass ratios) of iron ore. It is based on the idea that different samples with a similar matrix ablated in the same conditions have the same plasma temperature. Ca I/Si I molar ratios are obtained by the intercepts on the Boltzmann plots drawn by using corrected spectral lines without self-absorption, and the number concentrations of primary ionization ions of the elements are evaluated by the Saha equation. Furthermore, one standard sample matrix-matched with unknown samples along with BSA is employed to obtain a more accurate plasma temperature. Noteworthily, BSA is a classical search method and utilized to search the optimal plasma temperature for the first time in CF-LIBS. The acidity of the iron ores can be calculated according to the obtained value of Ca/Si molar ratios. The calculated acidity of the unknown samples were close to the certified acidity based on the root mean square error (RMSE) and mean relative error (MRE) which were 0.0145 and 4.01%, respectively. The proposed CF-LIBS method can be used to determine the acidity of iron ores, and it provides a new method and technology for selection and quality control of iron ore. © The Royal Society of Chemistry 2016.

**Number of references:** 29

**Main heading:** Mean square error

**Controlled terms:** Boltzmann equation - Calcium compounds - Atomic emission spectroscopy - Quality control - Calibration - Iron ores - Electron temperature - Laser induced breakdown spectroscopy - Learning algorithms

**Uncontrolled terms:** Binary search algorithm - Calibration free - Mean relative error - Number concentration - Plasma temperature - Root mean square errors - Self absorption - Standard samples

**Classification code:** 504.3 Heavy Metal Mines - 545.1 Iron - 723.4.2 Machine Learning - 913.3 Quality Assurance and Control - 922 Statistical Methods - 922.2 Mathematical Statistics - 931.1 Mechanics

**Numerical data indexing:** Percentage 1.45e-02%, Percentage 4.01e+00%

**DOI:** 10.1039/c6ra13038k

**Funding Details:** Number: 21375105, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2011YQ030113, Acronym: -, Sponsor: National Key Scientific Instrument and Equipment Development Projects of China;

**Funding text:** This research was supported by National Natural Science Foundation of China (no.21375105) and the National Major Scientific Instruments and Equipment Development Projects of China (no. 2011YQ030113).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 34. Effects of reaction pathway and particle heat absorption on gasifier: a numerical study

**Accession number:** 20161002072979

**Authors:** Zhong, Hanbin (1); Lan, Xingying (2); Gao, Jinsen (2)

**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (2) State Key Laboratory of Heavy Oil Processing, China University of Petroleum-Beijing, Beijing; 102249, China

**Corresponding author:** Lan, Xingying(lanxy@cup.edu.cn)

**Source title:** Huagong Jinzhan/Chemical Industry and Engineering Progress

**Abbreviated source title:** Huagong Jinzhan/Chem. Ind. Eng. Prog.

**Volume:** 35

**Issue:** 2

**Issue date:** February 5, 2016

**Publication year:** 2016

**Pages:** 376-382

**Language:** Chinese

**ISSN:** 10006613

**Document type:** Journal article (JA)

**Publisher:** Materials China

**Abstract:** The gasification technology is an efficient way to process inferior crude oil, unconventional oil and coal with lower emissions, and numerical simulation is an important method to reveal the complex flow and reaction behavior in the gasifier. In order to evaluate the influence of volatile reaction pathway and particle reaction heat absorption ratio, the Orimulsion gasification process in an entrained-flow gasifier was simulated with Eulerian-Lagrangian method. The homogenous reactions and heterogeneous reactions were described by the finite-rate/eddy-dissipation model and particle surface reaction model, respectively. The simulation results demonstrate that the reaction pathway of volatile mainly affects temperature and species distributions in the near-nozzle region, while those at the outlet of the gasifier change only slightly. However, the effect of particle heat absorption ratio is almost negligible due to the lower amount of fixed carbon in the Orimulsion and the small reaction heat of coke combustion. © 2016, Chemical Industry Press. All right reserved.

**Number of references:** 13

**Main heading:** Crude oil

**Controlled terms:** Coal combustion - Gasification - Lagrange multipliers - Numerical methods - Surface reactions

**Uncontrolled terms:** Entrained flow gasifiers - Eulerian-Lagrangian method - Gasification technologies - Heat absorption - Heterogeneous reactions - Numerical study - Orimulsion - Reaction pathways

**Classification code:** 512.1 Petroleum Deposits - 521 Fuel Combustion and Flame Research - 524 Solid Fuels - 802.2 Chemical Reactions - 802.3 Chemical Operations - 921.6 Numerical Methods

**DOI:** 10.16085/j.issn.1000-6613.2016.02.006

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 35. Geochemical characteristics, sedimentary environment and tectonic setting of Huangqikou Formation, Ordos Basin

**Accession number:** 20163602766419

**Authors:** Song, Lijun (1, 2); Liu, Chiyang (2, 3); Zhao, Hongge (2, 3); Wang, Jianqiang (2, 3); Zhang, Xiaolong (2, 3)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) State Key Laboratory of Continental Dynamics, Northwest University, Xi'an; 710069, China; (3) Department of Geology, Northwest University, Xi'an; 710069, China

**Corresponding author:** Liu, Chiyang(lcy@nwu.edu.cn)

**Source title:** Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao/Earth Science - Journal of China University of Geosciences

**Abbreviated source title:** Diqiu Kexue Zhongguo Dizhi Daxue Xuebao

**Volume:** 41**Issue:** 8**Issue date:** August 1, 2016**Publication year:** 2016**Pages:** 1295-1308 and 1321**Language:** Chinese**ISSN:** 10002383**CODEN:** DIKEEL**Document type:** Journal article (JA)**Publisher:** China University of Geosciences

**Abstract:** A set of ultra-thick Middle Proterozoic clastic sedimentary rocks deposited in and around southwestern Ordos basin, with the Huangqikou Formation(HKF) as the most typical one, has great potential for oil and gas exploration. However, our understanding of HKF needs to be enhanced. Thus, by means of main-trace, rare elements and detrital component method, we probed into the sedimentary environment and tectonic setting of the HKF. The sedimentary environment discrimination diagrams of both main and trace elements show that the HKF was deposited wholly under a dry environment with fresh water oxidized, or an oxygen-enriched environment, with an average paleoseawater temperature of 32. The tectonic environment discrimination diagrams of clastic composition, and main and trace elements all show similarity to those of the East African rift basin, and gradual increasing of the quartz sandstone content from the lower to the upper parts, suggesting that HKF deposited under an intracontinental rift tectonic-sedimentary setting, which may have been caused by the counterclockwise rotation of North China Craton. It is concluded that the HKF was deposited in an intracontinental rift basin in the fresh water, and the tectonic setting became more stable from early to late stage, which was intra-continental rift in the early stage and post-rift depression in the late one. © 2016, Editorial Department of Earth Science. All right reserved.

**Number of references:** 48**Main heading:** Tectonics**Controlled terms:** Water - Metamorphic rocks - Trace elements - Petroleum prospecting - Sedimentary rocks - Sedimentology - Geochemistry**Uncontrolled terms:** Counter clockwise rotation - Discrimination diagram - Geochemical characteristic - Huangqikou Formation (HKF) - Oil and gas exploration - Ordos Basin - Sedimentary environment - Tectonic settings**Classification code:** 481.1 Geology - 481.2 Geochemistry - 482.2 Minerals - 512.1.2 Petroleum Deposits : Development Operations**DOI:** 10.3799/dqkx.2016.105**Compendex references:** YES**Database:** Compendex**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 36. A new configuration of winglet longitudinal vortex generator to enhance heat transfer in a rectangular channel

**Accession number:** 20162102412529**Authors:** Tang, L.H. (1); Chu, W.X. (2); Ahmed, N. (2); Zeng, M. (2)**Author affiliation:** (1) School of Mechanical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Key Laboratory of Thermo-Fluid Science and Engineering, Ministry of Education, Xi'an Jiaotong University, Xi'an, Shaanxi; 710049, China**Corresponding author:** Zeng, M.(zengmin@mail.xjtu.edu.cn)**Source title:** Applied Thermal Engineering**Abbreviated source title:** Appl Therm Eng**Volume:** 104**Issue date:** July 5, 2016**Publication year:** 2016**Pages:** 74-84**Language:** English**ISSN:** 13594311**CODEN:** ATENFT**Document type:** Journal article (JA)**Publisher:** Elsevier Ltd

**Abstract:** In this study, a new configuration of winglet longitudinal vortex generator (LVG) to enhance heat transfer in rectangular channel is introduced. Furthermore, the effects of two new types of LVGs, i.e. the common-flow-up

rectangular winglet combined with elliptical pole (Case E) and the common-flow-up delta winglet combined with elliptical pole (Case F), on flow and heat transfer characteristics in a rectangular channel are investigated in detail by three-dimensional CFD numerical simulations. Comparing with the traditional types of winglet LVG (Case A, common-flow-down rectangular winglet; Case B, common-flow-down delta winglet; Case C, common-flow-up rectangular winglet; and Case D, common-flow-up delta winglet), the result reveals that Case F provides the best effectiveness of the heat transfer enhancement. The results were analyzed from the prospective of field synergy principle, it was found that the intersection angles between velocity and temperature gradient of all vortex generator (VG) configurations were smaller than that of smooth channel due to influence of LVGs, which was consistent with the field synergy principle, i.e.; the smaller the synergy angle the larger the Nusselt number. Compared by the performance evaluation parameter, the average JF factor in the Reynolds number range for Case A, Case B, Case C, Case D, Case E, and Case F were -5.1%, 3.6%, 0.9%, 6.5%, 1.3%, and 7.4% higher than that of smooth channel, which means Case F had the best overall heat transfer performances. © 2016 Elsevier Ltd. All rights reserved.

**Number of references:** 44

**Main heading:** Reynolds number

**Controlled terms:** Vorticity - Computational fluid dynamics - Heat transfer - Poles - Vortex flow - Delta wing aircraft

**Uncontrolled terms:** CFD numerical simulations - Evaluation parameters - Field synergy principle - Flow and heat transfer - Heat Transfer enhancement - Longitudinal vortex generators - Overall heat transfer performance - Rectangular channel

**Classification code:** 408.2 Structural Members and Shapes - 631.1 Fluid Flow, General - 641.2 Heat Transfer - 652.1 Aircraft, General - 723.5 Computer Applications - 931.1 Mechanics

**Numerical data indexing:** Percentage -5.10e+00%, Percentage 1.30e+00%, Percentage 3.60e+00%, Percentage 6.50e+00%, Percentage 7.40e+00%, Percentage 9.00e-01%

**DOI:** 10.1016/j.applthermaleng.2016.05.056

**Funding Details:** Number: 51276139, Acronym: -, Sponsor: -; Number: NCET-13-0463, Acronym: NCET, Sponsor: Program for New Century Excellent Talents in University;

**Funding text:** This work is supported by National Nature Science Foundation of China (No. 51276139 ) and the Program for New Century Excellent Talents in University of China ( NCET-13-0463 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 37. High-bandwidth large-dynamic frequency control of an optical comb by tuning polarization state

**Accession number:** 20162902595557

**Authors:** Zhang, Yanyan (1, 2); Yan, Lulu (1); Fan, Songtao (1, 2); Chen, Maoqiang (1, 2); Guo, Wenge (1, 3); Zhang, Shougang (1); Jiang, Haifeng (1)

**Author affiliation:** (1) Key Laboratory of Time and Frequency Primary Standards, National Time Service Center, Xi'an, China; (2) University of Chinese Academy of Sciences, Beijing, China; (3) School of Science, Xi'an Shiyou University, Xi'an, China

**Source title:** 2016 European Frequency and Time Forum, EFTF 2016

**Abbreviated source title:** Eur. Freq. Time Forum, EFTF

**Part number:** 1of1

**Issue title:** 2016 European Frequency and Time Forum, EFTF 2016

**Issue date:** May 23, 2016

**Publication year:** 2016

**Article number:** 7477792

**Language:** English

**ISBN-13:** 9781509007202

**Document type:** Conference article (CA)

**Conference name:** 30th European Frequency and Time Forum, EFTF 2016

**Conference date:** April 4, 2016 - April 7, 2016

**Conference location:** York, United kingdom

**Conference code:** 121865

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** We report a new method to precisely control carrier-envelope frequency (fceo) of a nonlinear-polarizationrotation mode-locked Er: fiber optical frequency comb. The fceo is phase-locked onto an RF reference frequency by rotating polarization state with a special home-made intra-cavity electrooptic modulator (EOM). The

EOM is inserted right after the PBS of a well-known ring mode-locked laser's loop and rotates polarization state with a coefficient of about  $1.2 \times 10^{-4}$  rad/v in ellipticity. The frequency control range of the EOM is two orders of magnitude larger than the traditional ones. Benefiting from fast response of the EOM, in-loop frequency stabilities of the fceo is below  $2 \times 10^{-17}$  at 1 second, and the corresponding timing jitter is about 0.16 rad. © 2016 IEEE.

**Number of references:** 12

**Main heading:** Locks (fasteners)

**Controlled terms:** Light modulators - Light modulation - Laser mode locking - Mode-locked fiber lasers - Optical signal processing - Polarization - Electrooptical devices

**Uncontrolled terms:** Carrier-envelope - Dynamic frequency controls - Electro-optic modulators - High bandwidth - Optical combs - Orders of magnitude - Polarization state - Reference frequency

**Classification code:** 714 Electronic Components and Tubes - 741.1 Light/Optics - 741.3 Optical Devices and Systems - 744.1 Lasers, General

**Numerical data indexing:** Time 1.00e+00s

**DOI:** 10.1109/EFTF.2016.7477792

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 38. Quantitative evaluation on the performance and feature enhancement of stochastic resonance for bearing fault diagnosis

**Accession number:** 20162602533148

**Authors:** Li, Guoying (1, 2); Li, Jimeng (3); Wang, Shibin (1); Chen, Xuefeng (1)

**Author affiliation:** (1) State Key Laboratory for Manufacturing Systems Engineering, School of Mechanical Engineering, Xi'an Jiaotong University, Xi'an; 710049, China; (2) Xi'an Shiyou University, Xi'an; 710065, China; (3) Yanshan University, Hebei; 066004, China

**Corresponding author:** Chen, Xuefeng(chenxf@mail.xjtu.edu.cn)

**Source title:** Mechanical Systems and Signal Processing

**Abbreviated source title:** Mech Syst Signal Process

**Volume:** 81

**Issue date:** December 15, 2016

**Publication year:** 2016

**Pages:** 108-125

**Language:** English

**ISSN:** 08883270

**E-ISSN:** 10961216

**CODEN:** MSSPEP

**Document type:** Journal article (JA)

**Publisher:** Academic Press

**Abstract:** Stochastic resonance (SR) has been widely applied in the field of weak signal detection by virtue of its characteristic of utilizing noise to amplify useful signal instead of eliminating noise in nonlinear dynamical systems. How to quantitatively evaluate the performance of SR, including the enhancement effect and the degree of waveform distortion, and how to accurately extract signal amplitude have become two important issues in the research on SR. In this paper, the signal-to-noise ratio (SNR) of the main component to the residual in the SR output is constructed to quantitatively measure the enhancement effect of the SR method. And two indices are constructed to quantitatively measure the degree of waveform distortion of the SR output, including the correlation coefficient between the main component in the SR output and the original signal, and the zero-crossing ratio. These quantitative indices are combined to provide a comprehensive quantitative index for adaptive parameter selection of the SR method, and eventually the adaptive SR method can be effective in enhancing the weak component hidden in the original signal. Fast Fourier Transform and Fourier Transform (FFT+FT) spectrum correction technology can extract the signal amplitude from the original signal and effectively reduce the difficulty of extracting signal amplitude from the distorted resonance output. The application in vibration analysis for bearing fault diagnosis verifies that the proposed quantitative evaluation method for adaptive SR can effectively detect weak fault feature of the vibration signal during the incipient stage of bearing fault. © 2016 Elsevier Ltd.

**Number of references:** 40

**Main heading:** Failure analysis

**Controlled terms:** Fault detection - Signal to noise ratio - Circuit resonance - Fast Fourier transforms - Stochastic systems - Dynamical systems - Magnetic resonance - Nonlinear dynamical systems - Electric distortion - Signal processing - Signal distortion - Vibration analysis

**Uncontrolled terms:** Adaptive - Bearing fault diagnosis - Correlation coefficient - Quantitative evaluation - Quantitative evaluation methods - Quantitative indices - Stochastic resonances - Weak signal detection

**Classification code:** 701.1 Electricity: Basic Concepts and Phenomena - 701.2 Magnetism: Basic Concepts and Phenomena - 703.1 Electric Networks - 716.1 Information Theory and Signal Processing - 731.1 Control Systems - 921 Mathematics - 921.3 Mathematical Transformations - 961 Systems Science

**DOI:** 10.1016/j.ymssp.2016.02.055

**Funding Details:** Number: 51225501,51335006, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2015CB057400, Acronym: NKRDP, Sponsor: National Key Research and Development Program of China;

**Funding text:** This work is supported by National Natural Science Foundation of China (Nos. 51225501 , 51335006 ) and the National Key Basic Research Program of China (No. 2015CB057400 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 39. Optical comb frequency-controlled by rotating polarization state

**Accession number:** 20164202911142

**Authors:** Zhang, Yanyan (1, 2); Yan, Lulu (1); Fan, Songtao (1, 2); Chen, Maoqiang (1, 2); Zhao, Wenyu (1); Guo, Wenge (1, 3); Zhang, Shougang (1); Jiang, Haifeng (1)

**Author affiliation:** (1) Key Laboratory of Time and Frequency Primary Standards, National Time Service Center, Xi'an, China; (2) University of Chinese Academy of Sciences, Beijing, China; (3) School of Science, Xi'an Shiyou University, Xi'an, China

**Source title:** 2016 IEEE International Frequency Control Symposium, IFCS 2016 - Proceedings

**Abbreviated source title:** IEEE Int. Freq. Control Symp., IFCS - Proc.

**Part number:** 1of1

**Issue title:** 2016 IEEE International Frequency Control Symposium, IFCS 2016 - Proceedings

**Issue date:** August 16, 2016

**Publication year:** 2016

**Article number:** 7546769

**Language:** English

**ISBN-13:** 9781509020911

**Document type:** Conference article (CA)

**Conference name:** 70th IEEE International Frequency Control Symposium, IFCS 2016

**Conference date:** May 9, 2016 - May 12, 2016

**Conference location:** New Orleans, LA, United states

**Conference code:** 123734

**Sponsor:** CRC Press Taylor and Francis Group; IEEE UFFC; National Institute of Standards and Technology (NIST) U.S. Department of Commerce; Synergy Microwave Corporation

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** We report a control method to stabilize frequencies of a nonlinear polarization rotation mode-locked laser by tuning polarization state with a home-made intra-cavity electro-optic modulator (EOM). The EOM rotates polarization state about  $1.2 \times 10^{-4}$  rad/v in ellipticity, and enables wide range frequency control of carrier-envelope-offset frequency (fceo) or repetition rate (fr). By stabilizing the fr, fceo and a comb teeth @ 1550 nm with the EOM respectively, we obtain that frequency control dynamic ranges increase at least one order in comparison with the traditional intra-cavity EOM technique. In additional, this technique exhibits less side-effect than traditional frequency control methods. © 2016 IEEE.

**Number of references:** 12

**Main heading:** Light modulation

**Controlled terms:** Electrooptical devices - Light modulators - Optical signal processing - Polarization

**Uncontrolled terms:** Carrier envelope offset frequencies - Control dynamic - Control methods - Electro-optic modulators - Nonlinear polarization rotation - Optical combs - Polarization state - Repetition rate

**Classification code:** 714 Electronic Components and Tubes - 741.1 Light/Optics - 741.3 Optical Devices and Systems

**Numerical data indexing:** Size 1.55e-06m

**DOI:** 10.1109/FCS.2016.7546769

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

#### 40. A particle filter based multi-person tracking with occlusion handling (Open Access)

**Accession number:** 20170803366547

**Authors:** Yu, Ruixing (1); Zhu, Bing (2); Li, Wenfeng (3); Kong, Xianglong (3)

**Author affiliation:** (1) School of Astronautics, Northwestern Polytechnical University, No.127 Youyi West Road, Xian Shannxi, China; (2) School of Electronic Engineering, Xian Shiyou University, No.18 Dianzi er Road, Xian Shannxi, China; (3) Shanghai Institute of Satellite Engineering, No.3666 Yuanjiang Road, Shanghai, China

**Source title:** ICINCO 2016 - Proceedings of the 13th International Conference on Informatics in Control, Automation and Robotics

**Abbreviated source title:** ICINCO - Proc. Int. Conf. Inf. Control, Auto. Robot.

**Volume:** 2

**Part number:** 2 of 2

**Issue title:** ICINCO 2016 - Proceedings of the 13th International Conference on Informatics in Control, Automation and Robotics

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 201-207

**Language:** English

**ISBN-13:** 9789897581984

**Document type:** Conference article (CA)

**Conference name:** 13th International Conference on Informatics in Control, Automation and Robotics, ICINCO 2016

**Conference date:** July 29, 2016 - July 31, 2016

**Conference location:** Lisbon, Portugal

**Conference code:** 123755

**Sponsor:** Fundacao para a Ciencia e Tecnologia (FCT); Institute for Systems and Technologies of Information, Control and Communication (INSTICC)

**Publisher:** SciTePress

**Abstract:** A multi-person tracking method is proposed concerning how to conquer the difficulties such as occlusion and changes in appearance which makes algorithm hard to get the correct positions of object. First, we indicate whether the target is blocked or not, through computing the Reliability of Tracklets (RT) based on the length of tracklets, appearance affinity and the size. Then, we propose a "correct" observation sample selection method and only update the weights of particle filter when the RT is high. Last, the greedy bipartite algorithm is used to realize data association. Experiments show that tracking can be successfully achieved even under severe occlusion. Copyright © 2016 by SCITEPRESS-Science and Technology Publications, Lda. All rights reserved.

**Number of references:** 24

**Main heading:** Bandpass filters

**Controlled terms:** Computer vision - Monte Carlo methods

**Uncontrolled terms:** Bipartite algorithm - Multi-person tracking - Occlusion - Occlusion handling - Particle filter - Sample selection - Severe occlusions - Tracklets

**Classification code:** 703.2 Electric Filters - 723.5 Computer Applications - 741.2 Vision - 922.2 Mathematical Statistics

**DOI:** 10.5220/0005961602010207

**Funding Details:** Number: 2013K09-18, Acronym: -, Sponsor: -; Number: 61101191, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 20130153003, Acronym: -, Sponsor: Aeronautical Science Foundation of China; Number: SAST201342, SAST2015040, Acronym: SAST, Sponsor: School of Aerospace Science and Technology;

**Funding text:** This work was supported, in part, by the National Natural Science Foundation of China (Grant No. 61101191), Aeronautical Science Foundation of China (Grant No. 20130153003), Science and technology research of Shaanxi Province (Grant No. 2013K09-18), and SAST Foundation (Grant No. SAST201342, No. SAST2015040)

**Compendex references:** YES

**Open Access type(s):** All Open Access, Hybrid Gold, Green

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

#### 41. Effect of hydro-thermal treatment on active phases and catalytic thioetherification performance of Mo-Ni/Al<sub>2</sub>O<sub>3</sub> catalyst

**Accession number:** 20165003125403

**Authors:** Shen, Zhibing (1, 2); Ke, Ming (2); Zhang, Juntao (1); Liang, Shengrong (1)

**Author affiliation:** (1) School of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) State Key Laboratory of Heavy Oil Processing, College of Science, China University of Petroleum, Beijing; 102249, China

**Corresponding author:** Ke, Ming(keming@cup.edu.cn)

**Source title:** Shiyou Xuebao, Shiyou Jiagong/Acta Petrolei Sinica (Petroleum Processing Section)

**Abbreviated source title:** Shiyou Xuebao Shiyou Jiagong

**Volume:** 32

**Issue:** 6

**Issue date:** December 25, 2016

**Publication year:** 2016

**Pages:** 1106-1112

**Language:** Chinese

**ISSN:** 10018719

**CODEN:** SXSHEY

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** Mo-Ni/Al<sub>2</sub>O<sub>3</sub> catalysts were hydro-thermally treated to investigate the properties of the microscopic pore structure and the active metals supported on the carriers. Meanwhile, the catalytic performance of the Mo-Ni/Al<sub>2</sub>O<sub>3</sub> catalysts were also tested for the thioetherification process in a conventional fixed bed reactor. The results showed that the hydro-thermal treatment could increase the average pore diameter, which contributed to molecular diffusion of isomerized thioether products, and promote catalytic stability. The hydro-thermal treatment of the catalysts could decrease the interaction of the metals and carriers, which could improve the sulfidation degree of the metals and increase the amount of Ni-Mo-S active sites. However, the results was also proved that as the sulfidation degree of the metals supported on the carriers was raised, not only the catalytic performance of thioetherification reaction and selective hydrogenation of diene were improved, but also hydrogenation of olefin was enhanced, which caused the dramatic loss of product octane value. © 2016, Science Press. All right reserved.

**Number of references:** 21

**Main heading:** Heat treatment

**Controlled terms:** Hydrogenation - Olefins - Sulfur compounds - Metals - Nickel compounds - Catalyst activity - Molybdenum compounds - Chemical reactors

**Uncontrolled terms:** Hydrogenation of olefins - Hydrothermal treatments - Ni/Al<sub>2</sub>O<sub>3</sub> catalyst - Selective hydrogenation - Thioetherification

**Classification code:** 537.1 Heat Treatment Processes - 802.1 Chemical Plants and Equipment - 802.2 Chemical Reactions - 803 Chemical Agents and Basic Industrial Chemicals - 804 Chemical Products Generally - 804.1 Organic Compounds

**DOI:** 10.3969/j.issn.1001-8719.2016.06.004

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 42. Microstructures and phase transformations of Ti-30Zr-xNb (x = 5, 7, 9, 13 at.%) shape memory alloys

**Accession number:** 20164402957665

**Authors:** Qu, Wentao (1); Sun, Xuguang (1); Yuan, Bifei (1); Xiong, Chengyang (2); Zhang, Fei (2); Li, Yan (2); Sun, Baohui (3)

**Author affiliation:** (1) School of Mechanical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) School of Materials Science and Engineering, Beihang University, Beijing; 100191, China; (3) Lanzhou Seemine SMA Co. Ltd., Lanzhou; 730010, China

**Corresponding author:** Li, Yan(liyan@buaa.edu.cn)

**Source title:** Materials Characterization

**Abbreviated source title:** Mater Charact

**Volume:** 122

**Issue date:** December 1, 2016

**Publication year:** 2016

**Pages:** 1-5

**Language:** English

**ISSN:** 10445803

**CODEN:** MACHEX

**Document type:** Journal article (JA)

**Publisher:** Elsevier Inc.

**Abstract:** The microstructures, phase transformations and shape memory properties of Ti-30Zr-xNb (x = 5, 7, 9, 13 at. %) alloys were investigated. The X-ray diffraction and transmission electron microscopy observations showed that the Ti-30Zr-5Nb, Ti-30Zr-7/9Nb and Ti-30Zr-13Nb alloys were composed of the hcp  $\alpha'$ -martensite, orthorhombic  $\alpha''$ -martensite and  $\beta$  phases, respectively. The results indicated the enhanced  $\beta$ -stabilizing effect of Nb in Ti-30Zr-xNb alloys than that in Ti-Nb alloys due to the high content of Zr. The differential scanning calorimetry test indicated that the Ti-30Zr-5Nb alloy displayed a reversible transformation with a high martensitic transformation start temperature of 776 K and a reverse martensitic transformation start temperature ( $A_s$ ) of 790 K. For the Ti-30Zr-7Nb and Ti-30Zr-9Nb alloys, the martensitic transformation temperatures decreased with the increasing Nb content. Moreover, an  $\omega$  phase transformation occurred in the both alloys upon heating at a temperature lower than the corresponding  $A_s$ , which is prompted by more addition of Nb. Although the critical stress in tension of the three martensitic alloys decreased with increasing Nb content, the Ti-30Zr-9Nb alloy showed a critical stress of as high as 300 MPa. Among all the alloys, the Ti-30Zr-9Nb alloy exhibited the maximum shape memory effect of 1.61%, due to the lowest critical stress for the martensite reorientation. © 2016 Elsevier Inc.

**Number of references:** 35

**Main heading:** Microstructure

**Controlled terms:** Niobium alloys - Differential scanning calorimetry - Ternary alloys - Zirconium alloys - High resolution transmission electron microscopy - X ray diffraction - Martensite - Shape memory effect - Titanium alloys - Binary alloys - Martensitic transformations

**Uncontrolled terms:** Beta-stabilizing effect - Martensite reorientation - Martensitic alloys - Martensitic transformation temperatures - Reversible transformation - Shape-memory properties - Ti-zr alloys - Transmission electron microscopy observation

**Classification code:** 531.2 Metallography - 542.3 Titanium and Alloys - 549.3 Nonferrous Metals and Alloys excluding Alkali and Alkaline Earth Metals - 741.3 Optical Devices and Systems - 931.2 Physical Properties of Gases, Liquids and Solids - 944.6 Temperature Measurements - 951 Materials Science

**Numerical data indexing:** Percentage 1.61e+00%

**DOI:** 10.1016/j.matchar.2016.10.019

**Funding Details:** Number: TC150B5C0/03, Acronym: -, Sponsor: -; Number: 51371016, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This work is supported by the National Natural Science Foundation of China (NSFC, no. 51371016) and the Industrial Transformation & Upgrading of Strong Base Project of China ( TC150B5C0/03 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 43. Liquid level sensor using fiber Bragg grating assisted by multimode fiber core

**Accession number:** 20161402203505

**Authors:** Shao, Min (1); Qiao, Xueguang (2); Zhao, Xue (1); Zhang, Yunshan (1); Fu, Haiwei (1)

**Author affiliation:** (1) Key Laboratory on Photoelectric Oil-Gas Logging and Detecting, School of Science, Ministry of Education, Xi'an Shiyou University, Xi'an; 710065, China; (2) School of Physics, Northwest University, Xi'an; 710069, China

**Source title:** IEEE Sensors Journal

**Abbreviated source title:** IEEE Sensors J.

**Volume:** 16

**Issue:** 8

**Issue date:** April 15, 2016

**Publication year:** 2016

**Pages:** 2374-2379

**Article number:** 7374651

**Language:** English

**ISSN:** 1530437X

**E-ISSN:** 15581748

**Document type:** Journal article (JA)

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** A liquid level sensor based on a fiber Bragg grating (FBG) assisted by a section of multimode fiber core (MMFC) was demonstrated. Since the coupling coefficients between the MMFC and the single-mode fiber changes and FBG reflection modes keep still as surrounding liquid level varying, the liquid level can be determined by measuring the power of the FBG reflection core mode. Experimental results show that the sensor achieves a linear sensitivity of 0.29

dB/mm within the liquid level range of 0-30 mm. The refractive index response and the temperature measurement were described. Such a simple, low-cost, and power-detect FBG-based liquid level sensor has great potential in industrial applications. © 2016 IEEE.

**Number of references:** 19

**Main heading:** Multimode fibers

**Controlled terms:** MEMS - Temperature measurement - Liquids - Refractive index - Fiber Bragg gratings - Single mode fibers

**Uncontrolled terms:** Core modes - Coupling coefficient - Linear sensitivity - Liquid level - Liquid level sensors - Low costs - Reflection modes

**Classification code:** 704.2 Electric Equipment - 741.1 Light/Optics - 741.1.2 Fiber Optics - 944.6 Temperature Measurements

**Numerical data indexing:** Size 0.00e+00m to 3.00e-02m

**DOI:** 10.1109/JSEN.2015.2513413

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

#### 44. Numerical simulation of directional propagation of hydraulic fracture guided by vertical multi-radial boreholes

**Accession number:** 20163502755530

**Authors:** Guo, Tiankui (1); Qu, Zhanqing (1); Gong, Diguang (1); Lei, Xin (2); Liu, Ming (3)

**Author affiliation:** (1) College of Petroleum Engineering, China University of Petroleum, Huadong; 266580, China; (2) College of Petroleum Engineering, Xi'an Shiyu University, Xi'an; 710065, China; (3) CNPC Great Wall Drilling Company, Beijing; 100101, China

**Corresponding author:** Guo, Tiankui(guotiankui@126.com)

**Source title:** Journal of Natural Gas Science and Engineering

**Abbreviated source title:** J. Nat. Gas Sci. Eng.

**Volume:** 35

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 175-188

**Language:** English

**ISSN:** 18755100

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** The conventional hydraulic fracturing is not effective in the target oil development zone (remaining oil or gas, trap reservoir, etc.) with available wellbores located in the azimuth of non-maximum horizontal in-situ stress. The technology of directional propagation of hydraulic fracture guided by vertical multi-radial boreholes was innovatively developed. In order to verify the technology, a 3D extended finite element numerical model of hydraulic fracturing promoted by vertical multi-radial boreholes was established using Abaqus Software, and the influence of horizontal in-situ stress differences, azimuth, diameters, spacing, and lengths of radial boreholes, rates and viscosities of fracturing fluids, Young modulus and Poisson's ratio of rock, and reservoir permeability on propagation of hydraulic fracture guided by radial borehole row were comprehensively analyzed. Moreover, the term 'Guidance factor (G)' was introduced for the first time to effectively quantify guidance of radial borehole row. Finally, the guidance of the above ten factors is comprehensively evaluated through gray correlation analysis. The results showed that the directional propagation of hydraulic fracture is realized through scientifically arranged vertical radial borehole row, and 'G' reflects the real guidance strength of radial borehole row to hydraulic fracture. The azimuth of radial borehole row increases by 75°, G increases by 18 times. Horizontal in-situ stress difference increases by 9 MPa, G increases by 95%. The borehole diameter increases by 4 cm, G decreases by 54%. The borehole spacing increases by 0.5 m, G increases by 18%. The borehole length increases by 10 m, G decreases by 40%. Young's modulus of reservoir rock increases by 20 GPa, G decreases by 23%. Poisson's ratio increases by 0.1, G increases by 57%. Permeability of reservoir increases by 100 times, G increases by 3.3 times. Injection rate increases by 9 m<sup>3</sup>/min, G decreases by 63%. Both excessively high and low viscosities are adverse to guidance of radial borehole to hydraulic fracture, and 50 mPa s fracturing fluid creates best guidance to propagation of hydraulic fracture. The gray correlation analysis showed that the influences (from strong to weak) of the above factors on guidance of radial borehole were listed as follows: azimuth of radial borehole > injection rate of fracturing fluid > horizontal in-situ stress differences > Young's modulus of rock > viscosity of fracturing fluid > borehole diameter of radial borehole > radial borehole spacing > reservoir permeability > length of radial borehole > Poisson's ratio. This study provided theoretical evidence for directional

propagation of hydraulic fracture promoted by radial borehole, and it predicted the guidance of radial borehole to hydraulic fracture in a certain extent, which is helpful for planning well-completion and fracturing operation in technology of hydraulic fracturing promoted by radial borehole. © 2016 Elsevier B.V.

**Number of references:** 40

**Main heading:** Hydraulic fracturing

**Controlled terms:** ABAQUS - Fracture - Elastic moduli - Finite element method - Correlation methods - Fracturing fluids - Low permeability reservoirs - Numerical models - Oil wells - Poisson ratio - Viscosity - Factor analysis - Stresses - Boreholes - Petroleum reservoir engineering

**Uncontrolled terms:** ABAQUS software - Extended finite elements - Fracture propagation - Fracturing operations - Gray correlation analysis - Injection rates - Reservoir permeability - Reservoir rock

**Classification code:** 512.1 Petroleum Deposits - 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 631.1 Fluid Flow, General - 723.5 Computer Applications - 921 Mathematics - 921.6 Numerical Methods - 922.2 Mathematical Statistics - 931.2 Physical Properties of Gases, Liquids and Solids - 951 Materials Science

**Numerical data indexing:** Percentage 1.80e+01%, Percentage 2.30e+01%, Percentage 4.00e+01%, Percentage 5.40e+01%, Percentage 5.70e+01%, Percentage 6.30e+01%, Percentage 9.50e+01%

**DOI:** 10.1016/j.jngse.2016.08.056

**Funding Details:** Number: 51404288, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

Number: 15CX02012A, Acronym: -, Sponsor: Fundamental Research Funds for the Central Universities;

**Funding text:** The authors would like to acknowledge the financial support of the National Natural Science Foundation of China (Grant No. 51404288 ), and express their gratitude to the Fundamental Research Funds for the Central Universities (Grant No. 15CX02012A ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 45. Critical heat flux prediction model for low quality flow boiling of water in vertical circular tube

**Accession number:** 20161602254885

**Authors:** Pan, Jie (1); Li, Ran (1); Yang, Dong (2); Wu, Gang (1)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an; Shaanxi Province; 710065, China; (2) State Key Laboratory of Multiphase Flow in Power Engineering, Xi'an Jiaotong University, Xi'an; Shaanxi Province; 710049, China

**Corresponding author:** Pan, Jie(jackpan@xysu.edu.cn)

**Source title:** International Journal of Heat and Mass Transfer

**Abbreviated source title:** Int. J. Heat Mass Transf.

**Volume:** 99

**Issue date:** August 1, 2016

**Publication year:** 2016

**Pages:** 243-251

**Language:** English

**ISSN:** 00179310

**CODEN:** IJHMAK

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** Based on the viewpoint of bubble crowding in near-wall bubble layer, a critical heat flux (CHF) prediction model was developed for low quality flow boiling of water in uniformly heated vertical circular tube under high pressure and low flow rate conditions. In this model, a CHF formula was derived from the conservation equations of mass, momentum and energy, where the transverse mass transport between the near-wall bubble layer and core is assumed to be limited. Taking account of the convective shear effect caused by the frictional drag on the wall-attached bubbles, the limiting transverse interchange of mass flux crossing the bubble layer-core interface was determined from the momentum balance equations. A new formula of bubble departure diameter considering the effect of buoyancy was put forward and used to solve the model with numerous other empirical correlations (e.g. bubble departure point, turbulence velocity profile, void fraction and so on). The model shows good agreements with the experimental data of uniformly heated circular tube. Based on this, the effects of flow variables such as pressure, mass flux and inlet subcooling on CHF prediction results were also discussed. © 2016 Elsevier Ltd. All rights reserved.

**Number of references:** 23

**Main heading:** Heat flux

**Controlled terms:** Bubbles (in fluids) - Heat transfer - Two phase flow - Void fraction - Shear flow - Forecasting

**Uncontrolled terms:** Bubble departure diameter - Critical heat flux(CHF) - Flow boiling - Heat transfer deterioration - Low qualities - Momentum balance equations - Prediction model - Vertical circular tubes

**Classification code:** 631.1 Fluid Flow, General - 631.1.2 Gas Dynamics - 641.2 Heat Transfer - 931.2 Physical Properties of Gases, Liquids and Solids - 951 Materials Science

**DOI:** 10.1016/j.ijheatmasstransfer.2016.03.072

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 46. Inactivation analysis and degradation mechanism of natural gas desulfurized solutions

**Accession number:** 20170203225434

**Authors:** Fan, Zheng (1); Huang, Feng-Lin (1); Wang, Di (1); Li, Wen-Hong (2); Xia, Yong (3)

**Author affiliation:** (1) College of Chemistry & Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) College of Chemical Engineering, Northwest University, Xi'an; 710069, China; (3) The First Gas Plant, Changqing Oilfield, Yulin; 718500, China

**Corresponding author:** Fan, Zheng(fanzheng@xsyu.edu.cn)

**Source title:** Gao Xiao Hua Xue Gong Cheng Xue Bao/Journal of Chemical Engineering of Chinese Universities

**Abbreviated source title:** Gao Xiao Hua Xue Gong Cheng Xue Bao

**Volume:** 30

**Issue:** 6

**Issue date:** December 1, 2016

**Publication year:** 2016

**Pages:** 1436-1444

**Language:** Chinese

**ISSN:** 10039015

**CODEN:** GHGXEG

**Document type:** Journal article (JA)

**Publisher:** Zhejiang University

**Abstract:** Composition and percentage of suspended solids, heat-stable salts and organic compounds in N-methyldiethanolamine solutions of desulfurized inactive natural gas were analyzed. Effects of various contaminants under different concentrations were determined with an inactivation evaluation apparatus. The mechanism of thermal and oxidative degradation was studied by dynamic thermogravimetry to obtain degradation kinetic model. The results show that except SiO<sub>2</sub>, Fe<sub>3</sub>O<sub>4</sub> and Fe<sub>3</sub>C, other contaminants with an order of FeS, Na<sup>+</sup>, K<sup>+</sup>, Ca<sup>2+</sup>, Mg<sup>2+</sup>, Cl<sup>-</sup>, SO<sub>4</sub><sup>2-</sup>, C<sub>2</sub>O<sub>4</sub><sup>2-</sup>, F<sup>-</sup>, triethylene glycol, methanol, N, N-dimethylethanolamine, ethylene glycol, N-methylmonoethanolamine, trimethylamine and 1, 4-dimethylpiperazine have promotion effects for inactivation when their concentration increases. Thermal degradation of desulphurized solvents is accomplished by a one-step mass loss process, while oxidative degradation is a two-step process. The fitting curves of each stage show good correlation, and the latter degradation process has lower initial degradation temperature and easily becomes instable. Increase of heating rate reduces apparent activation energy, which results in faster degradation and quickly induces inactivation. © 2016, Editorial Board of "Journal of Chemical Engineering of Chinese Universities". All right reserved.

**Number of references:** 24

**Main heading:** Ethylene glycol

**Controlled terms:** Ethylene - Thermogravimetric analysis - Natural gas - Degradation - Silica - Magnetite - Activation energy - Curve fitting

**Uncontrolled terms:** Apparent activation energy - Degradation mechanism - Degradation temperatures - Dynamic thermogravimetry - Gas desulfurization - Inactivation reason - N,N-Dimethylethanolamine - N-methyldiethanolamine

**Classification code:** 522 Gas Fuels - 801 Chemistry - 802.2 Chemical Reactions - 804.1 Organic Compounds - 921.6 Numerical Methods

**DOI:** 10.3969/j.issn.1003-9015.2016.06.028

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 47. Influence of Gemini Surfactant with Modified TiO<sub>2</sub> Nanoparticles on the Interfacial Tension of Oil/Water

**Accession number:** 20162002383743

**Authors:** Lei, Sujuan (1); Xu, Ling (1); Qu, Chengtun (2); Jiao, Huan (1)

**Author affiliation:** (1) Key Laboratory of Macromolecular Science of Shaanxi Province, School of Chemistry & Chemical Engineering, Shaanxi Normal University, Xi'an; Shaanxi Province, China; (2) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; Shaanxi Province, China

**Corresponding author:** Jiao, Huan(jiaohuan@snnu.edu.cn)

**Source title:** Journal of Dispersion Science and Technology

**Abbreviated source title:** J. Dispersion Sci. Technol.

**Volume:** 37

**Issue:** 10

**Issue date:** October 2, 2016

**Publication year:** 2016

**Pages:** 1494-1501

**Language:** English

**ISSN:** 01932691

**E-ISSN:** 15322351

**Document type:** Journal article (JA)

**Publisher:** Bellwether Publishing, Ltd.

**Abstract:** The research on the impacts of modified TiO<sub>2</sub> nanoparticles (NPs) on interfacial tension (IFT) is in its infancy. Our work focuses on the IFT of the modified TiO<sub>2</sub> and Gemini surfactant N,N,N',N'\_tetramethyl-N,N'\_dimyristyl-1,2-ethane diammonium dichloride (YND1233) complex solutions for reservoir stimulation purposes. The factors of YND1233, modified TiO<sub>2</sub> NPs, temperature, aging stability, adsorption loss, and mineralized degree were explored with the comparison of unmodified TiO<sub>2</sub> NPs and YND1233 as contrast samples. The results indicate that the dynamic IFTs decrease and then increase with the concentrations of YND1233 and modified TiO<sub>2</sub> NPs, and the minimum IFT appears at 0.200 and 0.010 wt%, respectively. YND1233/modified TiO<sub>2</sub> complex solutions show lower and more stable IFTs, better temperature resistance, longer aging time, and lower adsorption on the surface of quartz sand. The modified TiO<sub>2</sub> NPs and YND1233 in the YND1233/modified TiO<sub>2</sub> complex solution can be adsorbed to the interface and decrease the IFTs through synergistic effect. A mixed diffusion-kinetic mechanism is provided for the adsorption and interactions with Ca<sup>2+</sup>/Mg<sup>2+</sup> involved in YND1233/modified TiO<sub>2</sub> complex solution. © 2016, Copyright © Taylor & Francis Group, LLC.

**Number of references:** 35

**Main heading:** Titanium dioxide

**Controlled terms:** Surface active agents - Adsorption - Magnesium compounds - Surface treatment - Nanoparticles

**Uncontrolled terms:** Aging stability - Complex solution - Diffusion kinetics - Gemini surfactant - Nanoparticle (NPs) - Reservoir stimulations - Synergistic effect - Temperature resistances

**Classification code:** 761 Nanotechnology - 802.3 Chemical Operations - 803 Chemical Agents and Basic Industrial Chemicals - 804.2 Inorganic Compounds - 933 Solid State Physics

**DOI:** 10.1080/01932691.2015.1015076

**Funding Details:** Number: 21141001,51272151,B010303, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: GK20111004,GK201305013,GK201402052, Acronym: -, Sponsor: Fundamental Research Funds for the Central Universities;

**Funding text:** This work was supported by the National Natural Science Foundation of China(21141001, 51272151, B010303) and the Fundamental Research Funds for the Central Universities(GK201402052, GK20111004, GK201305013).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 48. Synthesis of memristive circuits based on stateful IMPLY gates using an evolutionary algorithm with a correction function

**Accession number:** 20164302950902

**Authors:** Wang, Xiaoxiao (1); Tan, Robin (2); Perkowski, Marek (2)

**Author affiliation:** (1) School of Computer Science, Xi'an Shiyou University, No. 18 2nd Dianzi Road, Shannxi, China; (2) Department of Electrical and Computer Engineering, Portland State University, 1900 SW Fourth Avenue, Oregon, United States

**Source title:** Proceedings of the 2016 IEEE/ACM International Symposium on Nanoscale Architectures, NANOARCH 2016

**Abbreviated source title:** Proc. IEEE/ACM Int. Symp. Nanoscale Archit., NANOARCH

**Part number:** 1of1

**Issue title:** Proceedings of the 2016 IEEE/ACM International Symposium on Nanoscale Architectures, NANOARCH 2016

**Issue date:** September 14, 2016

**Publication year:** 2016

**Pages:** 97-102

**Article number:** 7568633

**Language:** English

**ISBN-13:** 9781450343305

**Document type:** Conference article (CA)

**Conference name:** 2016 IEEE/ACM International Symposium on Nanoscale Architectures, NANOARCH 2016

**Conference date:** July 18, 2016 - July 20, 2016

**Conference location:** Beijing, China

**Conference code:** 123770

**Sponsor:** Association for Computing Machinery; IEEE; IEEE Computer Society

**Publisher:** Presses Polytechniques Et Universitaires Romandes

**Abstract:** Synthesis of stateful memristor-based logic circuits is realized with a multi-stage evolutionary algorithm (IMP-MSEA) which minimizes the total circuit delay. This is done by minimizing the number of pulses to control the circuit. We assume different numbers of working memristors in the circuit and compare the delay results for each. The error of the synthesized circuit is the number of min-terms that differ between the truth table of the function of the resultant circuit and the truth table that specifies this circuit. We formulate a circuit minimization problem in which error should be zero or should be restricted to a small value. The system uses the concept of correction functions when the error is very low and a new round of evolution starts for the correcting function. The logic circuit design includes coding and initialization methods to reduce illegal and redundant solutions of random initial population. Experiments with 2 to 11 input single-output functions demonstrate that the algorithm can deal with various assumed numbers of working memristors and for many benchmark functions it significantly reduces the delay. © 2016 ACM.

**Number of references:** 14

**Main heading:** Evolutionary algorithms

**Controlled terms:** Delay circuits - Integrated circuit manufacture - Computer circuits - Memristors - Logic circuits - Logic Synthesis - Timing circuits - Errors

**Uncontrolled terms:** Benchmark functions - Circuit synthesis - Correcting function - Initialization methods - Logic circuit design - Memristor - Minimization problems - Minimizing the number of

**Classification code:** 713.4 Pulse Circuits - 714.2 Semiconductor Devices and Integrated Circuits - 721.2 Logic Elements - 721.3 Computer Circuits - 723.5 Computer Applications

**DOI:** 10.1145/2950067.2950087

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 49. Corrosion behavior of super 13Cr martensitic stainless steel in elemental sulfur environment

**Accession number:** 20161602257891

**Authors:** Li, Jin-Ling (1); Zhu, Shi-Dong (2, 3); Qu, Cheng-Tun (1); Ma, Hai-Xia (3); Lyu, Lei (2); Wang, Ke (2)

**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Shaanxi Yanchang Petroleum (Group) Co. Ltd., Xi'an; 710075, China; (3) School of Chemical Engineering, Northwest University, Xi'an; 710069, China

**Corresponding author:** Zhu, Shi-Dong(zhusdxt@126.com)

**Source title:** Cailiao Gongcheng/Journal of Materials Engineering

**Abbreviated source title:** Cailiao Gongcheng

**Volume:** 44

**Issue:** 3

**Issue date:** March 20, 2016

**Publication year:** 2016

**Pages:** 84-91

**Language:** Chinese

**ISSN:** 10014381

**CODEN:** CAGOEW

**Document type:** Journal article (JA)

**Publisher:** Beijing Institute of Aeronautical Materials (BIAM)

**Abstract:** Corrosion behavior of the domestic super 13Cr martensitic stainless steel (00Cr13Ni5Mo2) was investigated by elemental sulfur suspension experimental method in the simulated high temperature and high pressure environment. Corrosion rate was calculated utilizing mass loss method. The micro-morphologies and chemical compositions of corrosion scales were characterized using scanning electron microscope (SEM), energy dispersive spectrometer (EDS) and X-ray diffraction (XRD), and effects of elemental sulfur on the acidification degree of NaCl solution were measured using pH meter. The results show that corrosion resistance of super 13Cr martensitic stainless steel decreases due to the presence of elemental sulfur. Average corrosion rate increases with the increase of sulfur content, and the maximum corrosion rate is present at 90, while all of them are less than 0.0125 mm/a; the compositions of corrosion scales change from oxides to sulfides, and the percentage of sulfides increases with the increase of elemental sulfur content; pH value on sulfur/metal interface decreases due to the disproportionation reaction between elemental sulfur and water, which decreases corrosion resistance of super 13Cr martensitic stainless steel. The synergistic effect between Cl<sup>-</sup> and elemental sulfur leads to more serious corrosion. © 2016, Beijing Institute of Aeronautical Materials (BIAM). All right reserved.

**Number of references:** 26

**Main heading:** Martensitic stainless steel

**Controlled terms:** Scanning electron microscopy - High temperature corrosion - Corrosion rate - X ray diffraction - Corrosion resistance - Sodium alloys - Chromium alloys - Molybdenum alloys - Sodium chloride - Ternary alloys - Corrosive effects - Steel corrosion - Sulfur compounds - Spectrometers

**Uncontrolled terms:** Acidification degrees - Average corrosion rates - Chemical compositions - Disproportionation reactions - Elemental sulfur - Energy dispersive spectrometers - High temperature and high pressure - Synergistic effect

**Classification code:** 539.1 Metals Corrosion - 543.1 Chromium and Alloys - 543.3 Molybdenum and Alloys - 545.3 Steel - 549.1 Alkali Metals - 741.3 Optical Devices and Systems

**DOI:** 10.11868/j.issn.1001-4381.2016.03.014

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 50. Feature extraction and recognition of rotational target under the sea background

**Accession number:** 20170803367773

**Authors:** Zhu, Bing (1); Gao, Weixin (1); Qin, Yali (2); Li, Wenfeng (3); Kong, Xianglong (3)

**Author affiliation:** (1) School of Electronic Engineering, Xian Shiyu University, No.18 Dianzi er Road, Xian Shannxi, China; (2) No.210 Institute China Aerospace Science and Technology Corporation, No.8 Dianzi yi Road, Xian Shannxi, China; (3) Shanghai Institute of Satellite Engineering, No.3666 Yuanjiang Road, Shanghai, China

**Source title:** ICINCO 2016 - Proceedings of the 13th International Conference on Informatics in Control, Automation and Robotics

**Abbreviated source title:** ICINCO - Proc. Int. Conf. Inf. Control, Auto. Robot.

**Volume:** 1

**Part number:** 1 of 2

**Issue title:** ICINCO 2016 - Proceedings of the 13th International Conference on Informatics in Control, Automation and Robotics

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 508-513

**Language:** English

**ISBN-13:** 9789897581984

**Document type:** Conference article (CA)

**Conference name:** 13th International Conference on Informatics in Control, Automation and Robotics, ICINCO 2016

**Conference date:** July 29, 2016 - July 31, 2016

**Conference location:** Lisbon, Portugal

**Conference code:** 123755

**Sponsor:** Fundacao para a Ciencia e Tecnologia (FCT); Institute for Systems and Technologies of Information, Control and Communication (INSTICC)

**Publisher:** SciTePress

**Abstract:** Considering the impact of sea clutter on target classification and recognition, a method based on RBF is proposed to restrain the actual sea clutter, which can be converted the sea clutter into random noise. After denosing, a S transform time-frequency approach is used to obtain the two time-frequency distribution images. They are helicopter and propeller aircraft images with noise. Then extracted the invariant moment features of images for target recognition.

The simulation results have shown an average accuracy of 85%, which validates the effectiveness of this method. © Copyright 2016 by SCITEPRESS - Science and Technology Publications, Lda. All rights reserved.

**Number of references:** 6

**Main heading:** Clutter (information theory)

**Controlled terms:** Computer vision - Mathematical transformations - Radar clutter

**Uncontrolled terms:** Feature extraction and recognition - Invariant moment - Rotate plan - Sea clutters - Target Classification - Time frequency transform - Time-frequency approach - Time-frequency distributions

**Classification code:** 716.1 Information Theory and Signal Processing - 716.2 Radar Systems and Equipment - 723.5 Computer Applications - 741.2 Vision - 921.3 Mathematical Transformations

**Numerical data indexing:** Percentage 8.50e+01%

**DOI:** 10.5220/0005980805080513

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 51. One-Class Support Tensor Machine (Open Access)

**Accession number:** 20160701938249

**Authors:** Chen, Yanyan (1, 2); Wang, Kuaini (3); Zhong, Ping (1)

**Author affiliation:** (1) College of Science, China Agricultural University, Beijing; 100083, China; (2) College of Applied Science and Technology, Beijing Union University, Beijing; 102200, China; (3) College of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Zhong, Ping(zping@cau.edu.cn)

**Source title:** Knowledge-Based Systems

**Abbreviated source title:** Knowl Based Syst

**Volume:** 96

**Issue date:** March 15, 2016

**Publication year:** 2016

**Pages:** 14-28

**Language:** English

**ISSN:** 09507051

**CODEN:** KNSYET

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** In fault diagnosis, face recognition, network anomaly detection, text classification and many other fields, we often encounter one-class classification problems. The traditional vector-based one-class classification algorithms represented by One-Class Support Vector Machine (OCSVM) have limitations when tensor is considered as input data. This work addresses one-class classification problem with tensor-based maximal margin classification paradigm. To this end, we formulate the One-Class Support Tensor Machine (OCSTM), which separates most samples of interested class from the origin in the tensor space, with maximal margin. The benefits of the proposed algorithm are twofold. First, the use of direct tensor representation helps to retain the data topology more efficiently. The second benefit is that tensor representation can greatly reduce the number of parameters. It helps overcome the overfitting problem caused mostly by vector-based algorithms and especially suits for high dimensional and small sample size problem. To solve the corresponding optimization problem in OCSTM, the alternating projection method is implemented, for it is simplified by solving a typical OCSVM optimization problem at each iteration. The efficiency of the proposed method is illustrated on both vector and tensor datasets. The experimental results indicate the validity of the new method. © 2016 Elsevier B.V. All rights reserved.

**Number of references:** 34

**Main heading:** Support vector machines

**Controlled terms:** Face recognition - Computer aided diagnosis - Fault detection - Iterative methods - Tensors - Vectors - Character recognition - Optimization - Classification (of information) - Text processing

**Uncontrolled terms:** Alternating projection method - Network anomaly detection - One-class Classification - One-class classification algorithm - One-class support vector machines (OCSVM) - Optimization problems - Small sample size problems - Support tensor machines

**Classification code:** 461.1 Biomedical Engineering - 716.1 Information Theory and Signal Processing - 723 Computer Software, Data Handling and Applications - 723.5 Computer Applications - 903.1 Information Sources and Analysis - 903.3 Information Retrieval and Use - 921.1 Algebra - 921.5 Optimization Techniques - 921.6 Numerical Methods

**DOI:** 10.1016/j.knosys.2016.01.007

**Funding Details:** Number: 11171346, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

Number: Zk10201513, Acronym: BUU, Sponsor: Beijing Union University;

**Funding text:** The work is supported by the National Science Foundation of China (Grant No. 11171346) and the "New Start" Academic Research Projects of Beijing Union University ( Zk10201513 ). The authors also gratefully acknowledge the helpful comments and suggestions of the reviewers, which have improved the presentation.

**Compendex references:** YES

**Open Access type(s):** All Open Access, Bronze

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 52. Experimental study of gromwell extraction on activities of serum- enzymes and anti-oxidation protection of hepatic tissue in endurance-trained rats

**Accession number:** 20170503319281

**Authors:** Xu, Xiaoxian (1); Qu, Honggang (2)

**Author affiliation:** (1) Physical education Department, Xi'an Shiyou University, No 2 Electronic Road, Xi'an City, Shaanxi, China; (2) Institute of Sports Biology, Shaanxi Normal University, No 620 West Chang'an Avenue, Xi'an City, Shaanxi, China

**Corresponding author:** Xu, Xiaoxian(xuxiaoxian0108@163.com)

**Source title:** Carpathian Journal of Food Science and Technology

**Abbreviated source title:** Carpathian J. Sci. Technol. Food

**Volume:** 8

**Issue:** 4

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 128-134

**Language:** English

**ISSN:** 20666845

**Document type:** Journal article (JA)

**Publisher:** North University of Baia Mare, 76 Victoriei, Baia Mare, 430 122, Romania

**Abstract:** Through the observation of biochemical indicator with hepatic tissue and blood serum in once exhausting with endurance-trained Rats, discussing the biological mechanism of Gromwell extract impacting to delay sports fatigue. Method: Choose 24 rats, and divide them into 3 groups--Exercise groups (group A), exhausted exercise group (group B), Gromwell with exhausted exercise group (group C). Three groups all have been trained 6 weeks. At last time, Group A was not trained as usually and adopted samples immediately, Group B and C were trained by exhausted exercise and then adopted samples. Result: After the exhaustive exercise, the activities of serum- enzymes with Group B can improve greatly ( $P<0.05$  or  $P<0.01$ ), the anti-oxidation ability of serum with Group B can lower greatly ( $P<0.05$ ). compared with the Group B, The activities of serumenzymes with Group C can lower greatly( $P<0.05$ ), The anti-oxidation ability of serum and hepatic tissue with Group C can improve greatly( $P<0.05$ ). Conclusion: Gromwell extract supplement can maintain the of ability anti-oxidation in high- intensity and long-time exercises, decrease oxidative stress injury of liver, prolong the exhaustive time of endurance-trained Rats.

**Number of references:** 21

**Main heading:** Extraction

**Controlled terms:** Tissue - Ablation - Rats - Body fluids - Enzymes - Oxidation

**Uncontrolled terms:** Anti-oxidation - Biochemical indicators - Biological mechanisms - Blood serum - Exhaustive exercise - Hepatic tissue - High intensity

**Classification code:** 461.2 Biological Materials and Tissue Engineering - 641.2 Heat Transfer - 802.2 Chemical Reactions - 802.3 Chemical Operations

**Numerical data indexing:** Age 1.15e-01yr

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 53. Tribological properties of NiCr–ZrO<sub>2</sub>(Y<sub>2</sub>O<sub>3</sub>)–SrSO<sub>4</sub> composites at elevated temperatures

**Accession number:** 20162302459362

**Authors:** Liu, Feng (1, 2); Zhou, Yong (1); Zhang, Xiaoyong (1); Cao, Weifeng (1); Jia, Junhong (2)

**Author affiliation:** (1) School of Materials Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) State Key Laboratory of Solid Lubrication, Lanzhou Institute of Chemical Physics, Chinese Academy of Sciences, Lanzhou; 730000, China

**Corresponding author:** Liu, Feng(fliu@xsyu.edu.cn)

**Source title:** Ceramics International  
**Abbreviated source title:** Ceram Int  
**Volume:** 42  
**Issue:** 11  
**Issue date:** August 15, 2016  
**Publication year:** 2016  
**Pages:** 12981-12987  
**Language:** English  
**ISSN:** 02728842  
**CODEN:** CINNDH  
**Document type:** Journal article (JA)  
**Publisher:** Elsevier Ltd

**Abstract:** The effect of SrSO<sub>4</sub> content on the tribological properties of NiCr–30wt%ZrO<sub>2</sub>(Y<sub>2</sub>O<sub>3</sub>) (NC30Z) cermet was evaluated over a wide temperature range from room temperature to 1000 °C. The results indicated that the inclusion of SrSO<sub>4</sub> effectively improved the friction coefficients and wear rates of NC30Z cermet above 400 °C. NC30Z–5SrSO<sub>4</sub> composite against alumina ball exhibited satisfactory tribological performance, which was attributed to synergistic lubrication of pseudocubic-SrZrO<sub>3</sub> and NiCr<sub>2</sub>O<sub>4</sub> between 400 °C and 800 °C and cubic-SrZrO<sub>3</sub>, NiCr<sub>2</sub>O<sub>4</sub>, NiO and Cr<sub>2</sub>O<sub>3</sub> at 1000 °C. © 2016 Elsevier Ltd and Techna Group S.r.l.

**Number of references:** 27

**Main heading:** Aluminum oxide

**Controlled terms:** Nickel oxide - Chromium compounds - Zirconia - Alumina - Friction - Cermets - Tribology - Strontium compounds

**Uncontrolled terms:** Alumina balls - Elevated temperature - Friction coefficients - Pseudocubic - Tribological performance - Tribological properties - Wear rates - Wide temperature ranges

**Classification code:** 531 Metallurgy and Metallography - 804.2 Inorganic Compounds - 812.1 Ceramics - 931 Classical Physics; Quantum Theory; Relativity

**Numerical data indexing:** Temperature 1.07e+03K, Temperature 1.27e+03K, Temperature 6.73e+02K

**DOI:** 10.1016/j.ceramint.2016.05.071

**Funding Details:** Number: 2015BS52, Acronym: -, Sponsor: -; Number: 51175490,51505378, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** The authors acknowledge the financial supports by the National Natural Science Foundation of China (Grant No. 51175490 , 51505378 ) and the Scientific Research Foundation for Doctoral Program of Xi'an Shiyou University (Grant No. 2015BS52 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 54. Structure, stability and magnetic properties of (NiAl)<sub>n</sub>(n#6) clusters

**Accession number:** 20162102426687

**Authors:** Wen, Jun-Qing (1, 2); Zhang, Jian-Min (1); Chen, Guo-Xiang (2); Zhang, Xiao-Zhen (2); Wen, Zhen-Yi (3)

**Author affiliation:** (1) College of Physics and Information Technology, Shaanxi Normal University, Xi'an; 710062, China; (2) College of Science, Xi'an Shiyou University, Xi'an; 710065, China; (3) Institute of Modern Physics, Northwest University, Xi'an; 710069, China

**Corresponding author:** Wen, Jun-Qing(wenjq2013@163.com)

**Source title:** Journal of Physics and Chemistry of Solids

**Abbreviated source title:** J Phys Chem Solids

**Volume:** 96-97

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 68-74

**Language:** English

**ISSN:** 00223697

**CODEN:** JPCSAW

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** In this paper, density functional theory with generalized gradient approximation (GGA) for the exchange-correlation potential has been used to calculate the energetically global-minimum geometries and electronic states of (NiAl)<sub>n</sub>(n#6) clusters. Full structural optimizations, analysis of energy and frequency calculation are performed. The most stable structures of (NiAl)<sub>n</sub> clusters are all three-dimensional structures except NiAl. The average bond lengths of

(NiAl)<sub>n</sub> clusters are larger than that of Ni<sub>2n</sub>, and are smaller than that of Al<sub>2n</sub>. The binding energy per atom of Ni<sub>2n</sub> and (NiAl)<sub>n</sub> has the same change trend, and that are larger than that of Al<sub>2n</sub>. Stability analysis shows that Ni<sub>8</sub>, (NiAl)<sub>2</sub> and Al<sub>10</sub> clusters have higher relative stability than other clusters. Mulliken analysis indicates that charges always transfer from Al atoms to Ni atoms, and the average charges of transfer from Al atoms to Ni atoms have a maximum at (NiAl)<sub>6</sub>, implying the strong interaction between Al and Ni atoms in (NiAl)<sub>6</sub>. The average atomic magnetic moments of (NiAl)<sub>n</sub> are smaller than that of true Ni<sub>2n</sub>. The analysis of the static polarizability shows that the electronic structures of (NiAl)<sub>n</sub> clusters tend to be compact with the increase of atoms. © 2016 Elsevier Ltd. All rights reserved.

**Number of references:** 42

**Main heading:** Density functional theory

**Controlled terms:** Stability - Aluminum - Atoms - Electronic states - Electronic structure - Nickel - Aluminum compounds - Global optimization - Nickel compounds - Binding energy - Magnetic moments - Structural optimization

**Uncontrolled terms:** Atomic magnetic moment - Exchange-correlation potential - Frequency calculations - Generalized gradient approximations - Nickel aluminum - Relative stabilities - Static polarizabilities - Three-dimensional structure

**Classification code:** 541.1 Aluminum - 548.1 Nickel - 701.2 Magnetism: Basic Concepts and Phenomena - 801.4 Physical Chemistry - 921.5 Optimization Techniques - 922.1 Probability Theory - 931.3 Atomic and Molecular Physics - 931.4 Quantum Theory; Quantum Mechanics - 933.3 Electronic Structure of Solids

**DOI:** 10.1016/j.jpccs.2016.05.002

**Funding Details:** Number: 2014KJXX-70, Acronym: -, Sponsor: -; Number: 2014JQ6206, Acronym: -, Sponsor: -; Number: 11104175, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2013JK0629, Acronym: -, Sponsor: Education Department of Shaanxi Province;

**Funding text:** The authors acknowledge computational support from the National Natural Science Foundation of China under No. 11247229, 11104175 and 11304246, the Scientific Research Program Fund by Shaanxi Provincial Education Department under No. 2013JK0629, the Shaanxi Province Science and Technology Foundation No. 2014KJXX-70, the Natural Science Basic Research Plan in Shaanxi Province of China No. 2014JQ6206.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 55. An approach to placement optimization of gas detectors based on leakage scenario set

**Accession number:** 20170103211748

**Authors:** Zhang, Bo (1); Wang, Zhigang (2); Wang, Yanfu (1); Cai, Wenbin (3); Zou, Niuyang (1)

**Author affiliation:** (1) College of Mechanical and Electronic Engineering in China University of Petroleum, Qingdao; 266580, China; (2) Guangxi Gas Pipeline Company Limited, Beihai; 536000, China; (3) Petroleum Engineering Academy, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Zhongguo Shiyou Daxue Xuebao (Ziran Kexue Ban)/Journal of China University of Petroleum (Edition of Natural Science)

**Abbreviated source title:** Zhongguo Shiyou Daxue Xuebao (Ziran Kexue Ban)

**Volume:** 40

**Issue:** 6

**Issue date:** December 20, 2016

**Publication year:** 2016

**Pages:** 156-162

**Language:** Chinese

**ISSN:** 16735005

**Document type:** Journal article (JA)

**Publisher:** University of Petroleum, China

**Abstract:** The traditional gas detector placement method using typical or equal probability leakage scenarios can not reflect the actual risk, and the detection efficiency is also low. Basing on the approximate real leakage scenario set, this article proposes a new approach to gas detector placement optimization. It combines leaking condition and wind field to build leakage scenes that will probably occur and predicts the probability of each leakage scenario quantitatively. The probability weighting method was applied to establish the quantitative evaluation index for the detector layout. With the constraint of detector number, the stochastic optimization model was developed. The gas leakage empirical model was also integrated to define the risk index for leakage scenario and the most credible scenario was selected to perform a CFD-based dispersion simulation. To obtain the optimal gas detectors placement efficiently, the quantum particle swarm optimization(QPSO) was employed to solve this model. The method mentioned above was applied to the optimization of hydrogen sulfide detectors for a diesel hydrogenation unit. The results demonstrate that the optimal

hydrogen sulfide detectors placement can significantly improve the detection efficiency compared with the original layout. © 2016, Periodical Office of China University of Petroleum. All right reserved.

**Number of references:** 22

**Main heading:** Stochastic programming

**Controlled terms:** Particle swarm optimization (PSO) - Risk perception - Efficiency - Hydrogen sulfide - Gas detectors - Stochastic models - Gases - Stochastic systems - Sulfur determination

**Uncontrolled terms:** Detection efficiency - Dispersion simulations - Oil refineries - Placement optimization - Probability weighting - Quantitative evaluation - Quantum particle swarm optimization - Stochastic optimization model

**Classification code:** 723 Computer Software, Data Handling and Applications - 731.1 Control Systems - 801 Chemistry - 804.2 Inorganic Compounds - 913.1 Production Engineering - 914.1 Accidents and Accident Prevention - 921.5 Optimization Techniques - 922.1 Probability Theory - 943.3 Special Purpose Instruments - 961 Systems Science

**DOI:** 10.3969/j.issn.1673-5005.2016.06.020

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 56. Rock classification based on features form color space and morphological gradient of rock thin section image

**Accession number:** 20163502763418

**Authors:** Liu, Ye (1); Cheng, Guojian (1); Ma, Wei (2); Guo, Chao (3)

**Author affiliation:** (1) School of Computer Science, Xi'an Shiyou University, Xi'an; 710065, China; (2) Library of Xi'an University of Technology, Xi'an; 710048, China; (3) Research Institute of Shaanxi Yanchang Petroleum (Group) Co. Ltd., Xi'an; 710075, China

**Corresponding author:** Liu, Ye(yeliu@xsyu.edu.cn)

**Source title:** Zhongnan Daxue Xuebao (Ziran Kexue Ban)/Journal of Central South University (Science and Technology)

**Abbreviated source title:** Zhongnan Daxue Xuebao (Ziran Kexue Ban)

**Volume:** 47

**Issue:** 7

**Issue date:** July 26, 2016

**Publication year:** 2016

**Pages:** 2375-2382

**Language:** Chinese

**ISSN:** 16727207

**CODEN:** ZDXZAC

**Document type:** Journal article (JA)

**Publisher:** Central South University of Technology

**Abstract:** A new high efficiency automatic rock classification method for thin section images of rocks was proposed to solve the problems caused by subjective errors and the difference of capture equipments and conditions. This classification method, whose basic data were from polarizing microscope, was based on original color space and morphology gradient features to build the relationship between these features extracted from images and rock types with SVM. Practical test data set composed of 100 image samples was from Sulige gas field in Ordos basin. The results show that the accuracy of this method reaches 95%, which proves the method is stable and dependable both in theoretical and practical aspects. © 2016, Central South University Press. All right reserved.

**Number of references:** 21

**Main heading:** Rocks

**Controlled terms:** Image classification - Gas industry - Classification (of information) - Color - Statistical tests

**Uncontrolled terms:** Classification methods - Color space - Gradient feature - Morphological gradient - Polarizing microscopes - Practical tests - Rock classification - Sulige gas field

**Classification code:** 522 Gas Fuels - 716.1 Information Theory and Signal Processing - 723.2 Data Processing and Image Processing - 741.1 Light/Optics - 903.1 Information Sources and Analysis - 922.2 Mathematical Statistics

**Numerical data indexing:** Percentage 9.50e+01%

**DOI:** 10.11817/j.issn.1672-7207.2016.07.027

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 57. Viscoelastic Drag of Particles Settling in Wormlike Micellar Solutions of Varying Surfactant Concentration

**Accession number:** 20155001676305

**Authors:** Wang, Zhiguo (1, 2); Wang, Shuzhong (1); Jing, Zefeng (1); Luo, Xiangrong (1)

**Author affiliation:** (1) Key Laboratory of Thermo-Fluid Science and Engineering of MOE, School of Energy and Power Engineering, Xi'an Jiaotong University, Xi'an; 710049, China; (2) School of Mechanical Engineering, Xi'an Shiyou University, Xi'an, China

**Corresponding author:** Wang, Shuzhong(szwang@aliyun.com)

**Source title:** Journal of Dispersion Science and Technology

**Abbreviated source title:** J. Dispersion Sci. Technol.

**Volume:** 37

**Issue:** 3

**Issue date:** March 3, 2016

**Publication year:** 2016

**Pages:** 442-449

**Language:** English

**ISSN:** 01932691

**E-ISSN:** 15322351

**Document type:** Journal article (JA)

**Publisher:** Bellwether Publishing, Ltd.

**Abstract:** Wormlike micellar octadecyl trimethyl ammonium chloride (OTAC) solution is a self-assembled fracturing fluid used to carry proppants into fractures in oil recovery. Slow settling velocity of proppant is desirably resulted from the viscoelastic drag with low viscosity of fracturing fluids for fracturing work. Steel spheres, as a substitute for proppants, fall into three semi-dilute OTAC solutions. The steady rheology demonstrates that OTAC solutions are divided into shear-thickening and shear-thinning regimes by the critical shear rate. The applied steel spheres always lie in the shear-thickening regime of the 2.8 wt% OTAC solution with aggregated micelles as their characteristic shear rates are less than the critical shear rate of the solution. Strong shear-thickening viscous drag results in lower settling velocity of steel spheres. Most of the applied steel spheres, on the other hand, lie in the shear-thinning regime of the 4 wt% OTAC solution with orientated micelles. Although the latter solution has small dissipation coefficient, high Weissenberg number, and consequently high elastic effect, the shear-thinning viscosity results in higher settling velocity of steel spheres. © 2016, Copyright © Taylor & Francis Group, LLC.

**Number of references:** 41

**Main heading:** Shear thinning

**Controlled terms:** Drag - Micelles - Proppants - Spheres - Non Newtonian flow - Viscoelasticity - Chlorine compounds - Fracturing fluids - Shear flow - Shear deformation

**Uncontrolled terms:** Critical shear rates - Dissipation coefficients - Drag of particles - Micellar fluids - Shear-induced structures - Surfactant concentrations - Weissenberg number - Wormlike micellar solutions

**Classification code:** 511.1 Oil Field Production Operations - 631.1 Fluid Flow, General - 801.3 Colloid Chemistry - 931.2 Physical Properties of Gases, Liquids and Solids

**DOI:** 10.1080/01932691.2015.1045597

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 58. Parameters Optimization of Fin-and-Tube Heat Exchanger with a Novel Vortex Generator Fin by Taguchi Method

**Accession number:** 20153801277075

**Authors:** Tang, Ling-Hong (1); Tan, Si-Chao (2); Gao, Pu-Zhen (2); Zeng, Min (3)

**Author affiliation:** (1) School of Mechanical Engineering, Xian Shiyou University, Xian, Shaanxi, China; (2) National Defense Key Subject Laboratory for Nuclear Safety and Simulation Technology, Harbin Engineering University, Harbin, Heilongjiang, China; (3) Key Laboratory of Thermo-Fluid Science and Engineering, Ministry of Education, Xian Jiaotong University, Xian, Shaanxi; 710049, China

**Corresponding author:** Zeng, Min(zengmin@mail.xjtu.edu.cn)

**Source title:** Heat Transfer Engineering

**Abbreviated source title:** Heat Transfer Eng

**Volume:** 37

**Issue:** 3-4

**Issue date:** March 3, 2016

**Publication year:** 2016

**Pages:** 369-381

**Language:** English

**ISSN:** 01457632

**E-ISSN:** 15210537

**CODEN:** HTEND2

**Document type:** Conference article (CA)

**Publisher:** Taylor and Francis Ltd.

**Abstract:** In this study, the effects of various vortex generator configurations on the heat transfer and flow friction characteristics are investigated by numerical method. Compared with common-flow-down configuration, the Nusselt numbers of common-flow-up configuration increase by 2.7-2.9% in the range of studied Reynolds number, while the friction factors reduce by 7.8-10.0%. A comparative study of the effects of location of axial dimension, location of spanwise dimension, attack angle, and length and height of vortex generator on fin performance is conducted. The results show that the intensity of heat transfer can be greatly increased with decreasing the location and attack angle of vortex generator, and with increasing height of vortex generator, accompanying with the increase of pressure drop. The Nusselt number and friction factors first increase and then decrease with increasing length of vortex generator. The parameters of the vortex generator fin-and-tube heat exchanger are optimized by the Taguchi method. Sixteen kinds of models are made by compounding levels on each factor, and the heat transfer and flow friction characteristics of each model are analyzed. The results allow us to quantitatively estimate the various parameters affecting heat exchanger performance, and the main factors for optimal design of a heat exchanger are selected. The two optimal conditions are acquired, and the reproducibility of the results is verified by two analytical results. © 2016 Copyright © Taylor & Francis Group, LLC.

**Number of references:** 21

**Main heading:** Location

**Controlled terms:** Taguchi methods - Fins (heat exchange) - Numerical methods - Vortex flow - Nusselt number - Friction - Reynolds number - Tribology - Vorticity

**Uncontrolled terms:** Analytical results - Comparative studies - Fin and tube heat exchanger - Heat exchanger performance - Heat transfer and flows - Optimal conditions - Parameters optimization - Vortex generators

**Classification code:** 616.1 Heat Exchange Equipment and Components - 631.1 Fluid Flow, General - 641.2 Heat Transfer - 913.3 Quality Assurance and Control - 921.6 Numerical Methods - 922.2 Mathematical Statistics - 931 Classical Physics; Quantum Theory; Relativity

**Numerical data indexing:** Percentage 2.70e+00% to 2.90e+00%, Percentage 7.80e+00% to 1.00e+01%

**DOI:** 10.1080/01457632.2015.1052715

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 59. Sedimentary environment and tectonic backgrounds of the Wangquankou Formation carbonate rock sequences in southwestern Ordos Basin

**Accession number:** 20162102408442

**Authors:** Song, Lijun (1, 2); Liu, Chiyang (2, 3); Li, Guangxiang (1); Zhao, Hongge (2, 3); Wang, Jianqiang (2, 3); Zhang, Xiaolong (2, 3); Wang, Yuping (2, 3)

**Author affiliation:** (1) Geosciences and Engineering Faculty, Xi'an Shiyou University, Xi'an; Shaanx; 710065, China; (2) State Key Laboratory of Continental Dynamics, Department of Geology, Northwest University, Xi'an; Shaanxi; 710069, China; (3) Department of Geology, Northwest University, Xi'an; Shaanxi; 710069, China

**Corresponding author:** Liu, Chiyang(lcy@nwu.edu.cn)

**Source title:** Oil and Gas Geology

**Abbreviated source title:** Oil Gas Geol.

**Volume:** 37

**Issue:** 2

**Issue date:** April 28, 2016

**Publication year:** 2016

**Pages:** 224-237

**Language:** Chinese

**ISSN:** 02539985

**Document type:** Journal article (JA)

**Publisher:** Editorial Department of Oil and Gas Geology

**Abstract:** A very thick Middle Proterozoic carbonate strata represented by the Wangquankou Formation is distributed in the southwestern Ordos basin. In order to forecast its petroleum exploration prospects, major and trace elements were measured on samples to reveal the rock characteristics, sedimentary environment, tectonic settings and origin of siliceous rocks of the Wangquankou Formation. The Wangquankou Formation mainly consists of dolomites, siliceous dolomites and silicalites, with minor quartz sandstones. Geochemical features of siliceous materials in silicalites and siliceous dolomites clearly show a biochemical origin, with almost no influences from epicontinental clastic input. Discrimination diagrams of redox environment, such as V/Cr, Ni/Co, V/(V+Ni) and Ce/La, indicate that the Wangquankou Formation was deposited in aerobic or transitional dysaerobic shallow water. Paleo-temperature data, in good agreement with Sr/Cu values, suggest that regional temperatures were highest during deposition of the Wangquankou Formation, further indicating an arid and scorching climate background. Sr/Ba and CaO/(CaO+MgO) environment discriminant graphs, Y abnormality and (La/Nd)<sub>pass</sub> ratio show that the carbonate rocks formed in marine saltwater or transitional semi-saltwater environment. A comprehensive analysis of various diagrams, such as La-Th-Sc, Th-Co-Zr/10 and 100Eu/#REE-LREE/HREE graphs, indicates that carbonate samples from the Wangquankou Formation carry information of active continental margin, continental island arc and middle continent-shallow water sedimentary system. Samples from regions of Long Country Guguan, Tanshan, and Zhuozishan located at the basin margin are all characterized by high REEs, indicating a tectonic background of continental back-arc depression during the Wangquankou Stage. In conclusion, siliceous rocks and carbonate rocks of biochemical origin in this region were deposited in mild-oxidizing, marine-continental transition environment, with the backgrounds of desiccation and torridness with the tectonic settings of epicontinental back-arc depression. © 2016, Editorial Office of Oil and Gas Geology. All right reserved.

**Number of references:** 46

**Main heading:** Dolomite

**Controlled terms:** Carbonation - Sedimentology - Graphic methods - Hafnium alloys - Silica - Magnesia - Tectonics - Sedimentary rocks - Thorium alloys - Cobalt alloys - Strontium alloys - Ternary alloys - Lanthanum compounds - Trace elements

**Uncontrolled terms:** Carbonate rock - Ordos Basin - Sedimentary environment - Tectonic settings - Wangquankou Formation

**Classification code:** 481.1 Geology - 482.2 Minerals - 549.2 Alkaline Earth Metals - 549.3 Nonferrous Metals and Alloys excluding Alkali and Alkaline Earth Metals - 622.1 Radioactive Materials, General - 802.2 Chemical Reactions - 804.2 Inorganic Compounds

**DOI:** 10.11743/ogg20160211

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 60. Genesis and source of the Ordovician mid-assembly natural gas in the east side of the central paleo-uplift, Ordos Basin

**Accession number:** 20163202695193

**Authors:** Li, Jun (1, 2); Zhao, Jingzhou (1, 2); Wang, Daxing (3); Sun, Liuyi (3); Ren, Junfeng (3); Wu, Chunying (3); Wu, Weitao (1, 2); Zhao, Zilong (1, 2); Qu, Futao (1, 2)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (2) Shaanxi Key Laboratory of Petroleum Accumulation Geology, Xi'an; Shaanxi; 710065, China; (3) Exploration & Development Research Institute, PetroChina Changqing Oilfield Company, Xi'an; Shaanxi; 710018, China

**Corresponding author:** Li, Jun(lijun@xsyu.edu.cn)

**Source title:** Shiyou Xuebao/Acta Petrolei Sinica

**Abbreviated source title:** Shiyou Xuebao

**Volume:** 37

**Issue:** 7

**Issue date:** July 1, 2016

**Publication year:** 2016

**Pages:** 821-831

**Language:** Chinese

**ISSN:** 02532697

**CODEN:** SYHPD9

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** With the continuous deepening of Ordovician natural gas exploration in Ordos Basin, a great advancement has been achieved in the mid-assemblage natural gas exploration of Sub-member 5 to Sub-member 10 of Member 5, Ordovician Majiagou Formation in the east side of the central paleo-uplift. However, there is still insufficient research on the genesis and source of natural gas. Based on the geochemical characteristics of natural gas, the development characteristics of paleo-oil reservoirs and other analysis results, in combination with geological conditions of natural gas accumulation, the genesis and source of Ordovician mid-assemblage natural gas in the east side of the central paleo-uplift, Ordos Basin are determined. The research indicates that Ordovician mid-assemblage natural gas in Ordos Basin is a mixture of the coal-type gas derived from Upper Paleozoic coaly source rocks and the oil-associated gas generated from Lower Paleozoic carbonate rocks, dominated by Upper Paleozoic coal-type gas. Among the current natural gas compositions of gas reservoirs, the methane is mainly sourced from the Upper Paleozoic coaly source rocks, the ethane in a small part of upper-assemblage and mid-assemblage natural gas is mostly derived from the Lower Paleozoic oil-associated gas, while the ethane and heavy hydrocarbon of most mid-assemblage natural gas are originated from the Upper Paleozoic coaly source rocks. © 2016, Editorial Office of ACTA PETROLEI SINICA. All right reserved.

**Number of references:** 44

**Main heading:** Natural gas

**Controlled terms:** Coal - Exploratory geochemistry - Petroleum reservoir engineering - Geochronology - Petroleum prospecting - Petroleum reservoirs - Carbon - Gases - Metamorphic rocks

**Uncontrolled terms:** Carbon isotopes - Coal types - Gas-source correlations - Ordos Basin - Ordovician

**Classification code:** 481.1 Geology - 481.2 Geochemistry - 481.3 Geophysics - 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 522 Gas Fuels - 524 Solid Fuels - 804 Chemical Products Generally

**DOI:** 10.7623/syxb201607001

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 61. A method to achieve uniform clamp force in a bolted rotor with curvic couplings

**Accession number:** 20163802818052

**Authors:** Yuan, Shuxia (1); Zhang, Youyun (2); Fan, Yuguang (1); Zhang, Yingchun (2, 3)

**Author affiliation:** (1) School of Mechanical Engineering, Xi'an Shiyou University, No.18, 2nd Dianzi Road, Xian; 710065, China; (2) Theory of Lubrication and Bearing Institute, Xi'an Jiaotong University, Xi'an, China; (3) Shaanxi Applied Physical Chemistry Research Institute, Xi'an, China

**Corresponding author:** Yuan, Shuxia(flowingcloud269@163.com)

**Source title:** Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering

**Abbreviated source title:** Proc. Inst. Mech. Eng. Part E J. Process Mech. Eng.

**Volume:** 230

**Issue:** 5

**Issue date:** October 1, 2016

**Publication year:** 2016

**Pages:** 335-344

**Language:** English

**ISSN:** 09544089

**E-ISSN:** 20413009

**CODEN:** PMEEEF

**Document type:** Journal article (JA)

**Publisher:** SAGE Publications Ltd

**Abstract:** The preloading process is essential for circumferential bolted rotors with curvic couplings and preloading effects determining the rotor performance. A nonuniform clamp load of each bolt will destroy the periodicity of the rotor and affect its strength, stiffness, and stability. In this paper, the finite element method was adopted, the influence of elastic interaction on two types of preload methods (one by one and group) was investigated and the mechanism about elastic interaction was analyzed, and a method to achieve a uniform clamp force of spindle bolts was proposed. This method is based on displacement, and by ensuring equal relative displacements of each bolt and nut during the preloading process, the uniform clamp force can be obtained. The validity of the proposed method is experimentally verified. © IMechE 2014.

**Number of references:** 10

**Main heading:** Couplings

**Controlled terms:** Bolts - Finite element method

**Uncontrolled terms:** Clamp force - Clamp load - Elastic interactions - Pre loads - Preloading effects - Preloading process - Relative displacement - Rotor performance

**Classification code:** 605 Small Tools and Hardware - 921.6 Numerical Methods

**DOI:** 10.1177/0954408914550017

**Funding text:** This work was supported by the National Basis Research Program (i.e. 973 Program) of China (grant number 2007CB707706).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 62. Parametric modeling and experimental research of stiffness characteristics of curvic coupling of gas turbine

**Accession number:** 20161002049504

**Authors:** Xi, Wenkui (1); Jiang, Xiangjun (2); Yang, Xudong (3); Xu, Jianning (1)

**Author affiliation:** (1) School of Mechanical Engineering, Xi'an Shiyou University, Xi'an; 710054, China; (2) State Key Laboratory for Manufacturing System (Xi'an Jiaotong University), Xi'an; 710049, China; (3) Oil & Gas Technology Institute, Changqing Oil Field Company, Xi'an; 710018, China

**Corresponding author:** Xi, Wenkui(xiwenkui@xsyu.edu.cn)

**Source title:** Harbin Gongye Daxue Xuebao/Journal of Harbin Institute of Technology

**Abbreviated source title:** Harbin Gongye Daxue Xuebao

**Volume:** 48

**Issue:** 1

**Issue date:** January 30, 2016

**Publication year:** 2016

**Pages:** 165-171

**Language:** Chinese

**ISSN:** 03676234

**CODEN:** HPKYAY

**Document type:** Journal article (JA)

**Publisher:** Harbin Institute of Technology

**Abstract:** To study the effects of stiffness characteristics on the working behavior of bolted joint with curvic coupling of heavy duty gas turbine, a stiffness analytical model was established with parametric modeling method. The curvic contact pressure, rotation stiffness, compression deformation have been derived by the proposed method, the deformation and stiffness change of all parts of the curvic coupling are investigated during the bolt tightening by finite element analysis and experimental method. The validity of the method is proved by experiments and finite element simulation. The results show that the bending behavior on the curvic and the cylinder part of the disc in bolt tightening, the curvic compression stiffness increases sharply and the stiffness data of other parts decreases slightly during bolt tightening process. The change laws including deformation, stiffness, contact stress, contact status of contact surfaces in curvic coupling are different from those in usual couplings. © 2016, Harbin Institute of Technology. All right reserved.

**Number of references:** 16

**Main heading:** Stiffness

**Controlled terms:** Deformation - Bolts - Bolted joints - Gas turbines - Finite element method

**Uncontrolled terms:** Compression deformation - Experimental research - Finite element simulations - Heavy-duty gas turbines - Parametric modeling - Stiffness analysis - Stiffness characteristics - Structural deformation

**Classification code:** 408.2 Structural Members and Shapes - 605 Small Tools and Hardware - 612.3 Gas Turbines and Engines - 921.6 Numerical Methods - 951 Materials Science

**DOI:** 10.11918/j.issn.0367-6234.2016.01.025

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 63. Solvent strategy for unleashing the Lewis acidity of titanocene dichloride for rapid Mannich reactions

**Accession number:** 20160801971945

**Authors:** Wu, Ya (1, 2); Wang, Xiu (1); Luo, Yanlong (1); Wang, Jing (1); Jian, Yajun (1); Sun, Huaming (1); Zhang, Guofang (1); Zhang, Weiqiang (1); Gao, Ziwei (1)

**Author affiliation:** (1) Key Laboratory of Applied Surface and Colloid Chemistry, MOE, School of Chemistry and Chemical Engineering, Shaanxi Normal University, Xi'an; 710062, China; (2) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Zhang, Weiqiang

**Source title:** RSC Advances

**Abbreviated source title:** RSC Adv.

**Volume:** 6

**Issue:** 19

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 15298-15303

**Language:** English

**E-ISSN:** 20462069

**CODEN:** RSCACL

**Document type:** Journal article (JA)

**Publisher:** Royal Society of Chemistry

**Abstract:** The remarkable activation effect of alcohol solvent on kinetically inert titanocene dichloride was found to promote rapid three-component Mannich reactions. NMR and ESI-MS analyses as well as a control experiment of catalytic active species elucidated that the coordination of MeOH to the titanocene moiety unleashed the Lewis acid [Cp<sub>2</sub>Ti(OMe)<sub>2</sub>] and Brønsted acid HCl, which led to the enhanced catalytic activity of [Cp<sub>2</sub>TiCl<sub>2</sub>]. © 2016 The Royal Society of Chemistry.

**Number of references:** 46

**Main heading:** Catalyst activity

**Controlled terms:** Chemical reactions

**Uncontrolled terms:** Activation effect - Active species - Alcohol solvent - Control experiments - Enhanced catalytic activity - Mannich reactions - Three component - Titanocene dichloride

**Classification code:** 802.2 Chemical Reactions - 803 Chemical Agents and Basic Industrial Chemicals - 804 Chemical Products Generally

**DOI:** 10.1039/c5ra27094d

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 64. Influencing factors and prediction model of apparent viscosity of heavy oil O/W emulsion

**Accession number:** 20163902858030

**Authors:** Sun, Nana (1, 2); Jing, Jiaqiang (2, 3); Jiang, Huayi (1); Qi, Hongyuan (2); Jiang, Xuantao (2)

**Author affiliation:** (1) Petroleum Engineering College, Xi'an Shiyou University, Xi'an; 710065, China; (2) Oil and Gas Engineering College, Southwest Petroleum University, Chengdu; 610500, China; (3) Oil and Gas Fire Protection Key Laboratory of Sichuan Province, Chengdu; 611731, China

**Corresponding author:** Sun, Nana(bingyuxuan6666@126.com)

**Source title:** Shiyou Xuebao, Shiyou Jiagong/Acta Petrolei Sinica (Petroleum Processing Section)

**Abbreviated source title:** Shiyou Xuebao Shiyou Jiagong

**Volume:** 32

**Issue:** 5

**Issue date:** September 25, 2016

**Publication year:** 2016

**Pages:** 987-996

**Language:** Chinese

**ISSN:** 10018719

**CODEN:** SXSHEY

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** The effects of the contents of nonionic/amphoteric surfactant and organic/inorganic alkali and oil, mixing speed and emulsifying temperature on the apparent viscosity of heavy oil O/W emulsion were studied by using the single factor experiments, based on which the orthogonal test of six factors with three levels was carried out and the results were nonlinearly fitted by using the SPSS software to get a model for apparent viscosity prediction to further theoretically discuss the importance degree of these factors. The experimental results showed that the apparent

viscosity of heavy oil O/W emulsion increased with the increase of formulated surfactant content. The organic/inorganic alkali played a twofold role on the apparent viscosity of the O/W emulsion, that is, to promote the ionization of these interfacial active components and to compress the diffused double layer, the competition of both of which with each other determined that the apparent viscosity increased or decreased. With the increase of oil content, the apparent viscosity increased, while with the increase of emulsifying temperature the apparent viscosity decreased. When the mixing speed increased in the range of 500-1000 r/min, the apparent viscosity of emulsion increased. When the mixing speed increased in the range of 1000-1500 r/min, the apparent viscosity changed a little. The rise of emulsifying temperature resulted in a decrease of the apparent viscosity. The apparent viscosity predicted by the established model agreed with the experimental one. © 2016, Science Press. All right reserved.

**Number of references:** 26

**Main heading:** Crude oil

**Controlled terms:** Nonionic surfactants - Mixing - Emulsification - Software testing - Viscosity - Forecasting - Heavy oil production

**Uncontrolled terms:** Apparent viscosity - Mixing speed - O/W emulsions - Oil contents - Organic alkali - Orthogonal test - Spss softwares

**Classification code:** 511.1 Oil Field Production Operations - 512.1 Petroleum Deposits - 631.1 Fluid Flow, General - 723.5 Computer Applications - 802.3 Chemical Operations - 803 Chemical Agents and Basic Industrial Chemicals - 931.2 Physical Properties of Gases, Liquids and Solids

**Numerical data indexing:** Rotational\_Speed 1.00e+03RPM to 1.50e+03RPM, Rotational\_Speed 5.00e+02RPM to 1.00e+03RPM

**DOI:** 10.3969/j.issn.1001-8719.2016.05.017

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 65. Microscopic choked flow for a highly compressible gas in porous media (Open Access)

**Accession number:** 20163502754198

**Authors:** Jiang, Hailong (1); Dou, Yihua (1); Xi, Zhongchen (2); Chen, Mian (3); Jin, Yan (3)

**Author affiliation:** (1) College of Mechanical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) CCDC Changqing Downhole Technology Company, Xi'an; 710018, China; (3) State Key Laboratory of Petroleum Resources and Prospecting, China University of Petroleum, Beijing; 102249, China

**Corresponding author:** Dou, Yihua(douyhxapi@163.com)

**Source title:** Journal of Natural Gas Science and Engineering

**Abbreviated source title:** J. Nat. Gas Sci. Eng.

**Volume:** 35

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 42-53

**Language:** English

**ISSN:** 18755100

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** Choked flow can impact the gas flow rate from a high-pressure gas well with a vertical fracture of finite conductivity and the development of tensile stress near the wellbore. Traditionally, the choking condition of the flow of a highly compressible gas in porous media is obtained by considering the porous media to be a homogeneous porous medium at the macroscopic scale. In reality, when the average existing pressure of the porous medium decreases, if the compressible gas flow is choked in only one microscopic basic structural unit, the gas flow is choked in the macroscopic porous medium. In this paper, the choking condition of a compressible gas flow in a basic structural unit is studied. It is shown that for the given inlet pressure and temperature, the choked flow occurs first in the basic structural unit with a constant cross-section and with lower porosity and shorter flow distance. If the roughness of the basic structural unit is more complicated or its flow distance is shorter, this basic structural unit requires a lower pressure drop when the gas flow is choked. Whether the basic structural unit is a pipe with finite wall thickness or a single pore, the choking condition first occurs in the position with the smallest porosity or permeability near the exit. It is found that for microscopic choked flow, the outlet-to-inlet pressure under conditions of varying friction is substantially lower than that under the effect of constant friction. © 2016 Elsevier B.V.

**Number of references:** 33

**Main heading:** Flow of gases

**Controlled terms:** Friction - Compressibility of gases - Porosity - Porous materials - Gases - Natural gas wells

**Uncontrolled terms:** Choked flow - Compressible gas - Finite conductivity - High pressure gas wells - Lower pressures - Macroscopic scale - Structural unit - Vertical fracture

**Classification code:** 512.2.1 Natural Gas Fields - 631.1.2 Gas Dynamics - 931.2 Physical Properties of Gases, Liquids and Solids - 951 Materials Science

**DOI:** 10.1016/j.jngse.2016.08.039

**Funding Details:** Number: 51374171,51404198, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** The authors are grateful for the support provided by the Chinese National Science Foundation (No. 51374171 , No. 51404198 ).

**Compendex references:** YES

**Open Access type(s):** All Open Access, Bronze

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 66. Data analysis of the real-time pressure and temperature along the wellbore in intelligent well Lei 632 with commingling production in LH oilfield

**Accession number:** 20160301812041

**Authors:** Wang, Jinlong (1, 2); Zhang, Ningsheng (1, 2); Chen, Junbin (2); Wang, Yingru (3)

**Author affiliation:** (1) College of Petroleum Engineering, China University of Petroleum, Beijing; 102249, China; (2) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (3) College of Chinese Language and Literature, Xi'an International Studies University, Xi'an; 710128, China

**Corresponding author:** Wang, Jinlong(shuifengzou520@126.com)

**Source title:** Journal of Petroleum Science and Engineering

**Abbreviated source title:** J. Pet. Sci. Eng.

**Volume:** 138

**Issue date:** February 01, 2016

**Publication year:** 2016

**Pages:** 18-30

**Language:** English

**ISSN:** 09204105

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** Data on reservoir parameters, production rate, and water cut are considered key parameters in the control and matching of production in each layer of intelligent well wellbores. Owing to the complicated conditions in the downhole, no permanent downhole flowmeter is installed in the current simple intelligent well system of onshore oilfields in China. Furthermore, necessary real-time data on reservoir parameters, production rate, and water cut in each producing layer cannot be obtained. On the basis of mass conservation equation, momentum conservation equation, and theories of heat transfer, thermodynamics, and fluid mechanics in porous medium, this study establishes the energy conservation equation of fluids in the tubing and annulus. By using the single-point real-time data of the pressure and temperature in the tubing and annulus, the temperature gradient in each producing layer can be deduced. Moreover, the temperature profile, data on reservoir parameters, production rate, and water cut in each producing layer can be calculated. This approach is used to solve the problem of flow measurement in each producing layer of intelligent well systems without permanent downhole flowmeters in onshore Chinese oilfields. According to the production data of intelligent well Lei 632, the temperature distribution along the wellbore is analyzed, the water yield formation is diagnosed, and the reservoir parameters, production rate, and water cut in each producing layer are calculated. The analytic solution of the method agrees well with that of the conventional production logging, thus indicating the feasibility of the method in realizing the dynamic monitoring of intelligent wells and in solving the actual problem in real time. The proposed method fills in the gaps in theories on intelligent well technology in China. © 2015 Elsevier B.V.

**Number of references:** 63

**Main heading:** Flow measurement

**Controlled terms:** Flowmeters - Oil field equipment - Oil well flooding - Fluid mechanics - Heat transfer - Porous materials - Temperature

**Uncontrolled terms:** Commingling production - Energy conservation equations - Intelligent wells - Mass conservation equations - Momentum conservation equations - Permanent downhole flowmeters - Steady-state flows - Well monitoring

**Classification code:** 511.1 Oil Field Production Operations - 511.2 Oil Field Equipment - 631.1 Fluid Flow, General - 641.1 Thermodynamics - 641.2 Heat Transfer - 931.1 Mechanics - 943.1 Mechanical Instruments - 943.2 Mechanical Variables Measurements - 951 Materials Science

**DOI:** 10.1016/j.petrol.2015.11.024

**Funding Details:** Number: U1262105, Acronym: -, Sponsor: -; Number: 51274165, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** The authors would like to acknowledge the financial support from the projects of National Natural Science Foundation of China (A study of Multilayer Commingling with Intelligent Well Completion the Optimization of Node Combination Model (No. 51274165 ) and A study of Intelligent Well System Design and the Production Optimization of Control Model (No. U1262105 )). Permission to publish this paper by the LH Oilfield Company, PetroChina, is gratefully acknowledged.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 67. Actuator fault-tolerant robust control of an uncertain networked control system with random time delays

**Accession number:** 20170103222316

**Authors:** Wu, Yanpeng (1); Wu, Ying (2)

**Author affiliation:** (1) School of Information and Control Engineering, Xi'an University of Architecture and Technology, No. 13, Yan Ta Road, Xi'an, China; (2) School of Computer Science, Xi'an Shiyou University, No. 18, 2nd East Dianzi Road, Xi'an, China

**Corresponding author:** Wu, Yanpeng(wuyanpengxuat@163.com)

**Source title:** International Journal of Modelling, Identification and Control

**Abbreviated source title:** Int. J. Model. Ident. Control

**Volume:** 26

**Issue:** 4

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 372-379

**Language:** English

**ISSN:** 17466172

**E-ISSN:** 17466180

**Document type:** Journal article (JA)

**Publisher:** Inderscience Enterprises Ltd., 29, route de Pre-Bois, Case Postale 856, CH-1215 Geneva 15, CH-1215, Switzerland

**Abstract:** In this paper, a novel robust fault-tolerant control scheme of networked flight control system against actuator faults with consideration of both norm-bounded uncertainties and time delays is proposed. Different from other research results on actuator fault-tolerant control methods, a complete fault model of actuators with partial failure is developed to represent the type and degree of actuator faults in an integrated parameterised way. Moreover, both of the time delays that are induced by avionics-bus and system uncertainties are considered to be described as mathematic parameters in complete fault model. By employing multiple parameter-dependent Lyapunov-Krasovskii functions, sufficient stability conditions of uncertain networked flight control systems with actuator faults are derived, and robust fault mode depended controllers are obtained in terms of linear matrix inequalities (LMIs), which is capable of accommodating uncertainties in the presence of actuator faults. Finally, examples are provided to illustrate the effectiveness of the proposed method. Copyright © 2016 Inderscience Enterprises Ltd.

**Number of references:** 11

**Main heading:** Time delay

**Controlled terms:** Flight control systems - Uncertainty analysis - Fault tolerance - Linear matrix inequalities - Timing circuits - Actuators - Delay control systems - Networked control systems - Robust control

**Uncontrolled terms:** Actuator failures - Fault tolerant control - Fault-tolerant - LMIs - Lyapunov Krasovskii function - Norm-bounded uncertainty - System uncertainties - Uncertainties

**Classification code:** 652.3 Aircraft Instruments and Equipment - 713 Electronic Circuits - 713.4 Pulse Circuits - 731 Automatic Control Principles and Applications - 731.1 Control Systems - 731.2 Control System Applications - 732.1 Control Equipment - 921.1 Algebra - 922.1 Probability Theory

**DOI:** 10.1504/IJMIC.2016.081142

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village  
 Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 68. Strain induced martensite stabilization and shape memory effect of Ti-20Zr-10Nb-4Ta alloy

**Accession number:** 20160601910336

**Authors:** Xiong, Chengyang (1); Yao, Li (1); Yuan, Bifei (2); Qu, Wentao (2); Li, Yan (1, 3)

**Author affiliation:** (1) School of Materials Science and Engineering, Beihang University, Beijing; 100191, China; (2) School of Mechanical Engineering, Xi'an Shiyu University, Xi'an; 710065, China; (3) Beijing Key Laboratory for Advanced Functional Materials and Thin Film Technology, Beihang University, Beijing; 100191, China

**Corresponding author:** Li, Yan(liyan@buaa.edu.cn)

**Source title:** Materials Science and Engineering: A

**Abbreviated source title:** Mater. Sci. Eng. A

**Volume:** 658

**Issue date:** March 21, 2016

**Publication year:** 2016

**Pages:** 28-32

**Language:** English

**ISSN:** 09215093

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** The phase transformation, the microstructure and the shape memory effect of the Ti-20Zr-10Nb-4Ta alloy are investigated. The X-ray diffraction measurements indicated that the alloy is composed of single orthorhombic  $\alpha''$ -martensite. The alloy showed a two-stage yielding behavior upon tension at 0.5% and 6% strain with a yield stress of 215 MPa and 565 MPa, respectively. The strain induced martensite stabilization was identified because the reverse martensite transformation start temperature of the alloy increases from 348 to 405 K, with the pre-strain increasing from 0% to 8%. This can be ascribed to the martensite reorientation that occurred at a low strain level and the dislocations formed at a large strain level. The maximum shape memory strain is 3.3% in the Ti-20Zr-10Nb-4Ta alloy. © 2016 Elsevier B.V.

**Number of references:** 42

**Main heading:** Shape memory effect

**Controlled terms:** Binary alloys - Martensite - Martensitic transformations - Niobium alloys - Stabilization - Tantalum alloys - Titanium alloys - X ray diffraction - Yield stress - Zirconium alloys

**Uncontrolled terms:** Martensite stabilization - Martensite transformations - Phases transformation - Shape-memory effect - Strain levels - Strain-induced martensite - Ti-zr - Transformations start temperatures - X-ray diffraction measurements - Yielding behavior

**Classification code:** 531.2 Metallography - 542.3 Titanium and Alloys - 543.4 Tantalum and Alloys - 549.3 Nonferrous Metals and Alloys excluding Alkali and Alkaline Earth Metals - 931.2 Physical Properties of Gases, Liquids and Solids - 951 Materials Science

**Numerical data indexing:** Percentage 0.00e+00% to 8.00e+00%, Percentage 3.30e+00%, Percentage 5.00e-01%, Percentage 6.00e+00%, Pressure 2.15e+08Pa, Pressure 5.65e+08Pa, Temperature 3.48e+02K to 4.05e+02K

**DOI:** 10.1016/j.msea.2016.01.104

**Funding Details:** Number: 51371016, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2014ZF51070, Acronym: -, Sponsor: Aeronautical Science Foundation of China; Number: 2012CB619400, Acronym: -, Sponsor: National Basic Research Program of China (973 Program);

**Funding text:** This work is supported by the National Basic Research Program of China (No. 2012CB619400 ), the National Natural Science Foundation of China (NSFC, No. 51371016 ) and the Aeronautical Science Foundation of China ( 2014ZF51070 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 69. Partial differential equation based image edge enhancement and its application in measuring shaft

**Accession number:** 20164903100985

**Authors:** Zhou, Chuande (1); Yin, Aijun (2); Li, Zelun (1); Huang, Yan (3)

**Author affiliation:** (1) College of Mechanical and Power Engineering, Chongqing University of Science and Technology, Chongqing; 401331, China; (2) College of Mechanical Engineering, Chongqing University, Chongqing; 400044, China; (3) College of Mechanical Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** 2016 13th International Conference on Ubiquitous Robots and Ambient Intelligence, URAI 2016

**Abbreviated source title:** Int. Conf. Ubiquitous Robots Ambient Intell., URAI

**Part number:** 1of1

**Issue title:** 2016 13th International Conference on Ubiquitous Robots and Ambient Intelligence, URAI 2016

**Issue date:** October 21, 2016

**Publication year:** 2016

**Pages:** 972-978

**Article number:** 7734121

**Language:** English

**ISBN-13:** 9781509008216

**Document type:** Conference article (CA)

**Conference name:** 13th International Conference on Ubiquitous Robots and Ambient Intelligence, URAI 2016

**Conference date:** August 19, 2016 - August 22, 2016

**Conference location:** Xian, China

**Conference code:** 124463

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** In this study, the conventional image edge detection methods for the geometric measurement are first introduced. The problems existing in actual detection, the principles of image denoising based on partial differential equation (PDE), and the local adaptability of nonlinear PDE deployed to complete image filtering, edge sharpening enhancement and edge extraction are then analyzed. Finally, a linear geometric measurement method based on edge fitting is proposed and applied into the shaft parts measurement on the basis of a self-developed multi-parameter detection system. It was suggested in findings that the proposed measurement method is precise and effective in its detection of such parameters as shaft diameter and parallel degree. © 2016 IEEE.

**Number of references:** 26

**Main heading:** Partial differential equations

**Controlled terms:** Image denoising - Edge detection - Image enhancement - Nonlinear equations - Parameter estimation

**Uncontrolled terms:** Edge enhancements - Geometric measurements - Image edge detection - Image edge enhancement - Measurement methods - Multi-parameter detection - Partial differential equations (PDE) - Shaft

**Classification code:** 716.1 Information Theory and Signal Processing - 723.2 Data Processing and Image Processing - 921.2 Calculus

**DOI:** 10.1109/URAI.2016.7734121

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 70. Research on fracturing extension by radial hydraulic jet in low permeability reservoirs

**Accession number:** 20162202445216

**Authors:** Zhang, Dingyong (1); Yuan, Shibao (2); Tian, Xianglei (1); Zhang, Wei (1); Zuo, Jiaqiang (3)

**Author affiliation:** (1) Xianhe Oil Production Plant of Shengli Oilfield, SINOPEC, Dongying; 257068, China; (2) College of Petroleum Engineering in Xi'an Shiyou University, Xi'an; 710065, China; (3) Research Institute of Production Engineering of Shengli Oilfield, SINOPEC, Dongying; 257000, China

**Source title:** Zhongguo Shiyou Daxue Xuebao (Ziran Kexue Ban)/Journal of China University of Petroleum (Edition of Natural Science)

**Abbreviated source title:** Zhongguo Shiyou Daxue Xuebao (Ziran Kexue Ban)

**Volume:** 40

**Issue:** 2

**Issue date:** April 20, 2016

**Publication year:** 2016

**Pages:** 129-134

**Language:** Chinese

**ISSN:** 16735005

**Document type:** Journal article (JA)

**Publisher:** University of Petroleum, China

**Abstract:** Based on the extended finite element method and combining with the criterion of tensile resistance failure, a three-dimensional finite element model of radical hydraulic jet fracturing fracture was built to study the influences of

drilling pore diameter, drilling pore azimuth and depth on formation fracturing pressure. The results show that, with the increase of drilling pore diameter, the initiation fracture pressure has a significant linearly decreasing tendency. The formation fracturing pressure increases with the increase of perforation azimuth. 40° is the allowed critical perforation azimuth to obtain the low formation fracturing pressure. An angle less than 40° between the optimizing bore and the maximum horizontal stress is better. The propagation law of fracturing fracture varies under different perforation angles. © 2016, University of Petroleum, China. All right reserved.

**Number of references:** 12

**Main heading:** Fracture

**Controlled terms:** Low permeability reservoirs - Petroleum reservoir engineering - Finite element method

**Uncontrolled terms:** Extended finite element method - Fracture pressures - Fracturing pressure - Horizontal stress - Low permeability - Pore diameters - Tensile resistance - Three dimensional finite element model

**Classification code:** 512.1 Petroleum Deposits - 512.1.2 Petroleum Deposits : Development Operations - 921.6

Numerical Methods - 951 Materials Science

**DOI:** 10.3969/j.issn.1673-5005.2016.02.016

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 71. A highly effective corrosion inhibitor by use of gemini imidazoline

**Accession number:** 20164502979699

**Authors:** Yang, Jiang (1, 2); Gao, Liyang (1); Liu, Xuan (1); Qin, Wenlong (1); Yin, Chengxian (3); Zhang, Juantao (3)

**Author affiliation:** (1) Xi'an Petroleum University, China; (2) China University of Petroleum (East China), China; (3) Tubular Goods R and D Center, PetroChina, China

**Source title:** SPE Journal

**Abbreviated source title:** SPE J

**Volume:** 21

**Issue:** 5

**Issue date:** October 2016

**Publication year:** 2016

**Pages:** 1743-1746

**Language:** English

**ISSN:** 1086055X

**CODEN:** SPJRFW

**Document type:** Conference article (CA)

**Publisher:** Society of Petroleum Engineers (SPE)

**Abstract:** Corrosion inhibitors are widely used to control corrosion under the sweet and sour environments in the oil and gas industry. More effective and environmentally friendly corrosion inhibitors need to be developed. This paper studies a new gemini imidazoline (GIM) corrosion inhibitor, in which two hydrocarbon chains and two head groups are linked by a rigid spacer. The GIM was synthesized through the reaction of oleic acid with triethylene tetramine at 2:1 molar ratio. The performance of the GIM on inhibition of carbon dioxide (CO<sub>2</sub>) corrosion was evaluated by linear polarization resistance in sparged-beaker testing. Rotating-wheel testing was performed to evaluate the film persistency of the test inhibitors. The results showed that corrosion inhibition of the GIM was more effective at lower concentration than that of conventional imidazoline. The mixture of GIM and fatty acid also showed better film persistency than conventional imidazoline. The emulsion tendency of the GIM was less than that of conventional imidazoline. The mechanism of the highly effective GIM was studied. It showed that GIM has much-higher surface activity than conventional imidazoline. The critical micelle concentration (CMC) of GIM is several times lower than that of conventional imidazoline. Hence, the new GIM corrosion inhibitor and its mixture give more-effective corrosion inhibition at low concentration; there is also a lesser environmental effect. Copyright © 2016 Society of Petroleum Engineers.

**Number of references:** 14

**Main heading:** Corrosion inhibitors

**Controlled terms:** Fatty acids - Critical micelle concentration - Molar ratio - Corrosion - Emulsification - Mixtures - Carbon dioxide - Gas industry

**Uncontrolled terms:** Corrosion inhibition - Critical micelle concentration (cmc) - Hydrocarbon chains - Linear polarization resistance - Low concentrations - Oil and Gas Industry - Sour environment - Surface activities

**Classification code:** 522 Gas Fuels - 539.2.1 Protection Methods - 801.3 Colloid Chemistry - 801.4 Physical Chemistry - 802.3 Chemical Operations - 803 Chemical Agents and Basic Industrial Chemicals - 804.1 Organic Compounds - 804.2 Inorganic Compounds

**DOI:** 10.2118/173777-PA

**Funding Details:** Number: 51174163, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;  
**Funding text:** The authors acknowledge support from the National Natural Science Foundation of China (Grant No 51174163).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 72. Structural, electronic, and magnetic properties of 3d transition metal doped GaN nanosheet: A first-principles study

**Accession number:** 20161102098128

**Authors:** Chen, Guo-Xiang (1); Wang, Dou-Dou (2); Wen, Jun-Qing (1); Yang, A-Ping (1); Zhang, Jian-Min (3)

**Author affiliation:** (1) College of Sciences, Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China; (2) College of Sciences, Xi'an University of Science and Technology, Xi'an, Shaanxi; 710054, China; (3) College of Physics and Information Technology, Shaanxi Normal University, Xi'an; 710062, China

**Corresponding author:** Chen, Guo-Xiang(guoxchen@xysu.edu.cn)

**Source title:** International Journal of Quantum Chemistry

**Abbreviated source title:** Int J Quantum Chem

**Volume:** 116

**Issue:** 13

**Issue date:** July 5, 2016

**Publication year:** 2016

**Pages:** 1000-1005

**Language:** English

**ISSN:** 00207608

**E-ISSN:** 1097461X

**CODEN:** IJQCB2

**Document type:** Journal article (JA)

**Publisher:** John Wiley and Sons Inc

**Abstract:** We have performed the first-principles calculations on the structural, electronic, and magnetic properties of 3d transition-metal<sup>TM</sup> (Cr, Mn, Fe, Co, and Ni) atoms doped 2D GaN nanosheet. The results show that 3d TM atom substituting one Ga leads to a structural reconstruction around the 3d TM impurity compared to the pristine GaN nanosheet. The doping of TM atom can induce magnetic moments, which are mainly located on the 3d TM atom and its nearest-neighbor N atoms. It is found that Mn- and Ni-doped GaN nanosheet with 100% spin polarization characters seem to be good candidates for spintronic applications. When two Ga atoms are substituted by two TM dopants, the ferromagnetic (FM) ordering becomes energetically more favorable for Cr-, Mn-, and Ni-doped GaN nanosheet with different distances of two TM atoms. On the contrary, the antiferromagnetic (AFM) ordering is energetically more favorable for Fe-doped GaN nanosheet. In addition, our GGA + U calculations show the similar results with GGA calculations. © 2016 Wiley Periodicals, Inc.

**Number of references:** 44

**Main heading:** Nanosheets

**Controlled terms:** Transition metals - Spin polarization - Doping (additives) - Gallium nitride - Chromium compounds - Gallium - Iron compounds - Atoms - Magnetic moments - Calculations - III-V semiconductors - Magnetic properties - Manganese compounds - Antiferromagnetism - Nickel compounds

**Uncontrolled terms:** 3d transition metals - Antiferromagnetic orders - First principles - First-principles calculation - First-principles study - Nearest neighbors - Spintronic applications - Structural reconstruction

**Classification code:** 531 Metallurgy and Metallography - 549.3 Nonferrous Metals and Alloys excluding Alkali and Alkaline Earth Metals - 701.2 Magnetism: Basic Concepts and Phenomena - 712.1 Semiconducting Materials - 761 Nanotechnology - 921 Mathematics - 931.3 Atomic and Molecular Physics - 932.1 High Energy Physics - 933 Solid State Physics

**Numerical data indexing:** Percentage 1.00e+02%

**DOI:** 10.1002/qua.25118

**Funding Details:** Number: 2014KJXX-70, Acronym: -, Sponsor: -; Number: 11247228,11304246, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2014JQ6206,2014JQ8335, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province;

**Funding text:** Contract grant sponsor: National Natural Science Foundation of China; contract grant numbers: 11304246 and 11247228. Contract grant sponsor: Shaanxi Province Science and Technology Foundation; contract grant number: 2014KJXX-70. Contract grant sponsor: Natural Science Basic Research Plan in Shaanxi Province of China; contract grant numbers: 2014JQ6206 and 2014JQ8335.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 73. Strain capacity of girth weld joint cracked at "near-seam zone"

**Accession number:** 20161202139876

**Authors:** Chen, H.Y. (1, 2, 3); Niu, J. (1); Chi, Q. (2, 3); Bi, Y. (4); Wang, Y.L. (2, 3); Yang, F. (2, 3); Ren, J.C. (2, 3)

**Author affiliation:** (1) Xi'an Jiaotong University, Xi'an, Shaanxi, China; (2) Tubular Goods Research Institute of China National Petroleum Corporation, Xi'an, Shaanxi, China; (3) State Key Lab. of Performance and Structural Safety for Petroleum Tubular Goods and Equipment Mat., Xi'an, Shaanxi, China; (4) Xi'an Shiyou University, Xi'an, Shaanxi, China

**Corresponding author:** Chen, H.Y.(chenhongyuan@cnpcc.com.cn)

**Source title:** International Journal of Pressure Vessels and Piping

**Abbreviated source title:** Int. J. Press. Vessels Pip.

**Volume:** 139-140

**Issue date:** March 1, 2016

**Publication year:** 2016

**Pages:** 77-85

**Language:** English

**ISSN:** 03080161

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** Cracking occurs often at "near-seam zone" in the girth weld joint of an X70 pipeline in tensile test, which is considered unacceptable for strain-based design pipelines according to some current standards. The tensile strain capacity of girth weld joints for X70 pipelines with "near-seam zone" cracks has thus been studied via the approach of crack driving force and fracture resistance curve. The high strain capacity has been demonstrated by resistance curve tangency approach and curved wide plate test. The results prove that the girth weld joint has considerable fracture resistance and is thus of high strain capacity. © 2016 Elsevier Ltd.

**Number of references:** 14

**Main heading:** Tensile strain

**Controlled terms:** Tensile testing - Pipelines - Fracture toughness - Welds - Fracture - Cracks

**Uncontrolled terms:** Curved wide plate tests - Single edge notches - Strain-based design - Tensile strain capacities - Weld joints

**Classification code:** 538.2 Welding - 619.1 Pipe, Piping and Pipelines - 931.1 Mechanics - 951 Materials Science

**DOI:** 10.1016/j.ijpvp.2016.03.006

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 74. A better range-free localization algorithm in wireless sensor networks

**Accession number:** 20163702798507

**Authors:** Liu, Yan (1); Zhang, Yaming (2)

**Author affiliation:** (1) School of Communication and Information Engineering, Xi'an University of Science and Technology, Yanta Road No.58, Xi'an, Shaanxi; 710054, China; (2) School of Electronics Engineering, Xi'an Shiyou University, No.18, 2nd Dianzi Road, Xi'an, Shaanxi; 710065, China

**Source title:** Proceedings - 2016 IEEE International Symposium on Computer, Consumer and Control, IS3C 2016

**Abbreviated source title:** Proc. - IEEE Int. Symp. Comput., Consum. Control, IS3C

**Part number:** 1of1

**Issue title:** Proceedings - 2016 IEEE International Symposium on Computer, Consumer and Control, IS3C 2016

**Issue date:** August 16, 2016

**Publication year:** 2016

**Pages:** 132-135

**Article number:** 7545154

**Language:** English

**ISBN-13:** 9781509030712

**Document type:** Conference article (CA)

**Conference name:** 2016 IEEE International Symposium on Computer, Consumer and Control, IS3C 2016

**Conference date:** July 4, 2016 - July 6, 2016

**Conference location:** Xi'an, China

**Conference code:** 123406

**Sponsor:** et al.; IEEE; IEEE Computer Society; IEEE Industrial Electronics Society; National Chin-Yi University of Technology; National Chung Hsing University

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Localization is a fundamental issue for many applications in wireless sensor networks. This paper proposes a better range-free algorithm based on DV-Hop, which increases localization accuracy without increasing hardware or communication costs. First, this algorithm utilizes average hop-size correction to reduce ranging errors. Second, the algorithm uses an improved equation solving method to reduce the impact of errors inherent in distance measurement, and the weighted least square method to improve localization accuracy. Finally, the algorithm uses additional information in the equation solving process to correct node coordinates. Simulation results show that the performance of the proposed algorithm is significantly better than the basic DV-Hop algorithm and other similar algorithms. © 2016 IEEE.

**Number of references:** 12

**Main heading:** Maximum likelihood estimation

**Controlled terms:** Least squares approximations - Sensor nodes

**Uncontrolled terms:** Communication cost - DV-Hop - Dv-hop algorithms - Localization accuracy - Node localization - Range free - Range free localization - Weighted least square method

**Classification code:** 716.3 Radio Systems and Equipment - 722 Computer Systems and Equipment - 921.6 Numerical Methods - 922 Statistical Methods

**DOI:** 10.1109/IS3C.2016.44

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 75. Demodulation of acoustic telemetry binary phase shift keying signal based on high-order Duffing system

**Accession number:** 20164102893138

**Authors:** Yan, Bing-Nan (1, 2); Liu, Chong-Xin (1); Ni, Jun-Kang (1); Zhao, Liang (3)

**Author affiliation:** (1) School of Electrical Engineering, Xi'an Jiaotong University, Xi'an; 710049, China; (2) College of Electrical Engineering, School of xi'an Shiyou University, Xi'an; 710065, China; (3) Xi'an Thermal Power Research Institute Co. Ltd, Boyuan Science and Technology Building, Xi'an; 710054, China

**Corresponding author:** Yan, Bing-Nan(bnyan@xsyu.edu.cn)

**Source title:** Chinese Physics B

**Abbreviated source title:** Chin. Phys.

**Volume:** 25

**Issue:** 10

**Issue date:** October 2016

**Publication year:** 2016

**Article number:** 100502

**Language:** English

**ISSN:** 16741056

**E-ISSN:** 20583834

**Document type:** Journal article (JA)

**Publisher:** IOP Publishing Ltd

**Abstract:** In order to grasp the downhole situation immediately, logging while drilling (LWD) technology is adopted. One of the LWD technologies, called acoustic telemetry, can be successfully applied to modern drilling. It is critical for acoustic telemetry technology that the signal is successfully transmitted to the ground. In this paper, binary phase shift keying (BPSK) is used to modulate carrier waves for the transmission and a new BPSK demodulation scheme based on Duffing chaos is investigated. Firstly, a high-order system is given in order to enhance the signal detection capability and it is realized through building a virtual circuit using an electronic workbench (EWB). Secondly, a new BPSK demodulation scheme is proposed based on the intermittent chaos phenomena of the new Duffing system. Finally, a system variable crossing zero-point equidistance method is proposed to obtain the phase difference between the system and the BPSK signal. Then it is determined that the digital signal transmitted from the bottom of the well is '0' or '1'. The simulation results show that the demodulation method is feasible. © 2016 Chinese Physical Society and IOP Publishing Ltd.

**Number of references:** 22

**Main heading:** Demodulation

**Controlled terms:** Binary phase shift keying - Optical variables measurement - Phase shift - Telemetry equipment

**Uncontrolled terms:** Acoustic telemetry - Binary Phase Shift Keying(BPSK) - Binary phase-shift keying signals - Demodulation method - Detection capability - Duffing system - Electronic workbench - Logging while drilling technologies

**Classification code:** 941.4 Optical Variables Measurements

**DOI:** 10.1088/1674-1056/25/10/100502

**Funding Details:** Number: 51177117, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2011ZX05021-005, Acronym: -, Sponsor: -;

**Funding text:** Project supported by the National Natural Science Foundation of China (Grant No. 51177117) and the National Key Science and Technology Special Projects, China (Grant No. 2011ZX05021-005).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 76. 3D seismic characterization and evolution of terminal distributary channel-mouth bar: a case study of Well Ying79 in Gulong sag, Songliao Basin

**Accession number:** 20165103153280

**Authors:** Li, Lei (1, 2); Xu, Lu (1, 2); Liu, Hao (3); Tan, Zhuo (4); Tang, Wen (1, 2)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (2) Shaanxi Key Laboratory of Petroleum Accumulation Geology, Xi'an; Shaanxi; 710065, China; (3) School of Ocean Sciences, China University of Geosciences, Beijing; 100083, China; (4) CNOOC Research Institute, Beijing; 100028, China

**Corresponding author:** Li, Lei(lilei@xsyu.edu.cn)

**Source title:** Shiyou Xuebao/Acta Petrolei Sinica

**Abbreviated source title:** Shiyou Xuebao

**Volume:** 37

**Issue:** 11

**Issue date:** November 1, 2016

**Publication year:** 2016

**Pages:** 1394-1402

**Language:** Chinese

**ISSN:** 02532697

**CODEN:** SYHPD9

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** Taking Gulong sag in the Songliao Basin as an example, the seismic characterization of terminal distributary channel-mouth bar was performed based on drilling, well logging and 3D seismic data. In combination with observations of mouth bar deposits in the modern Ganjiang Delta, this paper analyzes the dynamic formation mechanism of mouth bar and summarizes the depositional evolution model of distributary channel-mouth bar. Three stages of distributary channel-mouth bar can be identified in the 3rd Member of Nenjiang Formation in Well Ying79, Gulong sag. From the early stage to the late stage, mudstone color changes from black gray, dark gray to gray green and mouth bar gradually thins (10 m, 8.5 m and 4.25 m), indicating the lake water from deep to shallow (17 m, 14 m and 7 m). The documented mouth bars show coarsening upward trend and funnel-shaped well-log patterns, and display high frequency, middle-low amplitude, lenticular reflection configuration. Fine-grained sediment-laden flows debouch into the lake in a form of turbulent jet at the outlet of terminal distributary channel, thus forming the Level 1 mouth bar. When the water depth above the interpreted mouth bars is shallow enough, the Level 1 mouth bar stagnates. Water flows bifurcate at the two sides of Level 1 mouth bar and are channelized, thus forming the lower-level distributary channel-mouth bar. Due to the different water depth and width of distributary channel, mouth bar groups with various levels, scales and distribution characteristics are developed at the end of the distributary channel. The width of mouth bar is positively correlated with its length, and the length is exponentially related to the width of corresponding distributary channel. © 2016, Editorial Office of ACTA PETROLEI SINICA. All right reserved.

**Number of references:** 36

**Main heading:** Seismology

**Controlled terms:** Fighter aircraft - Lakes - Well logging

**Uncontrolled terms:** Distributary channels - Distribution characteristics - Fine-grained sediment - Formation mechanism - Gulong Sag - Reflection configuration - Songliao basin - Turbulent jet

**Classification code:** 484.1 Earthquake Measurements and Analysis - 652.1.2 Military Aircraft  
**Numerical data indexing:** Size 1.00e+01m, Size 1.40e+01m, Size 1.70e+01m, Size 4.25e+00m, Size 7.00e+00m, Size 8.50e+00m  
**DOI:** 10.7623/syxb201611007  
**Compendex references:** YES  
**Database:** Compendex  
**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 77. Decomposition of interference hyperspectral images using improved morphological component analysis

**Accession number:** 20160101768468  
**Authors:** Wen, Jia (1, 2); Zhao, Jun-Suo (2); Wang, Cai-Ling (3); Xia, Yu-Li (2)  
**Author affiliation:** (1) School of Electronics Engineering, Tianjin Polytechnic University, Tianjin; 300387, China; (2) Science and Technology on Integrated Information System Laboratory, Institute of Software, Chinese Academy of Sciences, Beijing; 100190, China; (3) College of Computer Science, Xi'an Shiyou University, Xi'an; 710065, China  
**Corresponding author:** Wen, Jia(448680289@qq.com)  
**Source title:** Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis  
**Abbreviated source title:** Guang Pu Xue Yu Guang Pu Fen Xi  
**Volume:** 36  
**Issue:** 1  
**Issue date:** January 1, 2016  
**Publication year:** 2016  
**Pages:** 254-258  
**Language:** Chinese  
**ISSN:** 10000593  
**CODEN:** GYGFED  
**Document type:** Journal article (JA)  
**Publisher:** Science Press

**Abstract:** As the special imaging principle of the interference hyperspectral image data, there are lots of vertical interference stripes in every frames. The stripes' positions are fixed, and their pixel values are very high. Horizontal displacements also exist in the background between the frames. This special characteristics will destroy the regular structure of the original interference hyperspectral image data, which will also lead to the direct application of compressive sensing theory and traditional compression algorithms can't get the ideal effect. As the interference stripes signals and the background signals have different characteristics themselves, the orthogonal bases which can sparse represent them will also be different. According to this thought, in this paper the morphological component analysis (MCA) is adopted to separate the interference stripes signals and background signals. As the huge amount of interference hyperspectral image will lead to slow iterative convergence speed and low computational efficiency of the traditional MCA algorithm, an improved MCA algorithm is also proposed according to the characteristics of the interference hyperspectral image data, the conditions of iterative convergence is improved, the iteration will be terminated when the error of the separated image signals and the original image signals are almost unchanged. And according to the thought that the orthogonal basis can sparse represent the corresponding signals but cannot sparse represent other signals, an adaptive update mode of the threshold is also proposed in order to accelerate the computational speed of the traditional MCA algorithm, in the proposed algorithm, the projected coefficients of image signals at the different orthogonal bases are calculated and compared in order to get the minimum value and the maximum value of threshold, and the average value of them is chosen as an optimal threshold value for the adaptive update mode. The experimental results prove that whether LASIS and LAMIS image data, the traditional MCA algorithm can separate the interference stripes signals and background signals very well, and make the interference hyperspectral image decomposition perfectly, and the improved MCA algorithm not only keep the perfect results of the traditional MCA algorithm, but also can reduce the times of iteration and meet the iterative convergence conditions much faster than the traditional MCA algorithm, which will also provide a very good solution for the new theory of compressive sensing. © 2016, Science Press. All right reserved.

**Number of references:** 8

**Main heading:** Compressed sensing

**Controlled terms:** Hyperspectral imaging - Image enhancement - Independent component analysis - Spectroscopy - Computation theory - Iterative methods - Image analysis - Image compression - Separation - Computational efficiency

**Uncontrolled terms:** Compression algorithms - Compressive sensing - Convergence conditions - Horizontal displacements - Hyperspectral image datas - Morphological component analysis - Morphological component analysis (MCA) - Sparse representation

**Classification code:** 716.1 Information Theory and Signal Processing - 721.1 Computer Theory, Includes Formal Logic, Automata Theory, Switching Theory, Programming Theory - 746 Imaging Techniques - 802.3 Chemical Operations - 921.6 Numerical Methods

**DOI:** 10.3964/j.issn.1000-0593(2016)01-0254-05

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 78. Dynamic characteristic analysis on streak image tube with high temporal resolution

**Accession number:** 20164302952417

**Authors:** Liu, Rong (1, 2); Tian, Jin-Shou (2); Miao, Run-Cai (1); Wang, Qiang-Qiang (2); Wen, Wen-Long (2); Li, Yan (3); Wang, Jun-Feng (2); Xu, Xiang-Yan (2); Lu, Yu (2); Liu, Hu-Lin (2); Wang, Xing (2)

**Author affiliation:** (1) School of Optoelectronic Engineering, Xi'an Technological University, Xi'an; 710032, China; (2) State Key Laboratory of Transient Optics and Photonics, Xi'an Institute of Optics and Precision Mechanics, Chinese Academy of Science, Xi'an; 710119, China; (3) School of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Tian, Jin-Shou(tianjs@opt.ac.cn)

**Source title:** Guangzi Xuebao/Acta Photonica Sinica

**Abbreviated source title:** Guangzi Xuebao

**Volume:** 45

**Issue:** 10

**Issue date:** October 1, 2016

**Publication year:** 2016

**Article number:** 1012001

**Language:** Chinese

**ISSN:** 10044213

**CODEN:** GUXUED

**Document type:** Journal article (JA)

**Publisher:** Chinese Optical Society

**Abstract:** Aim to high temporal resolution of the streak image tube in streak camera, the factors which influence the physical temporal dispersion, technical temporal dispersion and time jitter of the sweep circuit were discussed. The streak image tube was optimized, in which a pair of traveling wave deflectors was located before a magnetic solenoid lens. The inner time-varying electric field of traveling wave deflectors was simulated by CST electromagnetic studio. And the propagation velocity of electromagnetic wave was calculated. The results show that when leg length is 8 mm, leg width is 1mm, interval is 0.24 mm, pin length is 2.5 mm, deflector thickness is 1 mm and deflector length is 17.12 mm, the moving velocity of electrons and propagation velocity of the electromagnetic wave are matching. Based on the electron trajectory tracing method and the Rayleigh criterion, dynamic temporal and spatial characteristics of the streak image tube were analyzed, a dynamic temporal resolution of 200 fs in single sweep mode, dynamic temporal resolution of 208 fs in synchronized sweep mode, and a dynamic spatial resolution of above 20 lp/mm were obtained. © 2016, Science Press. All right reserved.

**Number of references:** 15

**Page count:** 7

**Main heading:** Sweep circuits

**Controlled terms:** Circular waveguides - Electromagnetic waves - Dispersion (waves) - Image analysis - Image resolution - Tubes (components)

**Uncontrolled terms:** Dynamic characteristics - Rayleigh criterion - Spatial resolution - Streak image tube - Temporal resolution - Ultrafast optics

**Classification code:** 619.1 Pipe, Piping and Pipelines - 711 Electromagnetic Waves - 713.4 Pulse Circuits - 714.3 Waveguides

**Numerical data indexing:** Size 1.00e-03m, Size 1.71e-02m, Size 2.40e-04m, Size 2.50e-03m, Size 8.00e-03m, Time 2.00e-13s, Time 2.08e-13s

**DOI:** 10.3788/gzxb20164510.1012001

**Funding Details:** Number: 13GDYJY01, Acronym: -, Sponsor: -; Number: 61501363, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 15JK1351, Acronym: -, Sponsor: Scientific Research Plan Projects of Shaanxi Education Department;

**Funding text:** Foundation item: The National Natural Science Foundation of China (No. 61501363), Program Funded by Shaanxi Provincial Education Department Scientific Research (No. 15JK1351) and the Dean Foundation of Xi'an Technological University (No. 13GDYJY01)

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 79. Blind deblurring from single motion image based on adaptive weighted total variation algorithm

**Accession number:** 20163102658095

**Authors:** Wen, Jia (1, 2); Zhao, Junsuo (2); Cailing, Wang (3); Yan, Shuxia (1); Wang, Wen (1)

**Author affiliation:** (1) School of Electronics and Information Engineering, Tianjin Polytechnic University, Tianjin; 300387, China; (2) Science and Technology on Integrated Information System Laboratory, Institute of Software, Chinese Academy of Sciences, Beijing; 100190, China; (3) College of Computer Science, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Wen, Jia(448680289@qq.com)

**Source title:** IET Signal Processing

**Abbreviated source title:** IET Signal Proc.

**Volume:** 10

**Issue:** 6

**Issue date:** August 1, 2016

**Publication year:** 2016

**Pages:** 611-618

**Language:** English

**ISSN:** 17519675

**E-ISSN:** 17519683

**Document type:** Journal article (JA)

**Publisher:** Institution of Engineering and Technology, United States

**Abstract:** Blind image deblurring is an important topic which is widely used in many research fields such as photography, optics, astronomy, medical images, monitoring, military and so on. Although many algorithms have been proposed to improve the deblurring result in the past years, most of them cannot perform perfectly in some challenging cases. This study presents a novel blind deblurring method based on an adaptive weighted total variation (TV) algorithm. The blur kernel estimation is based on the image structure, the sparsity and continuity prior of point spread function is also taken into account. To get better effect of removing the ringing artefacts, adaptive weight calculated according to the property of the higher-order partial derivatives in the local image is proposed in TV algorithm to alleviate the ill-posed inverse problem and stabilise the solution for latent image restoration. The experimental results prove that the proposed algorithm can suppress the ringing artefacts to a great extent in the latent image, and can get much better effect in both vision and theoretical results than traditional algorithms. © The Institution of Engineering and Technology 2016.

**Number of references:** 23

**Main heading:** Optical transfer function

**Controlled terms:** Image reconstruction - Inverse problems - Image enhancement - Medical imaging - Military photography

**Uncontrolled terms:** Adaptive weights - Blind deblurring - Blur kernel estimations - ILL-posed inverse problem - Image deblurring - Image Structures - Partial derivatives - Weighted total variations

**Classification code:** 404.1 Military Engineering - 461.1 Biomedical Engineering - 741.1 Light/Optics - 742.1 Photography - 746 Imaging Techniques

**DOI:** 10.1049/iet-spr.2015.0458

**Funding Details:** Number: 41301382,61401439, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** The research work was supported by the National Natural Science Foundation of China under grant no. 61401439, 41301382.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 80. Rock breaking efficiency of the self-propelled swirling jet bit

**Accession number:** 20162502515341

**Authors:** Bi, Gang (1); Li, Gensheng (2); Qu, Zhan (1); Niu, Jilei (2); Huang, Zhongwei (2); Xi, Zhongchen (3); Dou, Liangbin (1)

**Author affiliation:** (1) School of Petroleum Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (2) State Key Laboratory of Petroleum Resource and Prospecting, China University of Petroleum, Beijing; 102249, China; (3) Changqing Downhole Technology Company, CNPC Chuanqing Drilling Engineering Company Limited, Xi'an; Shaanxi; 710021, China

**Corresponding author:** Bi, Gang(8bigang@163.com)

**Source title:** Shiyou Xuebao/Acta Petrolei Sinica

**Abbreviated source title:** Shiyou Xuebao

**Volume:** 37

**Issue:** 5

**Issue date:** May 1, 2016

**Publication year:** 2016

**Pages:** 680-687

**Language:** Chinese

**ISSN:** 02532697

**CODEN:** SYHPD9

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** To achieve high rock breaking efficiency using the limited discharge rate and increase the extension capacity of radial horizontal wellbore is a key to perform new radial horizontal well technology. The performance of jet bit is the primary problem solved by this key technology. Based on the multi-jet bit, the authors developed a self-propelled swirling jet bit, and analyzed its working principle. Based on experiments, a study was conducted on the rock breaking and drilling laws of jet bits with the changes in time, jet pressure and standoff distance, including self-propelled swirling single-hole jet bit, self-propelled straight-swirling single-hole jet bit, self-propelled swirling multi-hole jet bit and self-propelled straight-swirling multi-hole jet bit. The results indicate that when standoff distance is 9-12 mm and jet pressure is 20-35 MPa, and under the same conditions of standoff distance and jet pressure, the rock breaking efficiency of self-propelled straight-swirling multi-hole jet bit is better than that of self-propelled swirling multi-hole jet bit, and that of self-propelled straight-swirling multi-hole jet bit (1+4 holes) was optimal. The designed new jet bit is able to improve the drilling rate of radial horizontal well. © 2016, Editorial Office of ACTA PETROLEI SINICA. All right reserved.

**Number of references:** 23

**Main heading:** Efficiency

**Controlled terms:** Rocks - Oil well drilling - Bits - Rock drilling - Horizontal wells - Horizontal drilling

**Uncontrolled terms:** Discharge rates - Drilling rates - Key technologies - Radial horizontal wells - Rock breaking efficiencies - Single jet - Stand-off distance (SoD) - Swirling jets

**Classification code:** 511.1 Oil Field Production Operations - 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 603.2 Machine Tool Accessories - 913.1 Production Engineering

**Numerical data indexing:** Pressure 2.00e+07Pa to 3.50e+07Pa, Size 9.00e-03m to 1.20e-02m

**DOI:** 10.7623/syxb201605012

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 81. Impact Parameter Dependence of $\pi^-/\pi^+$ Ratio in Probing the Nuclear Symmetry Energy Using Heavy-Ion Collisions (Open Access)

**Accession number:** 20224112883840

**Authors:** Wei, Gao-Feng (1, 2); He, Guo-Qiang (3); Cao, Xin-Wei (1); Lu, Yi-Xin (1)

**Author affiliation:** (1) Shaanxi Key Laboratory of Surface Engineering and Remanufacturing, School of Mechanical and Material Engineering, Xi'an University, Xi'an; 710065, China; (2) Department of Physics and Astronomy, Texas AandM University-Commerce, Commerce; TX; 75429-3011, United States; (3) School of Electronic Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Wei, Gao-Feng(wei.gaofeng@foxmail.com)

**Source title:** Advances in High Energy Physics

**Abbreviated source title:** Adv. High Energy Phys.

**Volume:** 2016

**Issue date:** 2016

**Publication year:** 2016

**Article number:** 9317873

**Language:** English

**ISSN:** 16877357

**E-ISSN:** 16877365

**Document type:** Journal article (JA)

**Publisher:** Hindawi Limited

**Abstract:** The impact parameter dependence of  $\pi^-/\pi^+$  ratio is examined in heavy-ion collisions at 400 MeV/nucleon within a transport model. It is shown that the sensitivity of  $\pi^-/\pi^+$  ratio on symmetry energy shows a transition from central to peripheral collisions; that is, the stiffer symmetry energy leads to a larger  $\pi^-/\pi^+$  ratio in peripheral collisions while the softer symmetry energy always leads this ratio to be larger in central collisions. After checking the kinematic energy distribution of  $\pi^-/\pi^+$  ratio, we found this transition of sensitivity of  $\pi^-/\pi^+$  ratio to symmetry energy is mainly from less energetic pions; that is, the softer symmetry energy gets the less energetic pions to form a smaller  $\pi^-/\pi^+$  ratio in peripheral collisions while these pions generate a larger  $\pi^-/\pi^+$  ratio in central collisions. Undoubtedly, the softer symmetry energy can also lead more energetic pions to form a larger  $\pi^-/\pi^+$  ratio in peripheral collisions. Nevertheless, considering that most of pions are insufficiently energetic at this beam energy, we therefore suggest the  $\pi^-/\pi^+$  ratio as a probe of the high-density symmetry energy effective only in central at most to midcentral collisions, thereby avoiding the possible information of low-density symmetry energy carried in  $\pi^-/\pi^+$  ratio from peripheral collisions. © 2016 Gao-Feng Wei et al.

**Number of references:** 38

**Main heading:** Ion sources

**Controlled terms:** Colliding beam accelerators - Hadrons - Heavy ions

**Uncontrolled terms:** Beam energies - Energy distributions - Heavy-ion collisions - Impact-parameter - Kinematic energy - Lower density - Nuclear symmetry energy - Parameter dependence - Symmetry energies - Transport modelling

**Classification code:** 931.3 Atomic and Molecular Physics - 932.1 High Energy Physics - 932.1.1 Particle Accelerators

**Numerical data indexing:** Electron volt 4.00E+08eV

**DOI:** 10.1155/2016/9317873

**Funding Details:** Number: 11405128, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

Number: CXY1352WL29, Acronym: -, Sponsor: Beijing Science and Technology Planning Project;

**Funding text:** This work is supported by the National Natural Science Foundation of China under Grant no. 11405128 and Xi'an Science and Technology Planning Project no. CXY1352WL29.

**Compendex references:** YES

**Open Access type(s):** All Open Access, Gold

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 82. Effect of coiling temperature on microstructure and properties of X100 pipeline steel

**Accession number:** 20161802330424

**Authors:** Cheng, Shixia (1); Zhang, Xiaoyong (2); Zhang, Jianxun (1); Feng, Yaorong (3); Ma, Jing (4); Gao, Huilin (2)

**Author affiliation:** (1) State Key Laboratory for Mechanical Behavior of Materials, Xi'an Jiaotong University, Xi'an; 710049, China; (2) School of Materials Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (3) CNPC Tubular Goods Research Institute, Xi'an; 710077, China; (4) Xi'an Aeronautical Polytechnic Institute, Xi'an; 710089, China

**Corresponding author:** Cheng, Shixia(dongchuke@163.com)

**Source title:** Materials Science and Engineering: A

**Abbreviated source title:** Mater. Sci. Eng. A

**Volume:** 666

**Issue date:** June 1, 2016

**Publication year:** 2016

**Pages:** 156-164

**Language:** English

**ISSN:** 09215093

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** Multiphase structure of bainite and M/A(martensite/austenite constituent) can be obtained through coiling continuous-HOP (Heating On-line Partitioning) technology, resulting in excellent deformability for X100 pipeline steel. The microstructure and properties of the steel at different coiling temperatures were investigated by means of mechanical properties test, microscopic analysis and X-ray diffraction method. The results show that with the increase

of coiling temperature, the strength decreases and the ductility increases because of the widening of bainite laths, the decrease of bainite content and dislocation density. However, because of the formation of martensite, the precipitation of carbides and the decrease of retained austenite at high coiling temperatures, the strength increases and the ductility decreases. Low yield ratio, high uniform elongation and high strain hardening exponent can be achieved at appropriate coiling temperatures through coiling continuous-HOP technology, which endows the steel with good ductility and excellent deformability. © 2016 Elsevier B.V..

**Number of references:** 19

**Main heading:** Ductility

**Controlled terms:** Bainite - Carbides - Deformation - Martensite - Microstructure - Pipelines - Steel pipe - Strain hardening - X ray diffraction

**Uncontrolled terms:** Coiling continuous-HOP - Coiling temperature - Excellent deformability - Martensite-austenite constituents - Mechanical properties test - Microscopic analysis - Microstructure and properties - Multi-phase structures - X-ray diffraction method - X100 pipeline steels

**Classification code:** 531.2 Metallography - 537.1 Heat Treatment Processes - 545.3 Steel - 619.1 Pipe, Piping and Pipelines - 804.2 Inorganic Compounds - 812.1 Ceramics - 951 Materials Science

**DOI:** 10.1016/j.msea.2016.04.066

**Funding Details:** Number: 51174165, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

Number: 20121211, Acronym: -, Sponsor: State Key Laboratory for Mechanical Behavior of Materials;

**Funding text:** The authors acknowledge the support of the National Natural Science Foundation of China (No. 51174165 ) and the Opening Foundation of State Key Laboratory for Mechanical Behavior of Materials (No. 20121211 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 83. Experimental study on the discharging characteristics of pulsed high-voltage discharge technology in oil plug removal

**Accession number:** 20170203225269

**Authors:** Bingnan, Yan (1, 2); Jing, Zhou (2); Liang, Zhao (3); Chongxin, Liu (1); Meng, Fanli (4)

**Author affiliation:** (1) School of Electrical Engineering Xi'an Jiaotong University, Xi'an; 710049, China; (2) School of Xi'an Shiyou University, Xi'an; 710065, China; (3) Xi'An Thermal Power Research Institute Co.Ltd, Xi'an; 710054, China; (4) University at Buffalo, The State University of New York, 14260-1800, United States

**Corresponding author:** Bingnan, Yan(769299665@qq.com)

**Source title:** Journal of Power Technologies

**Abbreviated source title:** J. Power Technol.

**Volume:** 96

**Issue:** 4

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 261-268

**Language:** English

**ISSN:** 20834187

**E-ISSN:** 20834195

**Document type:** Journal article (JA)

**Publisher:** Warsaw University of Technology

**Abstract:** Oil plugging of the downhole during oilfield development leads to a decline in well yield. A new plug removal method based on pulsed high-voltage discharge technology was proposed in this paper to solve this plugging problem. A low-carbon steel high-pressure sealed drum was developed to simulate a downhole operating environment with high static pressure. Four sealed contact pins were designed on the drum cover. These pins were used to insert the high-voltage cable into the drum body while ensuring the drum is leakproof. The maximum static pressure borne by the drum was 40 MPa. An experimental system of pulsed high-voltage discharge was designed based on the drum. A platform for the discharging experiment was established according to the system principle diagram. The effects of variation in static pressure on discharging voltage, discharging current, critical breakdown field strength, discharging time and its data discretization, and other parameters were determined with water and crude oil as the discharging media. Experimental results indicate that increasing static pressure increases discharging time, enhances pulsed discharging randomness, reduces the strength of impact waves generated in the discharging media, and weakens the fracture-generating effect on the cement tube. Increasing the working voltage achieves better plug removal. However,

the requirements for size, texture, and insulativity of plug removal equipment are elevated accordingly. This study provides a basis for the application of pulsed high-voltage discharge technology in oil reservoir plug removal.

**Number of references:** 18

**Main heading:** Crude oil

**Controlled terms:** Low carbon steel - Petroleum reservoir engineering - Oil field development - Petroleum reservoirs - Heavy oil production

**Uncontrolled terms:** Discharging characteristics - Discharging current - Experimental system - High voltage cable - Operating environment - Plugging problems - Pulsed high voltage discharge - Static pressure

**Classification code:** 511.1 Oil Field Production Operations - 512.1 Petroleum Deposits - 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 545.3 Steel

**Numerical data indexing:** Pressure 4.00e+07Pa

**Funding Details:** Number: 51177117, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This study was supported by the National Natural Science Foundation of China (51177117) and the National Key Science & Technology Special Projects of China (2011ZX05021-005).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 84. Project investment decision making with fuzzy information: A literature review of methodologies based on taxonomy

**Accession number:** 20162302463663

**Authors:** Dong, Ming-Gao (1, 2, 3); Li, Shou-Yi (1)

**Author affiliation:** (1) Institute of Water Resources and Hydro-electric Engineering, Xi'an University of Technology, NO. 5 South Jinhua Road, Xi'an, Shaanxi; 710048, China; (2) School of Civil Engineering and Architecture, Xi'an University of Technology, Xi'an, China; (3) School of Economics and Management, Xi'an Shiyou University, Xi'an, China

**Corresponding author:** Li, Shou-Yi(lishouyi@126.com)

**Source title:** Journal of Intelligent and Fuzzy Systems

**Abbreviated source title:** J. Intelligent Fuzzy Syst.

**Volume:** 30

**Issue:** 6

**Issue date:** April 30, 2016

**Publication year:** 2016

**Pages:** 3239-3252

**Language:** English

**ISSN:** 10641246

**E-ISSN:** 18758967

**Document type:** Journal article (JA)

**Publisher:** IOS Press BV

**Abstract:** Project investment decision making with fuzzy information (PIDMFI) has been investigated in a lot of literature. The aim of this paper is to discover the features, state of the art, interrelations, and research directions of existing methodologies for PIDMFI. To do this, a literature review of the methodologies including theories, methods and models as well as applications is conducted from a taxonomic perspective of methodology. The hierarchical cluster analysis in SPSS V19 is employed to construct a methodological taxonomy framework which consists of fuzzy discounted cash flow (FDCF), fuzzy real option (FRO) and fuzzy multi-criteria decision making (FMCDM). Some hybrids of these methodologies are also shown. Additionally, a discussion is presented. Finally, a conclusion with new research directions is delineated. © 2016 - IOS Press and the authors. All rights reserved.

**Number of references:** 104

**Main heading:** Taxonomies

**Controlled terms:** Decision making - Hierarchical systems - Cluster analysis - Investments

**Uncontrolled terms:** Discounted cash flow - Fuzzy - Multi criteria decision making - Investment decision making - Literature reviews - Real Options

**Classification code:** 723 Computer Software, Data Handling and Applications - 903 Information Science - 912.2 Management - 961 Systems Science

**DOI:** 10.3233/IFS-152068

**Funding Details:** Number: 11071281,60703117,61005042, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This work was supported by grants from the National Natural Science Foundation of China (Nos. 61005042, 60703117 and 11071281)

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 85. Slow light and fast light in microfiber double-knot resonator with a parallel structure

**Accession number:** 20164302952756

**Authors:** Xu, Yiping (1); Ren, Liyong (2); Ma, Chengju (3); Kong, Xudong (2); Ren, Kaili (2)

**Author affiliation:** (1) School of Physics and Optoelectronic Engineering, Yangtze University, Jingzhou; 434023, China; (2) State Key Laboratory of Transient Optics and Photonics, Xi'an Institute of Optics and Precision Mechanics, Chinese Academy of Sciences, Xi'an; 710119, China; (3) School of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Xu, Yiping(ypxu@yangtzeu.edu.cn)

**Source title:** Applied Optics

**Abbreviated source title:** Appl. Opt.

**Volume:** 55

**Issue:** 30

**Issue date:** October 20, 2016

**Publication year:** 2016

**Pages:** 8612-8617

**Language:** English

**ISSN:** 1559128X

**E-ISSN:** 21553165

**CODEN:** APOPAI

**Document type:** Journal article (JA)

**Publisher:** OSA - The Optical Society

**Abstract:** Based on the theoretical model of a microfiber double-knot resonator with a parallel structure, numerical simulations on the transmission spectrum, the phase, and the group time delay of the resonator as a function of wavelengths are given. We find that with this kind of resonator both slow light and fast light can be obtained at different resonant wavelengths. Experimentally, such a kind of microfiber resonator was fabricated successfully. The transmission spectrum of the fabricated resonator is well consistent with the theoretical simulation. A slow-light delay of about 38 ps and a fast-light advance of about 40 ps are demonstrated at different wavelengths, which might benefit the resonator to the applications in data delay lines, optical buffers, and optical memories. © 2016 Optical Society of America.

**Number of references:** 33

**Main heading:** Resonators

**Controlled terms:** Slow light - Group delay

**Uncontrolled terms:** Micro-fiber - Optical buffer - Parallel structures - Resonant wavelengths - Slow-light delay - Theoretical modeling - Theoretical simulation - Transmission spectrums

**Classification code:** 703.1 Electric Networks - 741.1 Light/Optics

**Numerical data indexing:** Time 3.80e-11s, Time 4.00e-11s

**DOI:** 10.1364/AO.55.008612

**Funding Details:** Number: 801080010128, Acronym: -, Sponsor: -; Number: 61275149,61535015,61605018, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: OG201613, Acronym: CUPB, Sponsor: China University of Petroleum, Beijing;

**Funding text:** National Natural Science Foundation of China (NSFC) (61275149, 61605018, 61535015); Doctoral Scientific Research Startup Foundation of Yangtze University (YU) (801080010128); Research Foundation of Beijing Key Laboratory of Optical Detection Technology for Oil and Gas China University of Petroleum, Beijing (CUPB) (OG201613).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 86. Layer effects on electronic structures of multi-walled armchair silicon carbide nanotubes

**Accession number:** 20163702796975

**Authors:** Song, Jiuxu (1, 2); Liu, Hongxia (3); Henry, David J. (2)

**Author affiliation:** (1) Shaanxi Key Laboratory of Measurement and Control Technology for Oil and Gas Wells, School of Electronic Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) School of Engineering and Information Technology, Murdoch University, Perth; 6150, Australia; (3) Xi'an Institute of Microelectronic Technology, Xi'an; 710054, China

**Corresponding author:** Henry, David J.(D.Henry@murdoch.edu.au)

**Source title:** Computational Materials Science

**Abbreviated source title:** Comput Mater Sci

**Volume:** 125

**Issue date:** December 1, 2016

**Publication year:** 2016

**Pages:** 117-122

**Language:** English

**ISSN:** 09270256

**CODEN:** CMMSEM

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** The electronic structures of triple-, quadruple- and quintuple-walled armchair silicon carbide nanotubes (SiCNTs) are investigated using first-principle calculations based on dispersion-corrected density functional theory. Band shifts narrow the band gaps of multi-walled SiCNTs and form significant coupling in different layers of the nanotubes, which originate from the differences in the work functions and band gaps of the individual layers. With the increase of the layer number of the multi-walled SiCNT, the similarity in the electronic structures of the two outer layers is increased and the influence of the band shifts is weakened. Therefore, the electronic properties of SiCNTs formed with more than three layers are largely independent of their layer number. © 2016 Elsevier B.V.

**Number of references:** 27

**Main heading:** Density functional theory

**Controlled terms:** Energy gap - Yarn - Electronic structure - Silicon carbide - Nanotubes - Electronic properties

**Uncontrolled terms:** Different layers - Dispersion-corrected density functional - First principle calculations - Layer number - Multi-walled - Outer layer - Silicon carbide nanotubes - Three-layer

**Classification code:** 761 Nanotechnology - 804.2 Inorganic Compounds - 819.4 Fiber Products - 922.1 Probability Theory - 931.3 Atomic and Molecular Physics - 931.4 Quantum Theory; Quantum Mechanics - 933.1 Crystalline Solids

**DOI:** 10.1016/j.commatsci.2016.08.029

**Funding Details:** Number: 2013K07-14, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province; Number: 14JK1581, Acronym: -, Sponsor: Education Department of Shaanxi Province;

**Funding text:** This work is supported by the fund of Shaanxi Provincial Educational Department (No. 14JK1581) and the Natural Science Basic Research Plan in Shaanxi Province of China (2013K07-14). We also gratefully acknowledge the Australian National Computational Infrastructure (NCI) facility for computing time.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 87. Thermal tunability of photonic bandgaps in liquid crystal filled polymer photonic crystal fiber

**Accession number:** 20161702282107

**Authors:** Wang, Doudou (1); Chen, Guoxiang (2); Wang, Lili (3)

**Author affiliation:** (1) College of Science, Xi'an University of Science and Technology, Xi'an; 710054, China; (2) College of Science, Xi'an Shiyou University, Xi'an; 710065, China; (3) State Key Laboratory of Transient Optics and Photonics, Xi'an Institute of Optics and Precision Mechanics, Chinese Academy of Sciences, Xi'an; 710119, China

**Corresponding author:** Wang, Doudou(doudouwang@opt.ac.cn)

**Source title:** Optical Fiber Technology

**Abbreviated source title:** Opt. Fiber Technol.

**Volume:** 29

**Issue date:** May 2016

**Publication year:** 2016

**Pages:** 95-99

**Language:** English

**ISSN:** 10685200

**CODEN:** OFTEFV

**Document type:** Journal article (JA)

**Publisher:** Academic Press Inc.

**Abstract:** A highly tunable bandgap-guiding polymer photonic crystal fiber is designed by infiltrating the cladding air holes with liquid crystal 5CB. Structural parameter dependence and thermal tunability of the photonic bandgaps, mode properties and confinement losses of the designed fiber are investigated. Bandgaps red shift as the temperature goes up. Average thermal tuning sensitivity of 30.9 nm/°C and 20.6 nm/°C is achieved around room temperature for the first and second photonic bandgap, respectively. Our results provide theoretical references for applications of polymer photonic crystal fiber in sensing and tunable fiber-optic devices. © 2016 Elsevier Inc. All rights reserved.

**Number of references:** 26

**Main heading:** Energy gap

**Controlled terms:** Photonic band gap - Spontaneous emission - Filled polymers - Photonic bandgap fibers - Finite element method - Liquid crystals - Crystal whiskers

**Uncontrolled terms:** Cladding air holes - Confinement loss - Fiber-optic devices - Liquid crystal 5Cb - Polymer photonic crystals - Structural parameter - Thermal tuning - Tunable Band-gap

**Classification code:** 711 Electromagnetic Waves - 741.1.2 Fiber Optics - 921.6 Numerical Methods - 933.1.1 Crystal Lattice - 951 Materials Science

**DOI:** 10.1016/j.yofte.2016.04.004

**Funding Details:** Number: 11504292, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2015M582766XB, Acronym: -, Sponsor: China Postdoctoral Science Foundation; Number: 2014JQ6206, 2014JQ8335, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province;

**Funding text:** The authors would like to acknowledge the Natural Science Basic Research Plan in Shaanxi Province of China (Program Nos. 2014JQ8335, 2014JQ6206), China Postdoctoral Science Foundation (No. 2015M582766XB) and the National Natural Science Foundation of China (Grant No. 11504292) for providing financial support for this research.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 88. A new approach for measuring the permeability of shale featuring adsorption and ultra-low permeability

**Accession number:** 20161302156132

**Authors:** Cao, Cheng (1, 2); Li, Tiantai (1, 3); Shi, Juntao (1); Zhang, Lei (2); Fu, Shunxun (4); Wang, Botao (4); Wang, Hui (2)

**Author affiliation:** (1) College of Petroleum Engineering, China University of Petroleum, Beijing; 102249, China; (2) Research Institute of Shanxi Yanchang Petroleum (Group) Co. Ltd, Xi'an; 710075, China; (3) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an, Shanxi; 710065, China; (4) Petr China Changqing Oilfield Company, Xi'an, Shanxi; 710021, China

**Corresponding author:** Cao, Cheng(caochengyanlian@163.com)

**Source title:** Journal of Natural Gas Science and Engineering

**Abbreviated source title:** J. Nat. Gas Sci. Eng.

**Volume:** 30

**Issue date:** March 01, 2016

**Publication year:** 2016

**Pages:** 548-556

**Language:** English

**ISSN:** 18755100

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** Based on the critical issues associated with shale permeability measurements, a new experimental approach by modifying the traditional pressure-pulse decay method was developed. In order to reduce the measurement error caused by the pore volumes of the traditional method, we made a new design that the upstream and downstream reservoir volumes can be changed. In addition, we added a by-pass pipe to measure the bidirectional permeability instantaneously, which can reduce the total test time significantly. Except for nitrogen or helium, methane was utilized to measure the shale permeability in this work, which can be more practical and better understand the real gas transport mechanisms in shale. Furthermore, we modified the conventional interpretation model of permeability measurements by incorporating the physical mechanism of gas adsorption. We also performed a series of experimental measurements and data analyses using different cores from pure shale, sand shale, to sandstone, which are from the Ordos basin (Chang 7 section) in China. The results show that: (1) the error caused by the pore volume errors of the traditional method is decreased by nearly half if variable reservoir volumes are used. The total test time is

reduced by around 7 h by adding the by-pass pipe on the apparatus. The value of permeability measured with methane is higher than that measured with nitrogen while lower than that measured with helium. (2) The effective gas adsorption porosity increases with the increasing Langmuir pressure and decreasing pore pressure. If without considering gas adsorption, the measured permeability value will be underestimated, especially under lower pore pressure, higher adsorption capacity, and higher Langmuir pressure. (3) The total error is less than 10% using this new apparatus and the modified permeability interpretation method. The measured permeability values are reliable by comparing the measurements using the new apparatus and the standard instrument of ProPDP-200 under the same condition. (4) The influence of gas adsorption on permeability measurement in shale cannot be ignored, and the permeability is underestimated by up to 97% in pure shale while by only 7.5% in sandstone if the gas adsorption is not taken into account. © 2016 Elsevier B.V.

**Number of references:** 29

**Main heading:** Porosity

**Controlled terms:** Gas adsorption - Petroleum reservoir engineering - Sandstone - Shale gas - Methane - Gas permeability - Errors - Nitrogen - Petroleum reservoirs - Helium

**Uncontrolled terms:** Adsorption capacities - Decay methods - Experimental approaches - Interpretation methods - Langmuir pressure - Langmuir volume - Permeability measurements - Ultra low permeability

**Classification code:** 482.2 Minerals - 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 512.2 Natural Gas Deposits - 522 Gas Fuels - 802.3 Chemical Operations - 804 Chemical Products Generally - 804.1 Organic Compounds - 931.2 Physical Properties of Gases, Liquids and Solids

**Numerical data indexing:** Percentage 1.00e+01%, Percentage 7.50e+00%, Percentage 9.70e+01%, Time 2.52e+04s

**DOI:** 10.1016/j.jngse.2016.02.015

**Funding Details:** Number: 2013AA064501, Acronym: -, Sponsor: -; Number: 51490650,51504269, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This research was financially supported by the National High Technology Research and Development Program (863 Program, No. 2013AA064501 ) and the National Natural Science Foundation Projects of China (No. 51504269 and 51490650 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 89. On single valued neutrosophic relations (Open Access)

**Accession number:** 20160801976267

**Authors:** Yang, Hai-Long (1, 2, 3); Guo, Zhi-Lian (4); She, Yanhong (5); Liao, Xiuwu (3)

**Author affiliation:** (1) College of Mathematics and Information Science, Shaanxi Normal University, Xi'an; 710119, China; (2) Department of Computer Science, University of Regina, Regina, Canada; (3) School of Management, Xi'an Jiaotong University, Xi'an, China; (4) College of Economics, Northwest University of Political Science and Law, Xi'an, China; (5) College of Science, Xi'an Shiyong University, Xi'an, China

**Corresponding author:** Yang, Hai-Long(yanghailong@snnu.edu.cn)

**Source title:** Journal of Intelligent and Fuzzy Systems

**Abbreviated source title:** J. Intelligent Fuzzy Syst.

**Volume:** 30

**Issue:** 2

**Issue date:** February 9, 2016

**Publication year:** 2016

**Pages:** 1045-1056

**Language:** English

**ISSN:** 10641246

**E-ISSN:** 18758967

**Document type:** Journal article (JA)

**Publisher:** IOS Press BV

**Abstract:** Smarandache initiated neutrosophic sets (NSs) which can be used as a mathematical tool for dealing with indeterminate and inconsistent information. In order to apply NSs conveniently, single valued neutrosophic sets (SVNSs) were proposed by Wang et al. In this paper, we propose single valued neutrosophic relations (SVNRS) and study their properties. The notions of anti-reflexive kernel, symmetric kernel, reflexive closure, and symmetric closure of a SVNRS are introduced, respectively. Their accurate calculate formulas and some properties are explored. Some examples are also given. Finally, single valued neutrosophic relation mappings and inverse single valued neutrosophic relation mappings are introduced, and some interesting properties are also obtained. © 2016 - IOS Press and the authors. All rights reserved.

**Number of references:** 14

**Main heading:** Mapping

**Controlled terms:** Artificial intelligence

**Uncontrolled terms:** Inconsistent information - kernels - Mathematical tools - Neutrosophic sets - Relation mappings - single valued neutrosophic relations - Symmetric kernel

**Classification code:** 405.3 Surveying - 723.4 Artificial Intelligence

**DOI:** 10.3233/IFS-151827

**Funding Details:** Number: 11526163,61472471,61473181, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2013M532063, Acronym: -, Sponsor: China Postdoctoral Science Foundation; Number: -, Acronym: -, Sponsor: Shaanxi Province Postdoctoral Science Foundation;

**Funding text:** Authors are very grateful to the anonymous reviewers for their insightful and constructive comments and suggestions, which have been very helpful in improving the manuscript and our future research. This work is supported by the National Natural Science Foundation of China (Nos. 61473181, 11526163 and 61472471), China Postdoctoral Science Foundation funded project (No. 2013M532063), and Shaanxi Province Postdoctoral Science Foundation funded project (The first batch).

**Compendex references:** YES

**Open Access type(s):** All Open Access, Green

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 90. Effect of different hydrocarbons on phase behavior of dihydrogenated tallowalkyl dimethyl ammonium chloride, hydrocarbon and water

**Accession number:** 20154601547552

**Authors:** Yang, Jiang (1, 2); Wang, Xiaoxiang (1); Ji, Sixue (1); Wang, Xiaoling (1); Qin, Wenlong (1); Li, Ran (1)

**Author affiliation:** (1) Department of Petroleum Engineering, Xi'an Petroleum University, Xi'an; Shaanxi; 710065, China; (2) Department of Petroleum Engineering, China University of Petroleum (Huadong), Qingdao; Shandong; 266580, China

**Corresponding author:** Yang, Jiang(jyang98@126.com)

**Source title:** Journal of Molecular Liquids

**Abbreviated source title:** J Mol Liq

**Volume:** 213

**Issue date:** January 2016

**Publication year:** 2016

**Pages:** 8-12

**Language:** English

**ISSN:** 01677322

**CODEN:** JMLIDT

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** The phase behaviors of dihydrogenated tallowalkyl dimethyl ammonium chloride (DHTDMAC), water and different hydrocarbons were studied. Addition of different hydrocarbons to DHTDMAC and water system formed rich aggregates, including two liquid crystal aggregates and water in oil microemulsion. The polarity of hydrocarbon affects stability and phase behavior of hydrocarbon-DHTDMAC-water. The polar hydrocarbons, cyclohexane and benzene stabilize the phase structure. Interaction of different hydrocarbon molecules with liquid crystal phase was studied by the small angle X-ray diffraction. The results indicate that the variable hydrocarbon and water fraction penetrate into surfactant association structure with the different hydrocarbons, which affects the stability and Kraft point of surfactant aggregates. Less water penetrates into lamellar liquid crystal where more oil penetrates into the same area, which stabilizes the aggregate's phase structure. © 2015 Published by Elsevier B.V.

**Number of references:** 22

**Main heading:** Microemulsions

**Controlled terms:** Chlorine compounds - Aggregates - Phase structure - Crystal structure - Hydrocarbons - Molecules - Phase behavior - Surface active agents - X ray diffraction

**Uncontrolled terms:** Association structures - Hydrocarbon molecules - Kraft point - Lamellar liquid crystal - Quaternary amines - Small angle x-ray diffractions - Surfactant aggregates - Water-in-oil microemulsions

**Classification code:** 406 Highway Engineering - 412.2 Concrete Reinforcements - 801.4 Physical Chemistry - 803 Chemical Agents and Basic Industrial Chemicals - 804 Chemical Products Generally - 804.1 Organic Compounds - 931.2 Physical Properties of Gases, Liquids and Solids - 931.3 Atomic and Molecular Physics - 933 Solid State Physics - 933.1.1 Crystal Lattice

**DOI:** 10.1016/j.molliq.2015.10.052

**Funding Details:** Number: 51174163,51304159, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** The author acknowledgements the supports of the project by the National Natural Science Foundation of China (Grant No 51174163 , 51304159 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 91. Ratiometric Fluorescent Probe for Vicinal Dithiol-Containing Proteins in Living Cells Designed via Modulating the Intramolecular Charge Transfer-Twisted Intramolecular Charge Transfer Conversion Process

**Accession number:** 20164302952694

**Authors:** Wang, Yuanyuan (1); Zhong, Yaogang (2); Wang, Qin (1); Yang, Xiao-Feng (1); Li, Zheng (2); Li, Hua (1, 3)

**Author affiliation:** (1) Key Laboratory of Synthetic and Natural Functional Molecule Chemistry, Ministry of Education, College of Chemistry and Materials Science, Northwest University, Xi'an, Shaanxi; 710127, China; (2) College of Life Sciences, Northwest University, Xi'an, Shaanxi; 710069, China; (3) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China

**Corresponding author:** Yang, Xiao-Feng(xfyang@nwu.edu.cn)

**Source title:** Analytical Chemistry

**Abbreviated source title:** Anal. Chem.

**Volume:** 88

**Issue:** 20

**Issue date:** October 18, 2016

**Publication year:** 2016

**Pages:** 10237-10244

**Language:** English

**ISSN:** 00032700

**E-ISSN:** 15206882

**CODEN:** ANCHAM

**Document type:** Journal article (JA)

**Publisher:** American Chemical Society

**Abstract:** Vicinal dithiol-containing proteins (VDPs) play a significant role in maintaining the cellular redox homeostasis and are implicated in many diseases. To provide new chemical tools for VDPs imaging, we report here a ratiometric fluorescent probe CAsH2 for VDPs using 7-diethylaminocoumarin as the fluorescent reporter and cyclic 1,3,2-dithiarsenolane as the specific ligand. CAsH2 shows peculiar dual fluorescence emission from the excited intramolecular charge transfer (ICT) and twisted intramolecular charge transfer (TICT) states in aqueous media. However, upon selective binding of protein vicinal dithiols to the trivalent arsenical of CAsH2, the probe was brought from the polar water media into the hydrophobic protein domain, causing the excited state ICT to TICT conversion to be restricted; as a result, an increase from the ICT emission band and a decrease from the TICT emission band were observed simultaneously. The designed probe shows high selectivity toward VDPs over other proteins and biological thiols. Preliminary experiments show that CAsH2 can be used for the ratiometric imaging of endogenous VDPs in living cells. So far as we know, this is a rare example of the ratiometric fluorescent probe designed via modulating the ICT-TICT conversion process, which provides a new way to construct various protein-specific ratiometric fluorescent probes. © 2016 American Chemical Society.

**Number of references:** 49

**Main heading:** Proteins

**Controlled terms:** Fluorescence spectroscopy - Fluorescence - Charge transfer - Image processing - Excited states - Probes

**Uncontrolled terms:** Conversion process - Fluorescent probes - Fluorescent reporter - Hydrophobic protein - Intra-molecular charge transfer - Intramolecular charge transfers - Ratiometric imaging - Twisted intra-molecular charge transfers

**Classification code:** 723.2 Data Processing and Image Processing - 741.1 Light/Optics - 741.3 Optical Devices and Systems - 802.2 Chemical Reactions - 804.1 Organic Compounds - 931.3 Atomic and Molecular Physics - 931.4 Quantum Theory; Quantum Mechanics - 941.3 Optical Instruments - 941.4 Optical Variables Measurements

**DOI:** 10.1021/acs.analchem.6b02923

**Funding Details:** Number: 12JK0581, Acronym: -, Sponsor: -; Number: 21375105, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This research was supported by the National Natural Science Foundation of China (Nos. 21475105, 21275117, and 21375105) and the Education Department (No. 12JK0581) of Shaanxi Province of China.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 92. Origin of abnormal high pressure and its relationship with hydrocarbon accumulation in the Dina 2 Gas Field, Kuqa Depression (Open Access)

**Accession number:** 20231213756727

**Authors:** Zhang, Fengqi (1, 2); Wang, Zhenliang (2); Zhong, Hongli (3); Song, Yubin (4); Liu, Weiming (1); Wei, Chi (1)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Department of Geology, Northwest University, Xi'an; 710069, China; (3) College of Geology & Environment, Xi'an University of Science and Technology, Xi'an; 710054, China; (4) Tazhong Exploration & Development Research Management Department, Petrochina Tarim Oilfield Company, Korla; 841000, China

**Corresponding author:** Zhang, Fengqi(zhangfengqi68@126.com)

**Source title:** Petroleum Research

**Abbreviated source title:** Pet. Res.

**Volume:** 1

**Issue:** 1

**Issue date:** September 2016

**Publication year:** 2016

**Pages:** 93-102

**Language:** English

**ISSN:** 20962495

**E-ISSN:** 25241729

**Document type:** Journal article (JA)

**Publisher:** KeAi Publishing Communications Ltd.

**Abstract:** Based on distribution of formation pressure by indirect estimation and formation testing, this study investigates origin of abnormal high pressure in the Dina 2 Gas Field in the Kuqa Depression in combination with the latest research findings. Contribution of major overpressure mechanisms to this gas field is estimated, and generation of the abnormal high pressure as well as its relationship with natural gas accumulation is explored. Disequilibrium compaction, tectonic stress, and overpressure transfer are the major overpressure mechanisms. Overpressure transfer resulted from vertical opening of faults and folding is the most important cause for the overpressure. Gas accumulation and abnormal high pressure generation in the reservoirs of the Dina 2 Gas Field show synchronicity. During the early oil-gas charge in the Kangcun stage, the reservoirs were generally normal pressure systems. In the Kuqa deposition stage, rapid deposition caused disequilibrium compaction and led to generation of excess pressure (approximately 5–10 MPa) in the reservoirs. During the Kuqa Formation denudation stage to the Quaternary, reservoir overpressure was greatly increased to approximately 40–50 MPa as a result of vertical pressure transfer by episodic fault activation, lateral overpressure transfer by folding and horizontal tectonic stress due to intense tectonic compression. The last stage was the major period of ultra-high pressure generation and gas accumulation in the Dina 2 Gas Field. © 2017 Chinese Petroleum Society

**Number of references:** 32

**Main heading:** Compaction

**Controlled terms:** Deposition - Faulting - Gas industry - Gases

**Uncontrolled terms:** Abnormal high pressure - Dina 2 gas field - Foldings - Gas accumulation - Gas fields - Kuqa depression - Overpressure - Overpressure transfer - Pressure generation - Tectonic compressions

**Classification code:** 484.1 Earthquake Measurements and Analysis - 522 Gas Fuels - 802.3 Chemical Operations

**Numerical data indexing:** Pressure 4.00E+07Pa to 5.00E+07Pa, Pressure 5.00E+06Pa to 1.00E+07Pa

**DOI:** 10.1016/S2096-2495(17)30034-0

**Funding Details:** Number: 2008ZX05003,2011ZX05003001, Acronym: -, Sponsor: National Major Science and Technology Projects of China;

**Funding text:** The authors would like to thank Yan Song, Mengjun Zhao, Shaobo Liu, Shihu Fang, Qingong Zhuo, Qingyang Meng, Lin Jiang, and Xuesong Lu from PetroChina Exploration & Development Research Institute for their guidance and advice, and the Research Institute of Exploration and Development of the Tarim Oilfield Company for research assistance and logistic support. This work was funded by National Science and Technology Major Project of China (Grant No. 2008ZX05003, 2011ZX05003001). The authors would like to thank Yan Song, Mengjun Zhao, Shaobo Liu, Shihu Fang, Qingong Zhuo, Qingyang Meng, Lin Jiang, and Xuesong Lu from PetroChina Exploration & Development Research Institute for their guidance and advice, and the Research Institute of Exploration and

Development of the Tarim Oilfield Company for research assistance and logistic support. This work was funded by National Science and Technology Major Project of China (Grant No. 2008ZX05003, 2011ZX05003001 ).

**Compendex references:** YES

**Open Access type(s):** All Open Access, Gold

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 93. Electric field modulated half-metallicity of semichlorinated GaN nanosheets

**Accession number:** 20163002639619

**Authors:** Xiao, M.X. (1); Song, H.Y. (1); Ao, Z.M. (2); Xu, T.H. (1); Wang, L.L. (3)

**Author affiliation:** (1) College of Materials Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Institute of Environmental Health and Pollution Control, School of Environmental Science and Engineering, Guangdong University of Technology, Guangzhou; 510006, China; (3) College of Materials Science and Engineering, Xi'an University of Science and Technology, Xi'an; 710054, China

**Corresponding author:** Xiao, M.X.(mxxiao@xsyu.edu.cn)

**Source title:** Solid State Communications

**Abbreviated source title:** Solid State Commun

**Volume:** 245

**Issue date:** November 1, 2016

**Publication year:** 2016

**Pages:** 5-10

**Language:** English

**ISSN:** 00381098

**CODEN:** SSCO44

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** Through density-functional theory calculations, we investigated the half-metallic properties of semichlorinated gallium nitride (Cl-GaN) nanosheets (NSs) under an electric field  $F$ . The results show that the electric field can modulate Cl-GaN NSs efficiently from ferromagnetic metals to half-metals. More interestingly, under a broad range of electric field intensity ( $-0.10 \sim 1.30$  V/Å), Cl-GaN NSs have the excellently half-metallic properties with the band gaps (3.71–0.96 eV) and maximal half-metallic gaps with 0.30 eV in spin-up states and metallic behaviors in spin-down states. Moreover, the total magnetic moment decreases (increases) depending on the negative (positive)  $F$ , mainly induced by the unpaired N atoms. Our studies demonstrate that the electronic and magnetic properties of GaN NSs can be delicately tuned by the combined surface modification and electric field, indicating the potential of GaN NSs for developing high-performance spintronic nanodevices. © 2016 Elsevier Ltd

**Number of references:** 50

**Main heading:** Nanosheets

**Controlled terms:** Astrophysics - Calculations - Metals - Surface treatment - Gallium nitride - III-V semiconductors - Magnetic moments - Density functional theory - Electric fields - Energy gap

**Uncontrolled terms:** Combined surface - E. First principles - Electric field intensities - Electronic and magnetic properties - Half-metallic properties - Half-metallicity - Metallic behaviors - Spintronic nanodevices

**Classification code:** 657.2 Extraterrestrial Physics and Stellar Phenomena - 701.1 Electricity: Basic Concepts and Phenomena - 701.2 Magnetism: Basic Concepts and Phenomena - 712.1 Semiconducting Materials - 761 Nanotechnology - 921 Mathematics - 922.1 Probability Theory - 931.3 Atomic and Molecular Physics - 931.4 Quantum Theory; Quantum Mechanics - 933 Solid State Physics

**DOI:** 10.1016/j.ssc.2016.07.006

**Funding Details:** Number: NCET-12-1046, Acronym: MOE, Sponsor: Ministry of Education of the People's Republic of China; Number: 2015JM6327, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province; Number: 220418080, Acronym: GDUT, Sponsor: Guangdong University of Technology; Number: 2013JK0894, Acronym: -, Sponsor: Education Department of Shaanxi Province; Number: 2012BS004, Acronym: XSYU, Sponsor: Xi'an Shiyou University;

**Funding text:** The authors acknowledge the support by Scientific Research Program Funded by Shaanxi Provincial Education Department ( 2013JK0894 ), Program for New Century Excellent Talent in University of Ministry of Education of China (Grant No. NCET-12-1046 ), Youth Science and Technology Innovation Fund Project at the Xi'an Shiyou University 2012BS004 ), and Natural Science Foundation of Shaanxi Province ( 2015JM6327 ). ZA acknowledges the financial supports from "100 talents" program of Guangdong University of Technology (Grant no. 220418080) "1000 plan", for young professionals program of Chinese Government.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 94. Enhanced 808 nm driven Ce<sup>3+</sup> doped red-emitting upconversion nanocrystals by intercalated nanostructures

**Accession number:** 20162402491890

**Authors:** Shen, Ji-Wei (1); Lu, Junliang (1); Tu, Jun (1); Ouyang, Xiangyuan (1); Li, Hua (2, 3)

**Author affiliation:** (1) Key Laboratory of Synthetic and Natural Functional Molecule Chemistry, Ministry of Education, College of Chemistry and Materials Science, Northwest University, Xi'an; 710069, China; (2) Institute of Analytical Science, College of Chemistry and Material Science, Northwest University, Xi'an; 710069, China; (3) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Shen, Ji-Wei(jiweish@nwu.edu.cn)

**Source title:** Journal of Materials Chemistry C

**Abbreviated source title:** J. Mater. Chem. C

**Volume:** 4

**Issue:** 22

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 4905-4911

**Language:** English

**ISSN:** 20507534

**E-ISSN:** 20507526

**CODEN:** JMCCCX

**Document type:** Journal article (JA)

**Publisher:** Royal Society of Chemistry

**Abstract:** We report the red but weak upconversion luminescence of core-shell-shell structured upconversion nanocrystals (NaYF<sub>4</sub>:Yb/Ho/Ce@NaYF<sub>4</sub>:Nd@NaYF<sub>4</sub>) under excitation at 808 nm due to high surface Ce<sup>3+</sup> concentration in core nanocrystals hindering the energy transfer from the Nd<sup>3+</sup> shell to the Yb<sup>3+</sup> core. 10.2-fold upconversion luminescence enhancement was achieved by conquering the negative effects of non-uniform Ce<sup>3+</sup> distribution phenomena on upconversion processes via intercalating NaYF<sub>4</sub>:Yb/Ho/Ce, designed as the shell, into the Nd<sup>3+</sup> sensitized nanostructure (NaYF<sub>4</sub>:Nd@NaYF<sub>4</sub>:Yb/Ho/Ce@NaYF<sub>4</sub>:Nd@NaYF<sub>4</sub>:Yb/Ho/Ce@NaYF<sub>4</sub>). The intercalation nanostructured upconversion nanocrystals show intense red upconversion luminescence with a red-to-green ratio of 5.0. Bright red upconversion luminescence of the Ce<sup>3+</sup> doped intercalation nanostructured upconversion nanocrystals embedded in biological tissues can be visualized even at a depth of 5 mm illuminated by 808 nm laser light. High efficiency 808 nm driven red-emitting upconversion nanocrystals are promising for bio-applications. © 2016 The Royal Society of Chemistry.

**Number of references:** 31

**Main heading:** Nanocrystals

**Controlled terms:** Luminescence - Energy transfer - Shells (structures)

**Uncontrolled terms:** Biological tissues - Distribution phenomenon - High-efficiency - Nano-structured - Red-emitting - Up-conversion luminescence - Up-conversion process - Upconversion nanocrystals

**Classification code:** 408.2 Structural Members and Shapes - 741.1 Light/Optics - 761 Nanotechnology - 933.1 Crystalline Solids

**Numerical data indexing:** Size 5.00e-03m, Size 8.08e-07m

**DOI:** 10.1039/c6tc01430e

**Funding Details:** Number: 338020013, Acronym: -, Sponsor: -; Number: 21505104, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This work was supported by the National Natural Science Foundation of China (No. 21505104) and the Science Foundation of Northwest University (No. 338020013).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 95. Tensile and fatigue behavior of electron beam welded dissimilar joints of Ti-6Al-4V and IMI834 titanium alloys

**Accession number:** 20154201382745

**Authors:** Wang, S.Q. (1, 2, 3); Li, W.Y. (2); Zhou, Y. (1); Li, X. (1); Chen, D.L. (3)

**Author affiliation:** (1) School of Materials Science and Engineering, Xi'an Shiyu University, 18 Dianzier Road, Xi'an, Shaanxi; 710065, China; (2) State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, 127 Youyi Road, Xi'an; 710072, China; (3) Department of Mechanical and Industrial Engineering, Ryerson University, 350 Victoria Street, Toronto; ON; M5B 2K3, Canada

**Corresponding author:** Wang, S.Q.(sqwang@xsyu.edu.cn)

**Source title:** Materials Science and Engineering: A

**Abbreviated source title:** Mater. Sci. Eng. A

**Volume:** 649

**Issue date:** January 01, 2016

**Publication year:** 2016

**Pages:** 146-152

**Language:** English

**ISSN:** 09215093

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** The aim of this study was to evaluate the microstructure, hardness, tensile and fatigue properties of electron beam welded dissimilar joints between Ti-6Al-4V and IMI834 (Ti-6Al-5Sn-2Zr-1Mo-0.35Si-1Nd) titanium alloys. A significant microstructural change was observed to occur after welding, with martensite in the fusion zone (FZ) and in the heat-affected zone (HAZ) of Ti-6Al-4V side, and martensite plus some retained  $\alpha$  phase in the HAZ of IMI834 side. An asymmetrical hardness profile across the dissimilar joint was obtained in the dissimilar joint with a higher hardness value in the FZ. Fatigue life of the dissimilar joint was nearly the same as that of the BMs. The dissimilar joint exhibited cyclic stabilization at lower strain amplitudes up to 0.6%, while cyclic softening occurred after initial cyclic stabilization at higher strain amplitudes. Fatigue failure of the dissimilar joints occurred in the IMI834 BM, with crack initiation from the specimen surface or near-surface defect and crack propagation characterized by fatigue striations along with secondary cracks. © 2015 Elsevier B.V.

**Number of references:** 56

**Main heading:** Aluminum alloys

**Controlled terms:** Cracks - Electron beam welding - Electron beams - Fatigue of materials - Hardness - Heat affected zone - Martensite - Silicon alloys - Stabilization - Surface defects - Ternary alloys - Tin alloys - Titanium alloys

**Uncontrolled terms:** Cyclic deformations - Dissimilar joints - Electron-beam - Electron-beam welding - Fusion zones - Heat-affected zones - Strain amplitude - Strain controlled fatigue - Tensile behaviors - Titanium (alloys)

**Classification code:** 531.2 Metallography - 538.2 Welding - 538.2.1 Welding Processes - 541.2 Aluminum Alloys - 542.3 Titanium and Alloys - 546.2 Tin and Alloys - 549.3 Nonferrous Metals and Alloys excluding Alkali and Alkaline Earth Metals - 951 Materials Science

**Numerical data indexing:** Percentage 6.00e-01%

**DOI:** 10.1016/j.msea.2015.09.107

**Funding Details:** Number: -, Acronym: NSERC, Sponsor: Natural Sciences and Engineering Research Council of Canada; Number: -, Acronym: CFI, Sponsor: Canada Foundation for Innovation; Number: NSFC51505379, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: SKLSP201505, Acronym: SKLSP, Sponsor: State Key Laboratory of Solidification Processing;

**Funding text:** The authors would like to thank the State Key Laboratory of Solidification Processing of Northwestern Polytechnical University (SKLSP201505), the National Natural Science Foundation of China (NSFC51505379), and the Natural Sciences and Engineering Research Council of Canada (NSERC) for the financial support. One of the authors (D.L. Chen) is also grateful for the financial support by the Premier's Research Excellence Award (PREA), the NSERC-Discovery Accelerator Supplement (DAS) Award, the Canada Foundation for Innovation (CFI), and the Ryerson Research Chair (RRC) Program. The authors would also like to thank Q. Li, A. Machin, J. Amankrah and R. Churaman for easy access to the laboratory facilities of Ryerson University and their assistance in the experiments.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 96. Optical remote sensing object detection based on fused feature contrast of subwindows

**Accession number:** 20163802821864

**Authors:** Li, Xiang-Juan (1); Wang, Cai-Ling (1); Li, Yu (2); Sun, Hao (3, 4)

**Author affiliation:** (1) Xi'an Shiyu University, Xi'an; 710065, China; (2) Institute of Remote Sensing and Digital Earth, Chinese Academy of Sciences, Beijing; 100942, China; (3) Key Laboratory of Technology in Geospatial Information Processing and Application System, Institute of Electronics, Chinese Academy of Sciences, Beijing; 100190, China; (4) Institute of Electronics, Chinese Academy of Sciences, Beijing; 100190, China

**Corresponding author:** Li, Xiang-Juan(xiangjuan\_li@126.com)  
**Source title:** Guangxue Jingmi Gongcheng/Optics and Precision Engineering  
**Abbreviated source title:** Guangxue Jingmi Gongcheng  
**Volume:** 24  
**Issue:** 8  
**Issue date:** August 1, 2016  
**Publication year:** 2016  
**Pages:** 2067-2077  
**Language:** Chinese  
**ISSN:** 1004924X  
**CODEN:** GJGOF4

**Document type:** Journal article (JA)

**Publisher:** Chinese Academy of Sciences

**Abstract:** A detection algorithm for optical remote sensing targets was proposed based on the fused features contrast of subwindows. Firstly, a large number of varisized sliding windows were generated in a training image, and four types of scores related to multi-scale saliency, affine invariant region contrast, edge density and superpixel straddling were computed within each window. The feature parameters were learned on validation sets by maximizing localization accuracy and posterior probability. Then, all the features were combined in a Naive Bayesian framework and a classifier was trained. In the target detection step, the multi-scale saliency score was firstly computed within all the windows of test images, and partial windows with higher saliency and proper sizes matching to the objects to be detected were selected preliminarily. Furthermore, other scores were computed within the selected windows, and the posterior probability of each window was computed by using the trained classifier. Finally, windows with high local scores were selected and merged and the final detection results were obtained. The detection experiments were performed on three types of remote targets including planes, oilcans and ships, and the results show that each type of feature appears different properties for targets described, the highest accuracy is 74.21% to 80.32%. The proposed method outperforms all the single feature methods and the accuracy is improved to 80.87% to 87.30%. By compared with the fixed number sliding window algorithm, the accuracy rate is improved from about 80% to 85% and the false alarm rate is reduced from about 20% to 3%. Furthermore, the proposed method shows a 90% reduction in the number of windows and 25% reduction in the detection time due to the selection in the intermediary stage. It concludes that the method improves detection accuracy and algorithm efficiency greatly. © 2016, Science Press. All right reserved.

**Number of references:** 25

**Main heading:** Object detection

**Controlled terms:** Decoding - Object recognition - Communication channels (information theory) - Optical remote sensing - Feature extraction

**Uncontrolled terms:** Affine invariant - Edge densities - Feature contrasts - Optical remote sensing - Saliency - Subwindow

**Classification code:** 716.1 Information Theory and Signal Processing - 723.2 Data Processing and Image Processing - 741.3 Optical Devices and Systems

**Numerical data indexing:** Percentage 2.00e+01% to 3.00e+00%, Percentage 2.50e+01%, Percentage 7.42e+01% to 8.03e+01%, Percentage 8.00e+01% to 8.50e+01%, Percentage 8.09e+01% to 8.73e+01%, Percentage 9.00e+01%

**DOI:** 10.3788/OPE.20162408.2067

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 97. Multispectral image compression methods for improvement of both colorimetric and spectral accuracy

**Accession number:** 20163502762890

**Authors:** Liang, Wei (1); Zeng, Ping (2, 3); Xiao, Zhaolin (1); Xie, Kun (2)

**Author affiliation:** (1) Xi'an University of Technology, School of Computer Science and Engineering, No. 5 Jinhua South Road, Xi'an; 710048, China; (2) Xidian University, School of Computer Science and Technology, No. 2 Taibai South Road, Xi'an; 710071, China; (3) Xi'an Shiyou University, School of Computer Science, No. 18 Second Dianzi Road, Xi'an; 710065, China

**Corresponding author:** Liang, Wei(wliang@xaut.edu.cn)

**Source title:** Journal of Electronic Imaging

**Abbreviated source title:** J. Electron. Imaging

**Volume:** 25

**Issue:** 4

**Issue date:** July 1, 2016

**Publication year:** 2016

**Article number:** 043026

**Language:** English

**ISSN:** 10179909

**E-ISSN:** 1560229X

**CODEN:** JEIME5

**Document type:** Journal article (JA)

**Publisher:** SPIE

**Abstract:** We propose that both colorimetric and spectral distortion in compressed multispectral images can be reduced by a composite model, named OLCP(W)-X (OptimalLeaders-Color clustering-PCA-W weighted-X coding). In the model, first the spectral-colorimetric clustering is designed for sparse equivalent representation by generating spatial basis. Principal component analysis (PCA) is subsequently used in the manipulation of spatial basis for spectral redundancy removal. Then error compensation mechanism is presented to produce predicted difference image, and finally combined with visual characteristic matrix  $W$ , and the created image is compressed by traditional multispectral image coding schemes. We introduce four model-based algorithms to explain their validity. The first two algorithms are OLCPWKWS (OLC-PCA-W-KLT-WT-SPIHT) and OLCPKWS, in which Karhunen-Loeve transform, wavelet transform, and set partitioning in hierarchical trees coding are applied for the created image compression. And the latter two methods are OLCPW-JPEG2000-MCT and OLCP-JPEG2000-MCT. Experimental results show that, compared with the corresponding traditional coding, the proposed OLCPW-X schemes can significantly improve the colorimetric accuracy of rebuilding images under various illumination conditions and generally achieve satisfactory peak signal-to-noise ratio under the same compression ratio. And OLCP-X methods could always ensure superior spectrum reconstruction. Furthermore, our model has excellent performance on user interaction. © 2016 SPIE and IS&T.

**Number of references:** 23

**Main heading:** Principal component analysis

**Controlled terms:** Colorimetry - Error compensation - Image enhancement - Wavelet transforms - Image coding - Color image processing - Color - Image compression - Signal to noise ratio

**Uncontrolled terms:** Characteristic matrices - Composite modeling - Multispectral-image compression - Sparse representation - Spectral-colorimetric clustering

**Classification code:** 716.1 Information Theory and Signal Processing - 741.1 Light/Optics - 921.3 Mathematical Transformations - 922.2 Mathematical Statistics - 941.4 Optical Variables Measurements

**DOI:** 10.1117/1.JEI.25.4.043026

**Funding Details:** Number: BUAA-VR-16KF-10, Acronym: -, Sponsor: -; Number: 61501370, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: JB150317, Acronym: -, Sponsor: Xidian University; Number: 2016JQ6069, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province; Number: 112-256081503, 112-451016005, Acronym: XUT, Sponsor: Xi'an University of Technology;

**Funding text:** This work was supported by the Dr. Start-up fund and the technology innovation projects of Xi'an University of Technology under grants 112-256081503 and 112-451016005, respectively, and partially funded by the China National Science Foundation under Grant No. 61501370. Meanwhile, it was also supported in part by Natural Science Basic Research Plan in Shaanxi Province of China (No. 2016JQ6069), the open funding project of State Key Laboratory of Virtual Reality Technology and Systems, Beihang University (Grant No. BUAA-VR-16KF-10), the basal research fund of Xidian University under Grant No. JB150317, and the Science and Technology Project of Xi'an CXY1440(5).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 98. A redox-stable direct-methane solid oxide fuel cell (SOFC) with Sr<sub>2</sub>FeNb<sub>0.2</sub>Mo<sub>0.8</sub>O<sub>6</sub>-# double perovskite as anode material

**Accession number:** 20163102674607

**Authors:** Ding, Hanping (1, 3); Tao, Zetian (2); Liu, Shun (1); Yang, Yating (4)

**Author affiliation:** (1) School of Petroleum Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Key Laboratory for Advanced Technology in Environmental Protection of Jiangsu Province, Yancheng Institute of College, Yancheng; Jiangsu Province, China; (3) Colorado Fuel Cell Center, Department of Mechanical Engineering, Colorado School of Mines, Golden; CO; 80401, United States; (4) Department of Chemistry, Colorado School of Mines, Golden; CO; 80401, United States

**Corresponding author:** Ding, Hanping(hding@mines.edu)

**Source title:** Journal of Power Sources

**Abbreviated source title:** J Power Sources

**Volume:** 327

**Issue date:** September 30, 2016

**Publication year:** 2016

**Pages:** 573-579

**Language:** English

**ISSN:** 03787753

**CODEN:** JPSODZ

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** Development of high-performing and redox-stable ceramic oxide electrode materials is a crucial technical step for direct hydrocarbon solid oxide fuel cells (SOFCs) operating at intermediate temperatures (550–700 °C). Here we report a nickel-free double perovskite, Sr<sub>2</sub>FeNb<sub>0.2</sub>Mo<sub>0.8</sub>O<sub>6-#</sub> (SFNM20), for SOFC anode, and this anode shows outstanding performances with high resistance against carbon build-up and redox cycling in hydrocarbon fuels. At 800 °C, the SFNM20 anode shows electrical conductivity of 5.3 S cm<sup>-1</sup> in 5% H<sub>2</sub> and peak power densities of 520 and 380 mW cm<sup>-2</sup> using H<sub>2</sub> and CH<sub>4</sub> as the fuel, respectively. The cell exhibits a very stable performance under different constant current loads in H<sub>2</sub> and CH<sub>4</sub> at 700 °C and high redox stability against the gas environment changes in the anode chamber. In addition, the electrode is structurally stable in various fuels, suggesting that it is a feasible material candidate for the electrode of high-performing SOFCs. © 2016 Elsevier B.V.

**Number of references:** 32

**Main heading:** Anodes

**Controlled terms:** Strontium compounds - Barium compounds - Niobium compounds - Methane - Solid oxide fuel cells (SOFC) - Perovskite - Iron compounds - Carbon - Ceramic materials

**Uncontrolled terms:** Anode material - Carbon deposition - Double perovskites - Methane oxidation - Redox stability

**Classification code:** 482.2 Minerals - 702.2 Fuel Cells - 714.1 Electron Tubes - 804 Chemical Products Generally - 804.1 Organic Compounds - 812.1 Ceramics

**DOI:** 10.1016/j.jpowsour.2016.07.101

**Funding Details:** Number: 21406190, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2013JM7023, Acronym: -, Sponsor: Natural Science Foundation of Shanxi Province; Number: 13KJB430023, Acronym: -, Sponsor: Natural Science Research of Jiangsu Higher Education Institutions of China;

**Funding text:** This work is supported by the National Natural Science Foundation of China (Grant Nos.: 21406190 ), Natural Science Foundation of the Higher Education Institutions of Jiangsu Province (No. 13KJB430023 ), and Natural Science Foundation of Shanxi Province (Grant No. 2013JM7023 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 99. Effect of carbon nanotubes on rheological properties of wormlike micelle solution

**Accession number:** 20163902858040

**Authors:** Qin, Wenlong (1, 2); Yue, Lei (1); Jia, Shuai (1); Yang, Jiang (1)

**Author affiliation:** (1) Post-Doctoral Contribution Center/College of Petroleum Engineering, Xi'an Petroleum University, Xi'an; 710065, China; (2) Post-Doctoral Research Station of Oil and Gas Engineering, China University of Petroleum, Beijing; 102249, China

**Corresponding author:** Yang, Jiang(jyang@xysu.edu.cn)

**Source title:** Shiyou Xuebao, Shiyou Jiagong/Acta Petrolei Sinica (Petroleum Processing Section)

**Abbreviated source title:** Shiyou Xuebao Shiyou Jiagong

**Volume:** 32

**Issue:** 5

**Issue date:** September 25, 2016

**Publication year:** 2016

**Pages:** 1068-1074

**Language:** Chinese

**ISSN:** 10018719

**CODEN:** SXSHEY

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** The rheological properties of cetyltrimethylammonium chloride (CTAC)-sodium salicylate (NaSal) wormlike micelle solution with multi-walled carbon nanotube (MWNT) added were studied by rheological measurements and

cryo-transmission electron microscopy (cryo-TEM). The effects of different types of MWNT, the addition mass fraction of MWNT, total dissolved solid and temperature on the rheological properties of wormlike micelle solution were investigated. The results showed that the viscosity of the wormlike micelle solution was increased significantly because of forming a micelle-MWNT pseudo-crosslink network. The MWNT with high -OH mass fraction and large aspect ratio possessed better thickening efficiency. The zero-shear viscosity of the solution with 0.4% mass fraction MWNT, which was the optimal addition amount, was about 2.2 times that of the base fluids. The viscoelasticity of the wormlike micelle solution was improved significantly at low frequency with the relaxation time of fluids being prolonged and the thermal stability being enhanced after addition of MWNT. The apparent viscosity of was still more than 50 mPa·s at 80 and 170 s<sup>-1</sup>. With the increase of temperature the viscoelasticity of the MWNT modified CTAC-NaSal viscoelastic solution decreased gradually, to become a viscous fluid when the temperature exceeded 60. © 2016, Science Press. All right reserved.

**Number of references:** 15

**Main heading:** Viscoelasticity

**Controlled terms:** Rheology - Yarn - High resolution transmission electron microscopy - Aspect ratio - Thermodynamic stability - Chlorine compounds - Micelles - Multiwalled carbon nanotubes (MWCN)

**Uncontrolled terms:** Cetyltrimethylammonium chloride - Cryo-transmission electron microscopy (cryo-TEM) - CTAC-NaSal - Rheological measurements - Thickening efficiency - Total dissolved solids - Viscoelastic - Worm-like micelles

**Classification code:** 641.1 Thermodynamics - 741.3 Optical Devices and Systems - 761 Nanotechnology - 801.3 Colloid Chemistry - 819.4 Fiber Products - 931.1 Mechanics - 931.2 Physical Properties of Gases, Liquids and Solids - 933.1 Crystalline Solids

**Numerical data indexing:** Percentage 4.00e-01%

**DOI:** 10.3969/j.issn.1001-8719.2016.05.027

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 100. Demonstration of a stable and uniform single-wavelength erbium-doped fiber laser based on microfiber knot resonator

**Accession number:** 20170203237778

**Authors:** Xu, Yiping (1); Ren, Liyong (2); Ma, Chengju (3); Kong, Xudong (2); Ren, Kaili (2)

**Author affiliation:** (1) Yangtze University, School of Physics and Optoelectronic Engineering, No. 1, Nanhuan Road, Jingzhou, Hubei; 434023, China; (2) Xi'an Institute of Optics and Precision Mechanics, Chinese Academy of Sciences, State Key Laboratory of Transient Optics and Photonics, No. 17, XinXi Road, Xi'an; 710119, China; (3) Xi'an Shiyou University, School of Science, No. 18, DianZiEr Road, Xi'an; 710065, China

**Corresponding author:** Xu, Yiping(ypxu@yangtzeu.edu.cn)

**Source title:** Optical Engineering

**Abbreviated source title:** Opt Eng

**Volume:** 55

**Issue:** 12

**Issue date:** December 1, 2016

**Publication year:** 2016

**Article number:** 126111

**Language:** English

**ISSN:** 00913286

**E-ISSN:** 15602303

**CODEN:** OPEGAR

**Document type:** Journal article (JA)

**Publisher:** SPIE

**Abstract:** We propose and demonstrate an application of microfiber knot resonator (MKR) in the generation of a stable and uniform single-wavelength erbium-doped fiber laser (EDFL). An MKR was fabricated using a microfiber a few micrometers in diameter. By embedding the MKR to the ring cavity of the EDFL, a laser with a wavelength of 1558.818 nm and a 3-dB linewidth of 0.0149 nm is demonstrated. The side mode suppression ratio of the laser is about 30 dB, and the maximum power fluctuation is about 0.85 dB. The results demonstrate that the MKR can be employed as a high-performance comb filter to realize a stable and uniform fiber laser. © 2016 Society of Photo-Optical Instrumentation Engineers (SPIE).

**Number of references:** 22

**Main heading:** Fiber lasers

**Controlled terms:** Erbium - Optical fiber fabrication - Resonators - Optical fiber communication - Optical fibers  
**Uncontrolled terms:** A-stable - Erbium doped fiber laser - Maximum power - Micro-fiber - Micro-fiber knot resonators - Ring cavities - Side mode suppression ratios - Single wavelength  
**Classification code:** 547.2 Rare Earth Metals - 717.1 Optical Communication Systems - 741.1.2 Fiber Optics - 744.4 Solid State Lasers  
**Numerical data indexing:** Decibel 3.00e+00dB, Decibel 3.00e+01dB, Decibel 8.50e-01dB, Size 1.49e-11m, Size 1.56e-06m  
**DOI:** 10.1117/1.OE.55.12.126111  
**Funding Details:** Number: 61275149,61535015,61605018, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;  
**Funding text:** This work was supported in part by the National Natural Science Foundation of China under Grant Nos. 61275149, 61605018, and 61535015  
**Compendex references:** YES  
**Database:** Compendex  
**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 101. The influence of composite wave field fluctuation parameters matching to permeability of low permeability reservoirs

**Accession number:** 20163502738165

**Authors:** Xiao, Zengli (1); Chen, Junbin (1); Du, Xiangqian (2); Qin, Wenlong (1)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Petroleum University, No. 18, East section of Electronic Road, Xi'an, Shaanxi Province; 710065, China; (2) The No.3 Oil Production Plant of Changqing Oilfield Company, Yinchuan; 750006, China

**Corresponding author:** Xiao, Zengli(zengzengxiao@163.com)

**Source title:** International Journal of Smart Home

**Abbreviated source title:** Int. J. Smart Home

**Volume:** 10

**Issue:** 7

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 241-248

**Language:** English

**ISSN:** 19754094

**Document type:** Journal article (JA)

**Publisher:** Science and Engineering Research Support Society

**Abstract:** There are essential differences in the influence rules of the binary composite wave generated by the combination of artificial resonance wave and hydraulic impulse wave to two-phase fluid flow of low permeability reservoirs porous media oil-water. When the fluctuation parameters of binary composite wave field reaching the optimal matching, the binary composite wave will have a good synergetic effect on two-phase fluid flow of oil-water, and the improvement effect on two-phase fluid flow of low permeability reservoirs oil-water will generate resonance effect which is far more effective than unary wave field. If the fluctuation parameters of binary composite wave field are not matched well, bad synergetic effect on two-phase fluid flow of oil-water will be generated, not only it can't raise the improvement effect on two-phase fluid flow of oil-water, but also it will make the improvement effect below unary wave field. Even there will be an inhibition effect on fluid flow of oil-water, which reduces the displacement efficiency and the availability of low permeability reservoirs water injection's development. By using the indoor fluctuation oil recovery simulation experiment device, the influence rules of displacement vibration wave and hydraulic impulse binary composite wave field to low permeability reservoirs oil-water single phase and two-phase fluid flow feature were studied. The influence rules of amplitude, frequency, work cycle and the other important parameters of composite wave to the permeability of oil-water single phase was intensively studied. Finally the mechanism of the synergetic effect generated by composite wave to two-phase fluid flow of low permeability reservoirs was analyzed. © 2016 SERSC.

**Number of references:** 2

**Main heading:** Low permeability reservoirs

**Controlled terms:** Oil well flooding - Water injection - Petroleum reservoir engineering - Porous materials - Oil field development

**Uncontrolled terms:** Binary composites - Displacement efficiency - Fluctuation parameters - Inhibition effect - Optimal matching - Resonance effect - Synergetic effect - Two-phase fluid flow

**Classification code:** 511.1 Oil Field Production Operations - 512.1 Petroleum Deposits - 512.1.2 Petroleum Deposits : Development Operations - 612.1 Internal Combustion Engines, General - 951 Materials Science

**DOI:** 10.14257/ijsh.2016.10.7.24

**Funding Details:** Number: 2014JM7251, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province; Number: 15JS087, Acronym: -, Sponsor: Education Department of Shaanxi Province; Number: 51304159, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This study is supported by the Key laboratory research project of Education Department of Shaanxi Province (No.15JS087), the National Natural Science Foundation of China (Grant no. 51304159) and the Natural Science Basic Research Plan in Shaanxi Province (Nos. 2014JM7251).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 102. The quantitative analysis of the face stability on soil tunnel

**Accession number:** 20162302464962

**Authors:** Huang, Jun (1, 2); Dang, Faning (3); Zhou, Lei (3); Dang, Kangning (2); Guo, Chanjuan (4); Qin, Yuan (1)

**Author affiliation:** (1) School of Earth Science and Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (2) Institute of Water Resources and Hydro-electric Engineering, Xi'an University of Technology, Xi'an; Shaanxi; 710048, China; (3) School of Civil Engineering and Architecture, Xi'an University of Technology, Xi'an; Shaanxi; 710048, China; (4) Northwest Electric Power Design Institute of China Power Engineering Consulting Group, Xi'an; Shaanxi; 710075, China

**Source title:** Yanshilixue Yu Gongcheng Xuebao/Chinese Journal of Rock Mechanics and Engineering

**Abbreviated source title:** Yanshilixue Yu Gongcheng Xuebao

**Volume:** 35

**Issue date:** May 15, 2016

**Publication year:** 2016

**Pages:** 3127-3137

**Language:** Chinese

**ISSN:** 10006915

**CODEN:** YLGXF5

**Document type:** Journal article (JA)

**Publisher:** Academia Sinica

**Abstract:** The quantitative relationship between the face stability and construction conditions on soil tunnel is introduced. First, an implicit function to strength parameters and construction parameters is proposed by analyzing the safety factor of face stability. The implicit function is transformed to the polynomial expression on construction parameters via multi-function Taylor formula. A technical method of getting the approximate expressions of safety factor of face stability under a single construction parameter is introduced. Mainly, the response surface methodology is used to determine the Taylor expansions of  $F_s=F(t, \#t, \#s)$  under multiple variables of construction parameters. It illustrated the applications of the proposed methods in ideal tunneling model. Finally, in the Shizilong tunnel project, the results showed that a first-order  $F_s$  model of in the initial region of U1 was appropriate, and then gradient ascent method is used to optimized the regional U2. By the central composite design, a validity second-order  $F_s$  model is calculated, and the effectiveness was verified by ANOVA. © 2016, Science Press. All right reserved.

**Number of references:** 19

**Main heading:** Soils

**Controlled terms:** Tunnels - Safety factor - Surface properties - Stability

**Uncontrolled terms:** Construction parameter - Face stability - Response surface methodology - Taylor formula - Tunnelling engineering

**Classification code:** 401.2 Tunnels and Tunneling - 483.1 Soils and Soil Mechanics - 914.1 Accidents and Accident Prevention - 931.2 Physical Properties of Gases, Liquids and Solids - 951 Materials Science

**DOI:** 10.13722/j.cnki.jrme.2015.0294

**Funding Details:** Number: 14JK1514, Acronym: -, Sponsor: -; Number: 51409208, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2014M562524XB, Acronym: -, Sponsor: China Postdoctoral Science Foundation;

**Funding text:** Supported by the National Natural Science Foundation of China(Grant No. 51409208), China Postdoctoral Science Foundation(Grant No. 2014M562524XB) and Foundation of Shaanxi Educational Committee(Grant No. 14JK1514)

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 103. Characterization of pores and fracture networks in organic-rich shale and tight sandstone of the Chang-7 member, Triassic Yanchang Formation, Ordos Basin

**Accession number:** 20162702563998

**Authors:** Er, Chuang (1, 2); Zhao, Jingzhou (1, 2); Yao, Jingli (3, 4); Ye, Xiaochuang (5); Wu, Weitao (1, 2); Bai, Yubin (1, 2); Deng, Xiuqin (3, 4); Sun, Bo (3, 4)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyu University, Xi'an; Shaanxi; 710065, China; (2) Shaanxi Key Lab of Petroleum Accumulation Geology, Xi'an; Shaanxi; 710065, China; (3) Research Institute of Petroleum Exploration and Development, PetroChina Changqing Oilfield Company, Xi'an; Shaanxi; 710018, China; (4) National Engineering Laboratory for Exploration and Development of Low-Permeability Oil & Gas Fields, Xi'an; Shaanxi; 710018, China; (5) No. 3 Gas Production Plant, PetroChina Changqing Oilfield Company, Xi'an; Shaanxi; 710018, China

**Source title:** Oil and Gas Geology

**Abbreviated source title:** Oil Gas Geol.

**Volume:** 37

**Issue:** 3

**Issue date:** June 28, 2016

**Publication year:** 2016

**Pages:** 341-353

**Language:** Chinese

**ISSN:** 02539985

**Document type:** Journal article (JA)

**Publisher:** Editorial Department of Oil and Gas Geology

**Abstract:** Chang-7 member of the Triassic Yanchang Formation is rich in oil and composed of organic-rich shale and tight sandstone. The shale serves both as source rock to nearby tight sandstone and as reservoirs. An improved appreciation of pores and fracture networks in the shale and tight sandstone reservoirs is of great significance to understand storage space characteristics and migration mechanisms of shale oil and tight oil. Through qualitative description and quantitative characterization, pore types and pore size of the organic-rich shale and tight sandstone were studied by comprehensively utilizing methods including core description, field emission scanning electronic microscope, laser scanning confocal microscopy, nuclear magnetic resonance, high pressure Hg injection, and low-temperature thermal adsorption. Organic-rich shale contains intragranular pores, intergranular pores and organic pores, with most pore size less than 50nm. It also contains micro-fractures. Horizontal, low angle, high angle and vertical fractures can all be observed in the shale. The tight sandstone contains residual primary intergranular pores, inter-crystals pores and secondary pores (the major type). Pore size is mostly larger than 2  $\mu\text{m}$  and pore-throat size is less than 73.5 nm. However, pore-throats that contribute the most to improving permeability are those ranging between 73.5 nm and 735 nm. Microfractures and high angle fractures can also be spotted in the tight sandstone. Forming and evolution of pores both in shale and tight sandstone are suggested to be controlled by sedimentation and diagenesis. Migration and charging of diagenetic fluids and hydrocarbon fluids worked together to forge organic-rich shale and tight sandstone into an organic whole. The study also distinguishes three kinds of pore and fracture networks and pathway of oil migration in shale and tight sandstone of the Chang-7 member: (1) nonameter-micrometer pores- fracture networks in organic-rich shale (acting as storage space and migration pathway within source rocks); (2) nanometer pore throat-micrometer pores-fracture networks in tight sandstones (acting as storage space of tight oil); (3) differential pore throat structure-microfracture-fracture networks between shale and tight sandstone (acting as migration pathway for oil from source rocks to outside reservoirs). © 2016, Editorial Office of Oil and Gas Geology. All right reserved.

**Number of references:** 40

**Main heading:** Shale

**Controlled terms:** Pore size - Fracture - Metamorphic rocks - Micrometers - Tight gas - Sandstone - Temperature

**Uncontrolled terms:** Fracture network - Ordos Basin - Pore - Tight sandstones - Yanchang Formation

**Classification code:** 482.2 Minerals - 512.2 Natural Gas Deposits - 522 Gas Fuels - 641.1 Thermodynamics - 931.2 Physical Properties of Gases, Liquids and Solids - 943.1 Mechanical Instruments - 951 Materials Science

**Numerical data indexing:** Size 2.00e-06m, Size 5.00e-08m, Size 7.35e-08m to 7.35e-07m, Size 7.35e-08m

**DOI:** 10.11743/ogg20160306

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 104. Characteristics and types analysis of gas reservoir in Shan 2 section of Yan'an gasfield, Ordos Basin

**Accession number:** 20162602540903

**Authors:** Chen, Zhanjun (1, 2); Ren, Zhanli (1, 2); Zhao, Jingzhou (3); Zhao, Xiaoyan (4); Gao, Xiaoping (5); Qiang, Teng (5); Lei, Yanyun (5); Liu, Tao (6)

**Author affiliation:** (1) Department of Geology, Northwest University, Xi'an; 710069, China; (2) State Key Laboratory of Continental Dynamics, Northwest University, Xi'an; 710069, China; (3) School of Earth Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (4) Changqing Industrial Group, PetroChina Changqing Oilfield Company, Xi'an; 710021, China; (5) Oil and Gas Exploitation Company, Shaanxi Yanchang Petroleum, Yan'an; 716000, China; (6) Research Institute, Shaanxi Yanchang Petroleum, Xi'an; 710075, China

**Corresponding author:** Ren, Zhanli(renzhanli@nwu.edu.cn)

**Source title:** Zhongnan Daxue Xuebao (Ziran Kexue Ban)/Journal of Central South University (Science and Technology)

**Abbreviated source title:** Zhongnan Daxue Xuebao (Ziran Kexue Ban)

**Volume:** 47

**Issue:** 5

**Issue date:** May 26, 2016

**Publication year:** 2016

**Pages:** 1625-1636

**Language:** Chinese

**ISSN:** 16727207

**CODEN:** ZDXZAC

**Document type:** Journal article (JA)

**Publisher:** Central South University of Technology

**Abstract:** Yan'an gasfield in the southwest of Yishan slope was studied. The results show that the reservoir of section 2 of Shanxi Formation exhibits several characteristics. The reservoir distribution is not stable in plane, and the spatial configurations between sand-bodies, or between sand-body and surrounding rock are various. The reservoir is tight, whose porosity mainly ranges from 1.0% to 10.0% and permeability mainly ranges from  $0.01 \times 10^{-3} \mu\text{m}^2$  to  $0.4 \times 10^{-3} \mu\text{m}^2$ . Stratification and inner heterogeneity are serious. Differentiation of gas and water is not obvious and the reservoir is lacking in a uniform gas-water interface. There is a certain diversity of gas properties among sand-bodies. Methods of distribution direction of sand, orientation and well spacing, logging facies comparison are used to determine the connectivity of sand-bodies between wells. Some sand-bodies are connected, however, the corresponding measured gasfield pressure, gas saturation and component are different, which means the reservoir forming system is generally not the same. According to reservoir forming mechanism analysis, research concludes that inhomogeneity of hydrocarbon accumulation factors which experienced several stages in section 2 of Yan'an gasfield Shanxi formation, and lead to the gas-water distribution inhomogeneity is produced, inherited and retained. This mechanism and process form a seeming "connectivity" in space domain, but actually the reservoir forming system is "non-uniform". The gas reservoir layer possesses three characteristics: inhomogeneity tight reservoir, quasi-connectivity trap distribution, non-uniform reservoir system. Thus, the reservoir type can be defined as a "quasi-consecutive tight gas sandstone reservoir". © 2016, Central South University of Technology. All right reserved.

**Number of references:** 45

**Main heading:** Tight gas

**Controlled terms:** Water supply systems - Well spacing - Gas industry - Sand - Gases - Petroleum reservoirs - Phase interfaces

**Uncontrolled terms:** Gas-water distributions - Hydrocarbon accumulation - Quasi-continuous - Reservoir distribution - Shan 2 section - Spatial configuration - Tight gas sandstone reservoirs - Yishan slope

**Classification code:** 446.1 Water Supply Systems - 483.1 Soils and Soil Mechanics - 512.1.1 Oil Fields - 512.2 Natural Gas Deposits - 522 Gas Fuels - 801.4 Physical Chemistry

**Numerical data indexing:** Percentage 1.00e+00% to 1.00e+01%

**DOI:** 10.11817/j.issn.1672-7207.2016.05.024

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 105. Fiber humidity sensor based on fiber Bragg grating sandwiched in SMS fiber structure

**Accession number:** 20163902850901

**Authors:** Shao, Min (1, 2); Qiao, Xue-Guang (3); Fu, Hai-Wei (1); Li, Yan (1); Yao, Ni (4); Jia, Zhen-An (1)

**Author affiliation:** (1) Shaanxi Key Laboratory of Photoelectric Oil-gas Logging and Detecting, School of Science, Xi'an Shiyou University, Xi'an; 710065, China; (2) Shaanxi Key Laboratory of Optical Information Technology, School of Science, Northwestern Polytechnical University, Xi'an; 710072, China; (3) School of Physics, Northwest University, Xi'an; 710069, China; (4) National Key Laboratory of Modern Optical Instrumentation, Department of Optical Engineering, Zhejiang University, Hangzhou; 310027, China

**Source title:** Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis

**Abbreviated source title:** Guang Pu Xue Yu Guang Pu Fen Xi

**Volume:** 36

**Issue:** 9

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 3008-3013

**Language:** Chinese

**ISSN:** 10000593

**CODEN:** GYGFED

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** A fiber humidity sensor based on Fiber-Bragg Grating (FBG) sandwiched in single-mode-multimode fiber core-single mode (SMS) fiber structure is proposed and demonstrated. When the surrounding humidity changes, the central wavelength of FBG remains unchanged for it is insensitive to humidity, while the interference spectrum of SMS fiber structure will shift for it is sensitive to the surrounding humidity. Hence, the shift of the SMS fiber structure interference spectrum with humidity could modulate the FBG core mode. Through measuring the reflected power of the FBG core mode the detection of humidity can be realized. The beam propagation of the SMS fiber structure with different lengths of multimode fiber core (MMFC), diameters of MMFC, and surrounding refractive indices are theoretically simulated with beam propagation method. Theoretical simulation indicates that the output core mode power coefficients shift with surrounding humidity of the SMS fiber structure. Experimental results show that the sensor has a linear response to humidity with enhanced sensitivity of  $0.06 \text{ dBm} \cdot (\%RH)^{-1}$  in the humidity range of 45%~95%RH with length of 35 mm and diameter of 85  $\mu\text{m}$ . The temperature effect of the sensor is also discussed, the temperature sensitivity is  $0.008 \text{ nm} \cdot ^{-1}$  in the temperature range of 20~80 and the measurement error of temperature is 0.047% RH $\cdot^{-1}$ . Such cost-effective, high sensitive, and reflective power detection based optical fiber humidity sensor could be used in humidity sensing applications. © 2016, Peking University Press. All right reserved.

**Number of references:** 14

**Main heading:** Fiber Bragg gratings

**Controlled terms:** Refractive index - Multimode fibers - Cost effectiveness - Humidity sensors - Temperature sensors - Single mode fibers

**Uncontrolled terms:** Central wavelength - Enhanced sensitivity - Humidity sensing - Interference spectrum - Power coefficients - Surrounding refractive indices (SRI) - Temperature sensitivity - Theoretical simulation

**Classification code:** 443.2 Meteorological Instrumentation - 741.1 Light/Optics - 741.1.2 Fiber Optics - 911.2

Industrial Economics - 944.5 Temperature Measuring Instruments

**Numerical data indexing:** Size 3.50e-02m, Size 8.50e-05m

**DOI:** 10.3964/j.issn.1000-0593(2016)09-3008-06

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 106. A novel spatial-spectral sparse representation for hyperspectral image classification based on neighborhood segmentation

**Accession number:** 20163902850948

**Authors:** Wang, Cai-Ling (1, 2); Wang, Hong-Wei (3); Hu, Bing-Liang (1); Wen, Jia (4); Xu, Jun (5); Li, Xiang-Juan (2)

**Author affiliation:** (1) Key Lab of Spectral Imaging, Xi'an Institute of Optics and Precision Mechanics of Chinese Academy of Sciences, Xi'an; 710119, China; (2) School of Computer Science, Xi'an Shiyou University, Xi'an; 710065, China; (3) Engineering University of CAPF, Xi'an; 710086, China; (4) Institute of Software of Chinese Academy of Sciences, Beijing; 100080, China; (5) School of Information Engineering, East China Jiaotong Univeristy, Nanchang; 330013, China

**Source title:** Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis

**Abbreviated source title:** Guang Pu Xue Yu Guang Pu Fen Xi

**Volume:** 36

**Issue:** 9

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 2919-2924

**Language:** Chinese

**ISSN:** 10000593

**CODEN:** GYGFED

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** Traditional hyperspectral image classification algorithms focus on spectral information application, however, with the increase of spatial resolution of hyperspectral remote sensing images, hyperspectral imaging presents clustering properties on spatial domain for the same category. It is critical for hyperspectral image classification algorithms to use spatial information in order to improve the classification accuracy. However, the marginal differences of different categories display more obviously. If it is introduced directly into the spatial-spectral sparse representation for image classification without the selection of neighborhood pixels, the classification error and the computation time will increase. This paper presents a spatial-spectral joint sparse representation classification algorithm based on neighborhood segmentation. The algorithm calculates the similarity with spectral angle in order to choose proper neighborhood pixel into spatial-spectral joint sparse representation model. With simultaneous subspace pursuit and simultaneous orthogonal matching pursuit to solve the model, the classification is determined by computing the minimum reconstruction error between testing samples and training pixels. Two typical hyperspectral images from AVIRIS and ROSIS are chosen for simulation experiment and results display that the classification accuracy of two images both improves as neighborhood segmentation threshold increasing. It concludes that neighborhood segmentation is necessary for joint sparse representation classification. © 2016, Peking University Press. All right reserved.

**Number of references:** 17

**Main heading:** Image classification

**Controlled terms:** Remote sensing - Errors - Hyperspectral imaging - Image enhancement - Image reconstruction - Image segmentation - Pixels - Classification (of information) - Spectroscopy - Image representation - Clustering algorithms - Independent component analysis

**Uncontrolled terms:** Classification accuracy - Classification algorithm - Hyperspectral Remote Sensing Image - Neighborhood clustering - Orthogonal matching pursuit - Reconstruction error - Segmentation threshold - Sparse representation

**Classification code:** 716.1 Information Theory and Signal Processing - 723.2 Data Processing and Image Processing - 723.4 Artificial Intelligence - 746 Imaging Techniques - 903.1 Information Sources and Analysis

**DOI:** 10.3964/j.issn.1000-0593(2016)09-2919-06

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 107. A study on interaction design of elderly mobile terminals based on Kansei Engineering

**Accession number:** 20171203477708

**Authors:** Jing, Yu (1); Ting, Ji (1); Xu, Jianbo (1)

**Author affiliation:** (1) Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China

**Source title:** Proceedings - 2016 International Conference on Robots and Intelligent System, ICRIS 2016

**Abbreviated source title:** Proc. - Int. Conf. Robots Intell. Syst., ICRIS

**Part number:** 1 of 1

**Issue title:** Proceedings - 2016 International Conference on Robots and Intelligent System, ICRIS 2016

**Issue date:** November 28, 2016

**Publication year:** 2016

**Pages:** 59-62

**Article number:** 7757077

**Language:** English

**ISBN-13:** 9781509041541

**Document type:** Conference article (CA)

**Conference name:** 2016 International Conference on Robots and Intelligent System, ICRIS 2016

**Conference date:** August 27, 2016 - August 28, 2016

**Conference location:** Zhangjiajie, China

**Conference code:** 125211

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** At present, mobile internet has gone deep into all levels of society and various mobile terminals have become a part of social life. In China which is an in-depth aging society and has numerous the elderly, terminal interaction products should be exclusively designed for such a population. Kansei Engineering is a product development technology that is oriented by the feeling of consumers. Researches based on the Kansei Engineering started from the elderly both mentally and physically and were directed by Molecular Sensory Physiology, Kansei Informatics and Creative Kansei Engineering to analyze and study physical interactions, operational interactions, affective interactions and aesthetic interactions of the elderly mobile terminals. © 2016 IEEE.

**Number of references:** 5

**Main heading:** Computer terminals

**Controlled terms:** Mobile telecommunication systems

**Uncontrolled terms:** Affective interaction - Development technology - Interaction design - Kansei Engineering - Mobile Internet - Mobile terminal - Physical interactions - Sensory physiology

**Classification code:** 722.2 Computer Peripheral Equipment

**DOI:** 10.1109/ICRIS.2016.117

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 108. Characteristic analysis for dual-induction logging response in highly deviated wells and horizontal wells

**Accession number:** 20165203169907

**Authors:** Chen, Yanjun (1); Cheng, Zhigang (2); Wu, Jie (1); Mao, Yanhui (1); Luo, Shaocheng (2); Xiao, Fei (2); Yang, Zhixin (2); Gao, Haofeng (2)

**Author affiliation:** (1) Xi'an Shiyou University, China; (2) CNPC Logging Co., China

**Source title:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016 - Proceedings

**Abbreviated source title:** Prog. Electromagn. Res. Symp., PIERS - Proc.

**Part number:** 1of1

**Issue title:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016 - Proceedings

**Issue date:** November 3, 2016

**Publication year:** 2016

**Pages:** 3359-3363

**Article number:** 7735316

**Language:** English

**ISBN-13:** 9781509060931

**Document type:** Conference article (CA)

**Conference name:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016

**Conference date:** August 8, 2016 - August 11, 2016

**Conference location:** Shanghai, China

**Conference code:** 124897

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Because the instrument response in highly deviated wells and horizontal wells is the three-dimensional numerical calculation, its environmental impact factors is very complicated. Firstly, this paper analyzes the influencing factors of induction logging responses in horizontal wells, covering the geological factors and instrumental observation factors. Secondly, a three-layer dual induction logging scenario in horizontal wells is set up with the aid of the multi-physics simulation software COMSOL, then the logging response characteristics is provided with regard to the different environmental factor. Finally, the physical mechanism between logging response and environmental factors is analyzed, laying a foundation for the rapid forward and inversion for dual-induction logging in the horizontal wells. © 2016 IEEE.

**Number of references:** 9

**Main heading:** Horizontal wells

**Controlled terms:** Induction logging - Computer software - Environmental impact

**Uncontrolled terms:** Characteristic analysis - Environmental factors - Environmental impact factors - Geological factors - Highly deviated wells - Logging response - Multiphysics simulations - Three-dimensional numerical calculations

**Classification code:** 454.2 Environmental Impact and Protection - 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 723 Computer Software, Data Handling and Applications

**DOI:** 10.1109/PIERS.2016.7735316

**Funding Details:** Number: 41474108, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: -, Acronym: CNPC, Sponsor: China National Petroleum Corporation; Number: 14JK1577, Acronym: -, Sponsor: Education Department of Shaanxi Province;

**Funding text:** This program was provided by National Natural Science Foundation of China (No. 41474108) and the specific research project of Shaanxi Education Department (No. 14JK1577). The authors thank CNPC logging for cooperation and coordination of this program.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 109. User experience hierarchical model building based on multi-perception system

**Accession number:** 20171203477555

**Authors:** Ji, Ting (1); Yu, Jing (1); Xu, Jianbo (1)

**Author affiliation:** (1) Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China

**Source title:** Proceedings - 2016 International Conference on Robots and Intelligent System, ICRIS 2016

**Abbreviated source title:** Proc. - Int. Conf. Robots Intell. Syst., ICRIS

**Part number:** 1 of 1

**Issue title:** Proceedings - 2016 International Conference on Robots and Intelligent System, ICRIS 2016

**Issue date:** November 28, 2016

**Publication year:** 2016

**Pages:** 473-476

**Article number:** 7757172

**Language:** English

**ISBN-13:** 9781509041541

**Document type:** Conference article (CA)

**Conference name:** 2016 International Conference on Robots and Intelligent System, ICRIS 2016

**Conference date:** August 27, 2016 - August 28, 2016

**Conference location:** Zhangjiajie, China

**Conference code:** 125211

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Research on user experience based on multiperception system and build a multi-perception Hierarchical Model of User Experience; Use the influence of multiperception system on the Hierarchical Model to carry out an experimental study on user experience under restraints of multi-perception factors. Factor restraint coefficient is obtained by extracting user needs, which can help build a user experience hierarchical model based on multi-perception system, so as to guide the design to improve user's experience satisfaction. Also, interactive interface design example of an air purifier is used to verify the model. © 2016 IEEE.

**Number of references:** 8

**Main heading:** Human computer interaction

**Controlled terms:** Hierarchical systems

**Uncontrolled terms:** Hierarchical model - Interactive interfaces - Perception systems - User need

**Classification code:** 961 Systems Science

**DOI:** 10.1109/ICRIS.2016.120

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 110. Reflections on SOA and Microservices

**Accession number:** 20171503566785

**Authors:** Xiao, Zhongxiang (1); Wijegunaratne, Inji (2); Qiang, Xinjian (3)

**Author affiliation:** (1) School of Electronic Engineering, Xi'an Shiyou University, Xi'an, China; (2) Enterprise Architect, Infosys Australia, Melbourne, Australia; (3) School of Computer Science, Xi'an Shiyou University, Xi'an, China

**Source title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Abbreviated source title:** Proc. - Int. Conf. Enterp. Syst.: Adv. Enterp. Syst., ES

**Part number:** 1 of 1

**Issue title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Issue date:** March 16, 2017

**Publication year:** 2016

**Pages:** 60-67

**Article number:** 7880473

**Language:** English

**ISBN-13:** 9780769559841

**Document type:** Conference article (CA)

**Conference name:** 4th International Conference on Enterprise Systems, ES 2016

**Conference date:** November 2, 2016 - November 3, 2016

**Conference location:** Melbourne, VIC, Australia

**Conference code:** 126897

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Today's Enterprises are facing many challenges in the service oriented, customer experience centric and customer demand driven global environment where ICT is becoming the leading enabler and partner of the modern enterprise. In the last decade, many enterprises have invested heavily in SOA-aligned IT transformations, but not harvested what SOA promised to provide. Now the API and Microservice paradigm has emerged as the 'next big thing' for delivering IT outcomes to support the modern enterprise, with many technology vendors and service jumping on the bandwagon. This paper undertakes a critical investigation of the key concepts around SOA, API and Microservices, identifying similarities and differences between them and dispelling the confusion and hype around them. Based on our discussion and analysis, this paper presents a set of recommendations and best practices on the effective use and management of enterprise software components, drawing upon the best of SOA, API and Microservice concepts and practice. © 2016 IEEE.

**Number of references:** 6

**Main heading:** Enterprise software

**Controlled terms:** Service oriented architecture (SOA) - Information services

**Uncontrolled terms:** Architecture designs - Customer demands - Customer experience - Enterprise Architecture - Global environment - microservice - Service Oriented - Technology vendors

**Classification code:** 722.4 Digital Computers and Systems - 723 Computer Software, Data Handling and Applications - 903.4 Information Services

**DOI:** 10.1109/ES.2016.14

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 111. Compensation and calibration of the high temperature and pressure downhole pressure sensor

**Accession number:** 20162402493423

**Authors:** Dang, Ruirong (1); Zhang, Hongwei (1); Song, Nan (1); Dang, Bo (1); Wang, Dengyue (1)

**Author affiliation:** (1) Xi'an ShiYou University, Well Logging the Ministry of Education Key Laboratory Testing of Xi'an ShiYou University Oil and Gas photoelectric, Xi'an; 710065, China

**Source title:** Yi Qi Yi Biao Xue Bao/Chinese Journal of Scientific Instrument

**Abbreviated source title:** Yi Qi Yi Biao Xue Bao

**Volume:** 37

**Issue:** 4

**Issue date:** April 1, 2016

**Publication year:** 2016

**Pages:** 737-743

**Language:** Chinese

**ISSN:** 02543087

**CODEN:** YYXUDY

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** Downhole pressure needs to be monitored by the electrical submersible pump, reservoir monitoring system and intelligent well system in long time, and the pressure testing device is an important part of it. It is important to reflect the real-time status of producing well. The temperature compensation and linearization calibration should be added on the pressure sensor because the downhole temperature changes rapidly with the depth increasing. The temperature drift and linearity errors exist in the piezoresistive force sensor. Because of the complicated downhole environment and there is no CPU processing in the acquisition circuit, it's difficult to realize the temperature

compensation with the software. Through the analysis and research, the circuit MAX1452 signal conditioning chip is used for compensation and calibration of pressure sensors, and the precision of the pressure sensor can reach 0.1%. The compensation principle and implementation methods are analyzed. After the experiment and analysis, it's clear that the output current of the compensated system exhibits good linearity during the temperature range from -40~125. © 2016, Science Press. All right reserved.

**Number of references:** 17

**Main heading:** Pressure sensors

**Controlled terms:** Submersible pumps - Submersibles - Calibration - Temperature distribution

**Uncontrolled terms:** Electrical submersible pumps - Experiment and analysis - High temperature and pressure - Intelligent well systems - Linearization calibration - MAX1452 - Piezoresistive force sensors - Temperature compensation

**Classification code:** 618.2 Pumps - 641.1 Thermodynamics - 674.1 Small Marine Craft - 944.3 Pressure Measuring Instruments

**Numerical data indexing:** Percentage 1.00e-01%

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 112. Identification to oil cracking in east of Sichuan Basin ([Open Access](#))

**Accession number:** 20164903086621

**Authors:** Guo, Jian Ming (1); Li, Yan Xia (2)

**Author affiliation:** (1) School of Petroleum Engineering, Xi'an Shiyou University, Shaanxi, xi'an; 710065, China; (2) School of Earth Sciences and Engineering, Xi'an Shiyou University, Shaanxi xi'an; 710065, China

**Corresponding author:** Guo, Jian Ming(jmguo@xsyu.edu.cn)

**Source title:** IOP Conference Series: Earth and Environmental Science

**Abbreviated source title:** IOP Conf. Ser. Earth Environ. Sci.

**Volume:** 40

**Part number:** 1of1

**Issue:** 1

**Issue title:** 2016 International Conference on New Energy and Future Energy System, NEFES 2016

**Issue date:** September 26, 2016

**Publication year:** 2016

**Article number:** 012068

**Language:** English

**ISSN:** 17551307

**E-ISSN:** 17551315

**Document type:** Conference article (CA)

**Conference name:** 2016 International Conference on New Energy and Future Energy System, NEFES 2016

**Conference date:** August 19, 2016 - August 22, 2016

**Conference location:** Beijing, China

**Conference code:** 124675

**Publisher:** IOP Publishing Ltd

**Abstract:** In Sichuan basin the Lower Palaeozoic source rock has reached high to over-mature stage, but it is still considered that it has obvious genetic link with some gas reservoirs which were formed later. Therefore, the accumulation process between ancient high to over-mature source rock and the late formation of gas reservoirs has become one of the key factors to recognize the law of natural gas accumulation in Sichuan Basin. Based on some characteristics of Carboniferous gas reservoir in eastern basin, such as the gas compositions, stable carbon isotope, it is found that the gas reservoir is oil-cracking gas. The result reveals that the formation and evolution of present gas reservoir is that an ancient oil pool experienced the processes of forming, accumulating, destructing, and thermal maturing and cracking into gas reservoir. © Published under licence by IOP Publishing Ltd.

**Number of references:** 16

**Main heading:** Gases

**Controlled terms:** Petroleum prospecting - Petroleum reservoir engineering - Petroleum reservoirs

**Uncontrolled terms:** Carboniferous gas reservoirs - Eastern basins - Formation and evolutions - Gas compositions - Lower Palaeozoic - Natural-gas accumulation - Oil-cracking gas - Stable carbon isotopes

**Classification code:** 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations

**DOI:** 10.1088/1755-1315/40/1/012068

**Compendex references:** YES

**Open Access type(s):** All Open Access, Bronze

**Database:** Compendex  
**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 113. Reliability analysis of double derrick based on stress analysis

**Accession number:** 20154301425685  
**Authors:** Zhu, Lin (1); Geng, Yi (1)  
**Author affiliation:** (1) Xi'an Shiyou University, Dian Zi 2 Road, Xi'an, China  
**Source title:** Key Engineering Materials  
**Abbreviated source title:** Key Eng Mat  
**Volume:** 667  
**Issue date:** 2016  
**Publication year:** 2016  
**Pages:** 548-554  
**Language:** English  
**ISSN:** 10139826  
**E-ISSN:** 16629795  
**CODEN:** KEMAEY

**Document type:** Journal article (JA)  
**Publisher:** Trans Tech Publications Ltd

**Abstract:** The double derrick as an important part of the drilling rig hoisting system in deep sea oil and gas development, its working environment is much more complex than land rigs working environment. Therefore, in order to ensure the quality of drilling, it is very important to analyze the reliability of the deep double derrick structure and its dynamic load characteristic. Based on the ANSYS software to establish finite element model of double derrick, through the static analyzing to the derrick, get the stress distribution of the derrick structure in static action and the derrick stress deformation trend, provided a reference for evaluation of derrick. Selected the calculation method of double derrick overall reliability index, and according to the results of the finite element calculation of static strength calculated the double derrick overall reliability index, compared with the general standard, know that double derrick with high reliability. © (2016) Trans Tech Publications, Switzerland.

**Number of references:** 5

**Main heading:** Reliability analysis

**Controlled terms:** Stress analysis - Finite element method - Cranes - Dynamic loads - Static analysis

**Uncontrolled terms:** High reliability - Hoisting system - Load characteristics - Reference for evaluation - Reliability Index - Static strength - Stress deformations - Working environment

**Classification code:** 408.1 Structural Design, General - 693.1 Cranes - 723.5 Computer Applications - 921.6 Numerical Methods - 951 Materials Science

**DOI:** 10.4028/www.scientific.net/KEM.667.548

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 114. Physical property research of CO<sub>2</sub> in Yan Chang Oilfield pipeline transportation

**Accession number:** 20174804462206  
**Authors:** Chen, Bing (1); Xiao, Hongliang (1); Cao, Shuangge (1)  
**Author affiliation:** (1) Department of Mechanical Engineering, Xi'an Shiyou University, Shaanxi, China  
**Corresponding author:** Chen, Bing(bchen@xsyu.edu.cn)  
**Source title:** IET Conference Publications  
**Abbreviated source title:** IET Conf Publ  
**Volume:** 2016  
**Part number:** 1 of 1  
**Issue:** CP706  
**Issue date:** 2016  
**Publication year:** 2016  
**Language:** English  
**ISBN-13:** 9781785614026  
**Document type:** Conference article (CA)  
**Conference name:** 2016 International Field Exploration and Development Conference, IFEDC 2016  
**Conference date:** August 11, 2016 - August 12, 2016

**Conference location:** Beijing, China

**Conference code:** 131863

**Publisher:** Institution of Engineering and Technology, United States

**Abstract:** The capture, utilization and storage (CCUS) of CO<sub>2</sub> has become a hot topic in the current environmental protection field. What's more, CO<sub>2</sub> gas sources contain various impurities, which may have a great influence on the physical properties of CO<sub>2</sub>. So understanding the physical and chemical properties of CO<sub>2</sub> with impurities as well as the differences of between it and pure CO<sub>2</sub>, is the basis of carrying out pipeline technology for transporting CO<sub>2</sub>. By comparing the various equations of state, we choose PR equation to calculate the phase state and physical properties of CO<sub>2</sub> containing impurities. In addition, we have used HYSYS software conduct research on 30 MT/a CO<sub>2</sub> with impurities of Yan Chang Oilfield. The study shows that its critical point is T=30.37°C, P=7.55MPa. Compared with the pure CO<sub>2</sub>, its critical temperature reduces, critical pressure rises, and there is a two-phase region in the phase diagram, which indicates that the existence of impurities makes it harder to convey CO<sub>2</sub> in the pipeline. In the vicinity of critical point, tiny changes from pressure and temperature will make its density, viscosity, thermal conductivity and compression coefficient vary in a large range. Currently, China hasn't established long-distance pipeline to transport CO<sub>2</sub>, and we also lack the experience of conveying CO<sub>2</sub> with impurities in pipeline. However, the physical properties of CO<sub>2</sub> containing impurities is primary problem to solve in the pipeline transportation. This paper supplies some its physical properties, which is the fundamental work of developing pipeline transportation for CO<sub>2</sub>.

**Number of references:** 12

**Main heading:** Carbon dioxide

**Controlled terms:** Oil well flooding - Thermal conductivity - Environmental protection - Equations of state - Pipelines

**Uncontrolled terms:** CCUS - Compression coefficients - Critical temperatures - Long distance pipelines - Physical and chemical properties - Pipe-line transportations - Pipeline technology - Pressure and temperature

**Classification code:** 454.2 Environmental Impact and Protection - 511.1 Oil Field Production Operations - 619.1 Pipe, Piping and Pipelines - 641.1 Thermodynamics - 804.2 Inorganic Compounds

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 115. Analytic expression of the aperture averaging function for Cassegrain system

**Accession number:** 20165203170003

**Authors:** Yang, Changqi (1); Xu, Ning (1); Liu, Simin (1); Wu, Zhimin (1); Yang, Liuyi (1); Tu, Xiaoyu (1); Wang, Fan (1)

**Author affiliation:** (1) School of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016 - Proceedings

**Abbreviated source title:** Prog. Electromagn. Res. Symp., PIERS - Proc.

**Part number:** 1of1

**Issue title:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016 - Proceedings

**Issue date:** November 3, 2016

**Publication year:** 2016

**Pages:** 2954-2958

**Article number:** 7735165

**Language:** English

**ISBN-13:** 9781509060931

**Document type:** Conference article (CA)

**Conference name:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016

**Conference date:** August 8, 2016 - August 11, 2016

**Conference location:** Shanghai, China

**Conference code:** 124897

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Aperture averaging effect can smooth the optical signal fluctuations. Generally, the aperture function is assumed to be a single circle when its aperture averaging function  $K_0$  is calculated. In recent years,  $K_0$  function of a complex receiving aperture is also discussed. Actually, Cassegrain system is usually used as a telescope for free-space optical communication. There is a little bit difference from the previous analysis when Cassegrain system is used to analyze aperture averaging effect.  $K_0$  function of Cassegrain system is analyzed in this paper. The calculation result can be used to establish simulation model for optical propagation system. © 2016 IEEE.

**Number of references:** 4

**Main heading:** Optical communication

**Uncontrolled terms:** Analytic expressions - Aperture averaging - Aperture function - Calculation results - Free Space Optical communication - Optical signals - Receiving aperture - Simulation model

**Classification code:** 717.1 Optical Communication Systems

**DOI:** 10.1109/PIERS.2016.7735165

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 116. Slow-light effects in microfiber coil resonator

**Accession number:** 20170203232326

**Authors:** Ma, Cheng-Ju (1); Fu, Hai-Wei (1); Liu, Ying-Gang (1)

**Author affiliation:** (1) School of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Proceedings of SPIE - The International Society for Optical Engineering

**Abbreviated source title:** Proc SPIE Int Soc Opt Eng

**Volume:** 10158

**Part number:** 1of1

**Issue title:** Optical Communication and Optical Fiber Sensors and Optical Memories for Big Data Storage

**Issue date:** 2016

**Publication year:** 2016

**Article number:** 1015803

**Language:** English

**ISSN:** 0277786X

**E-ISSN:** 1996756X

**CODEN:** PSISDG

**ISBN-13:** 9781510607743

**Document type:** Conference article (CA)

**Conference name:** International Symposium on Optical Communication and Optical Fiber Sensors and the International Symposium on Optical Memories for Big Data Storage

**Conference date:** May 9, 2016 - May 11, 2016

**Conference location:** Beijing, China

**Conference code:** 125533

**Sponsor:** China High-Tech Industrialization Association (CHIA); Chinese Society for Optical Engineering (CSOE)

**Publisher:** SPIE

**Abstract:** At present, miniaturized, low loss and integrated slow-light elements are the urgent needs for the slow-light technology development. In this paper, we study the slow-light effects in a compact microfiber coil resonator (MCR) structure and fabricate the compact MCR slow-light element. Furthermore, we test its slow-light properties and find that the optical pulse propagating in the MCR can be delayed about 30 ps. By calculating, we find that the group velocity of the light pulse propagating in the MCR slow-light element can be reduced to about  $0.47c$  ( $c$  is the speed of light in vacuum) and the shape of the light pulse passing through the MCR keeps well. © 2016 SPIE.

**Number of references:** 16

**Main heading:** Slow light

**Controlled terms:** Resonators - Light velocity - Light transmission - Light

**Uncontrolled terms:** Coupled wave theory - Group velocities - Light effects - Light elements - Light properties - Light pulse propagating - Microfiber coil resonators - Technology development

**Classification code:** 741.1 Light/Optics

**Numerical data indexing:** Time  $3.00e-11$ s

**DOI:** 10.1117/12.2243592

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 117. Comparative analysis of the aperture averaging function between Cassegrain system and singular aperture system

**Accession number:** 20165203170282

**Authors:** Yang, Changqi (1); Xu, Ning (1); Wu, Zhimin (1); Wang, Fan (1); Liu, Simin (1); Yang, Liuyi (1); Tu, Xiaoyu (1)

**Author affiliation:** (1) School of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016 - Proceedings

**Abbreviated source title:** Prog. Electromagn. Res. Symp., PIERS - Proc.

**Part number:** 1of1

**Issue title:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016 - Proceedings

**Issue date:** November 3, 2016

**Publication year:** 2016

**Pages:** 1943-1945

**Article number:** 7734837

**Language:** English

**ISBN-13:** 9781509060931

**Document type:** Conference article (CA)

**Conference name:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016

**Conference date:** August 8, 2016 - August 11, 2016

**Conference location:** Shanghai, China

**Conference code:** 124897

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** In free-space optical communication, aperture averaging effect can be used to optimize receiver design.

A variety of factors contribute to aperture averaging effect, such as the receiving aperture, the light source, and the turbulence link. Cassegrain system is usually used as the receiver. It is technically feasible to optimally design the light source according to Cassegrain system's aperture averaging function and the turbulent propagation path. The aperture averaging functions of Cassegrain system and single aperture system are analyzed in this paper. The results show that the average aperture function of Cassegrain system decreases significantly. Large obscuration ratio can significantly reduce the value of K0 function. © 2016 IEEE.

**Number of references:** 3

**Main heading:** Light sources

**Controlled terms:** Optical communication

**Uncontrolled terms:** Aperture averaging - Aperture function - Comparative analysis - Free Space Optical communication - Propagation paths - Receiver design - Receiving aperture - Single aperture

**Classification code:** 717.1 Optical Communication Systems

**DOI:** 10.1109/PIERS.2016.7734837

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 118. Technique of weight factor shifting for aperture averaging

**Accession number:** 20161502207870

**Authors:** Yang, Changqi (1)

**Author affiliation:** (1) School of Sciences, Xi'an Shiyu University, Xi'an; 710065, China

**Corresponding author:** Yang, Changqi(changqiyang@foxmail.com)

**Source title:** Applied Optics

**Abbreviated source title:** Appl. Opt.

**Volume:** 55

**Issue:** 4

**Issue date:** February 1, 2016

**Publication year:** 2016

**Pages:** 654-659

**Language:** English

**ISSN:** 1559128X

**E-ISSN:** 21553165

**CODEN:** APOPAI

**Document type:** Journal article (JA)

**Publisher:** OSA - The Optical Society

**Abstract:** A singular aperture receiver is usually used in a free-space optical communication system. To increase the received optical flux, a larger diameter receiver is preferred, but this approach causes a sharp increase in cost. It also limits the large-scale civil use of free-space optical communications. This paper proposes a technique called aperture averaging weight factor shifting and designs a new type of receiver that can greatly reduce the cost of a free-space optical communication system. This paper offers a comparative analysis of two types of receivers for optical scintillation and proves theoretically that using this new type of receiver does not degrade the performance. © 2016 Optical Society of America.

**Number of references:** 8

**Main heading:** Optical communication

**Controlled terms:** Optical constants

**Uncontrolled terms:** Aperture averaging - Comparative analysis - Free Space Optical communication - Free space optical communication systems - Optical flux - Optical scintillation - Sharp increase - Weight factor

**Classification code:** 717.1 Optical Communication Systems - 741.1 Light/Optics

**DOI:** 10.1364/AO.55.000654

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 119. Laser atmospheric propagation performance analysis for a 300-meter path

**Accession number:** 20165203170283

**Authors:** Yang, Changqi (1); Xu, Ning (1); Wu, Zhimin (1); Wang, Fan (1); Liu, Simin (1); Yang, Liuyi (1); Tu, Xiaoyu (1)

**Author affiliation:** (1) School of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016 - Proceedings

**Abbreviated source title:** Prog. Electromagn. Res. Symp., PIERS - Proc.

**Part number:** 1of1

**Issue title:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016 - Proceedings

**Issue date:** November 3, 2016

**Publication year:** 2016

**Pages:** 1946-1948

**Article number:** 7734838

**Language:** English

**ISBN-13:** 9781509060931

**Document type:** Conference article (CA)

**Conference name:** 2016 Progress In Electromagnetics Research Symposium, PIERS 2016

**Conference date:** August 8, 2016 - August 11, 2016

**Conference location:** Shanghai, China

**Conference code:** 124897

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Research in the field of laser atmospheric propagation has been continued for many years. Due to the atmospheric turbulence, the actual systems are facing a lot of technical problems. It leads to the difficulty of large-scale civilian use of laser communication. In this paper, the parameters of a laser transmission experiment are analyzed. The study of laser atmospheric propagation is usually based on the first-order Rytov approximation. In this paper, we analyze the optical propagation parameters based on both of the first-order and second-order Rytov approximation. © 2016 IEEE.

**Number of references:** 6

**Main heading:** Atmospheric turbulence

**Uncontrolled terms:** Actual system - Atmospheric propagation - First order - Laser transmission - Performance analysis - Propagation parameters - Rytov approximation - Second orders

**Classification code:** 443.1 Atmospheric Properties - 631.1 Fluid Flow, General

**Numerical data indexing:** Size 3.00e+02m

**DOI:** 10.1109/PIERS.2016.7734838

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 120. Experiment of treatment of polluted sand on well site in the oil field

**Accession number:** 20174804462209

**Authors:** Li, Jingming (1)

**Author affiliation:** (1) School of Mechanical Engineering, Xi'an Shiyou University, Xi'an, China

**Corresponding author:** Li, Jingming(lijm@xsyu.edu.cn)

**Source title:** IET Conference Publications

**Abbreviated source title:** IET Conf Publ

**Volume:** 2016

**Part number:** 1 of 1

**Issue:** CP706

**Issue date:** 2016

**Publication year:** 2016

**Language:** English

**ISBN-13:** 9781785614026

**Document type:** Conference article (CA)

**Conference name:** 2016 International Field Exploration and Development Conference, IFEDC 2016

**Conference date:** August 11, 2016 - August 12, 2016

**Conference location:** Beijing, China

**Conference code:** 131863

**Publisher:** Institution of Engineering and Technology, United States

**Abstract:** On the analysis of the characteristics of the sample from the oil field, experiments are carried out through hydrocyclone on the sample with different concentration of the solid phase, liquid contents and temperature, flow rate in the laboratory. The results show that the hydrocyclone can be of great value to the cleaning of sand and recycling of oil and sludge by reducing the liquid content in the sand to be fewer than 1% which is far below the national standard 3%. The adoption of the hydrocyclone can do great favors to the reutilization of the useful liquid and the protection of the environment, which can also make certain social profit.

**Number of references:** 5

**Main heading:** Sand

**Controlled terms:** Cyclone separators - Liquids

**Uncontrolled terms:** Cleanness - Hydro-cyclone - Liquid contents - National standard - Protection of the environments - Re-utilization - Solid-phase - Treatment

**Classification code:** 483.1 Soils and Soil Mechanics - 802.1 Chemical Plants and Equipment

**Numerical data indexing:** Percentage 1.00e+00%, Percentage 3.00e+00%

**Funding Details:** Number: 2016JM5046, Acronym: -, Sponsor: -; Number: 14JK1582, Acronym: -, Sponsor: Education Department of Shaanxi Province;

**Funding text:** This work is Supported by Natural Science Basic Research Plan in Shaanxi Province of China (Program No. 2016JM5046)and Scientific Research Program Funded by Shaanxi Provincial Education Department (Program No. 14JK1582).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 121. Design and implementation of remote control system between android platform

**Accession number:** 20171403533500

**Authors:** Wang, Kui-Sheng (1); Hou, Yan (1); Xu, Ying-Zhuo (1)

**Author affiliation:** (1) College of Computer Science, Xi'an Shiyou University, Xi'an, China

**Source title:** Proceedings - 2016 International Conference on Information System and Artificial Intelligence, ISAI 2016

**Abbreviated source title:** Proceedings - 2016 International Conference on Information System and Artificial Intelligence, ISAI 2016

**Part number:** 1 of 1

**Issue title:** Proceedings - 2016 International Conference on Information System and Artificial Intelligence, ISAI 2016

**Issue date:** January 12, 2017

**Publication year:** 2016

**Pages:** 143-147

**Article number:** 7816692

**Language:** English

**ISBN-13:** 9781509015856

**Document type:** Conference article (CA)

**Conference name:** 2016 International Conference on Information System and Artificial Intelligence, ISAI 2016

**Conference date:** June 24, 2016 - June 26, 2016

**Conference location:** Hong Kong, China

**Conference code:** 125875

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Focused on the issue that the mobile terminal can not remote control each other, a remote control system between Android platforms was proposed. The system is a typical C/S mode, follow the specification of Android application, to achieve the remote control between two Android system developed by Java language. Firstly, it analyzes the key technologies of the system, like the architecture of Android system, RFB protocol and Java Socket

system, Secondly, it builds the structure model of the system, system framework, system module hierarchy and system processes, then, it analyzes in detail the function of the system layers, each module function and system processes, Finally, it realizes the remote control between Android platform through the testing on a mobile device. © 2016 IEEE.

**Number of references:** 15

**Main heading:** Remote control

**Controlled terms:** Android (operating system) - C (programming language) - Java programming language - Control systems - Network architecture

**Uncontrolled terms:** Android applications - Android platforms - Android systems - Design and implementations - Frame buffer - Java language - Structure modeling - System flow

**Classification code:** 723 Computer Software, Data Handling and Applications - 723.1.1 Computer Programming Languages - 731.1 Control Systems

**DOI:** 10.1109/ISAI.2016.0039

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 122. Robust adaptive filtering method for dynamic attitude measurement of steering drilling

**Accession number:** 20164202902524

**Authors:** Gao, Yi (1, 2); Wang, Yue-Long (1, 2); Cheng, Wei-Bin (1, 2)

**Author affiliation:** (1) Shaanxi Key Laboratory of Measurement and Control Technology for Oil and Gas Wells, Xi'an Shiyou University, Xi'an; 710065, China; (2) School of Electronic Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Zhongguo Guanxing Jishu Xuebao/Journal of Chinese Inertial Technology

**Abbreviated source title:** Zhongguo Guanxing Jishu Xuebao

**Volume:** 24

**Issue:** 4

**Issue date:** August 1, 2016

**Publication year:** 2016

**Pages:** 437-442

**Language:** Chinese

**ISSN:** 10056734

**Document type:** Journal article (JA)

**Publisher:** Editorial Department of Journal of Chinese Inertial Technology

**Abstract:** In drilling process, there are serious interferences in the attitude measurement for the steering drilling tool under conditions of near-bit vibration of steering drilling tool, which is due to the bottom drill's string vibration and would lead to inaccurate attitude measurement. In order to eliminate or weaken these adverse vibration influences on the space attitude measurement and calculate the accurate attitude parameters of drilling tool, a dynamic attitude measurement algorithm with robust adaptive filter is proposed which can effectively eliminate the influence of drilling tool vibration on dynamic attitude measurement and distribute information reasonably by equivalent weight function and adaptive factor. Experimental results and comparison analysis demonstrate that the proposed robust adaptive filtering can eliminate the vibration disturbance signal of the near-bit, the deviation angle can be controlled to about  $5.5^\circ$ , and the tool face angle error is less than  $6^\circ$ . It improves the dynamic measurement accuracy of attitude parameters and solves the problem of uncertainty in dynamic attitude measurement of steering drilling tool. © 2016, Editorial Department of Journal of Chinese Inertial Technology. All right reserved.

**Number of references:** 17

**Main heading:** Adaptive filters

**Controlled terms:** Drills - Bandpass filters - Parameter estimation - Uncertainty analysis - Adaptive filtering - Vibration analysis

**Uncontrolled terms:** Attitude measurement - Comparison analysis - Drill string vibrations - Dynamic measurement - Dynamic measurement accuracy - Robust estimation - Vibration disturbances - Vibration influence

**Classification code:** 603.2 Machine Tool Accessories - 703.2 Electric Filters - 922.1 Probability Theory

**DOI:** 10.13695/j.cnki.12-1222/o3.2016.04.004

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 123. Photoluminescence mechanism of annealed ZnO/Zn/Al<sub>2</sub>O<sub>3</sub> sandwich structures deposited on glass substrates

**Accession number:** 20160301817949

**Authors:** Chen, Haixia (1); Ding, Jijun (1); Guo, Wenge (1)

**Author affiliation:** (1) School of Science, Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China

**Corresponding author:** Chen, Haixia(chxia8154@163.com)

**Source title:** Ceramics International

**Abbreviated source title:** Ceram Int

**Volume:** 42

**Issue:** 4

**Issue date:** March 1, 2016

**Publication year:** 2016

**Pages:** 5082-5088

**Language:** English

**ISSN:** 02728842

**CODEN:** CINNDH

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** ZnO/Zn/Al<sub>2</sub>O<sub>3</sub> sandwich structures are grown on glass substrates by magnetron sputtering. The effect of Al<sub>2</sub>O<sub>3</sub> layers on optical properties of ZnO/Zn/Al<sub>2</sub>O<sub>3</sub> sandwich structures is investigated. Results indicated that as the deposition time of Al<sub>2</sub>O<sub>3</sub> increases, violet peak centered at 402 nm gradually shifted to 412 nm and the intensity firstly decreases and then increases. We discuss the intensity change and shift of violet peak relating to VZn defects and the band alignment of ZnO/Zn/Al<sub>2</sub>O<sub>3</sub> sandwich structures, respectively. We proposed that ZnO/Zn/Al<sub>2</sub>O<sub>3</sub> sandwich structures can be approximately regarded as a quasiquantum-well-like structure. So the electron tunneling from Zn to Al<sub>2</sub>O<sub>3</sub> layer is suppressed and the photogenerated carriers can be confined in the Zn Fermi level. In order to further understand the effect of posttreatment on optical properties of samples, samples are annealed in vacuum at 350 °C for 1 h. PL emissions are weakened with the increase of Al<sub>2</sub>O<sub>3</sub> deposition time. Interestingly, at a same deposition condition, PL emissions are still improved after posttreatment. Combined Al<sub>2</sub>O<sub>3</sub> layer modulation with annealing treatment, steady PL properties can be effectively improved. © 2015 Elsevier Ltd and Techna Group S.r.l.

**Number of references:** 36

**Main heading:** Zinc oxide

**Controlled terms:** Photoluminescence - Optical properties - Annealing - Binary alloys - Alumina - Aluminum oxide - Glass substrates - Deposition - II-VI semiconductors - Electron tunneling - Zinc - Glass - Structural properties

**Uncontrolled terms:** Annealing treatments - Band alignments - Deposition conditions - Glass substrates - Intensity change - Interlayer - Photogenerated carriers - Photoluminescence mechanism

**Classification code:** 408 Structural Design - 537.1 Heat Treatment Processes - 546.3 Zinc and Alloys - 712.1 Semiconducting Materials - 741.1 Light/Optics - 802.3 Chemical Operations - 804.2 Inorganic Compounds - 812.3 Glass - 813.2 Coating Materials - 951 Materials Science

**Numerical data indexing:** Size 4.02e-07m, Size 4.12e-07m, Temperature 6.23e+02K, Time 3.60e+03s

**DOI:** 10.1016/j.ceramint.2015.12.022

**Funding Details:** Number: YS29031223, Acronym: -, Sponsor: -; Number: 11447116, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 12JK0426, Acronym: -, Sponsor: -;

**Funding text:** This work was supported by the National Natural Science Foundations of China (Grant nos. 11447116 and 11304246 ), Special Program for Scientific Research of Shaanxi Educational Committee (Grant no. 12JK0426 ) and the Doctoral Scientific Research Startup Foundation of Xi'an Shiyou University (Grant no. YS29031223 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 124. Industry 4.0 development and application of intelligent manufacturing

**Accession number:** 20171403533605

**Authors:** Cheng, Guo-Jian (1); Liu, Li-Ting (1); Qiang, Xin-Jian (1); Liu, Ye (1)

**Author affiliation:** (1) School of Computer Science, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Proceedings - 2016 International Conference on Information System and Artificial Intelligence, ISAI 2016

**Abbreviated source title:** Proceedings - 2016 International Conference on Information System and Artificial Intelligence, ISAI 2016

**Part number:** 1 of 1

**Issue title:** Proceedings - 2016 International Conference on Information System and Artificial Intelligence, ISAI 2016

**Issue date:** January 12, 2017

**Publication year:** 2016

**Pages:** 407-410

**Article number:** 7816745

**Language:** English

**ISBN-13:** 9781509015856

**Document type:** Conference article (CA)

**Conference name:** 2016 International Conference on Information System and Artificial Intelligence, ISAI 2016

**Conference date:** June 24, 2016 - June 26, 2016

**Conference location:** Hong Kong, China

**Conference code:** 125875

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Last several years, industrial and information technology field have undergone profound changes, entering 'Industry 4.0' era. Industry4.0, as a representative of the future of the Fourth Industrial Revolution, evolved from embedded system to the Cyber Physical System (CPS). Manufacturing will be via the Internet, to achieve Internal and external network integration, toward the intelligent direction. This paper introduces the development of Industry 4.0, and the Cyber Physical System is introduced with the example of the Wise Information Technology of 120 (WIT120), then the application of Industry 4.0 in intelligent manufacturing is put forward through the digital factory to the intelligent factory. Finally, the future development direction of Industry 4.0 is analyzed, which provides reference for its application in intelligent manufacturing. © 2016 IEEE.

**Number of references:** 8

**Main heading:** Industry 4.0

**Controlled terms:** Embedded systems - Cyber Physical System

**Uncontrolled terms:** Cyber-physical systems (CPS) - Development and applications - Development directions - Digital factories - External network - Industrial revolutions - Intelligent Manufacturing - ITS applications

**Classification code:** 913.4 Manufacturing

**DOI:** 10.1109/ISAI.2016.0092

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 125. Numerical simulation analysis of the flow field and convective heat transfer in new super open rack vaporizer

**Accession number:** 20181304945124

**Authors:** Deng, Zhian (1); Hui, Kai (1); Zhang, Yan (1); Cao, Yanqiang (1)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Hui, Kai(523167518@qq.com)

**Source title:** Applied Thermal Engineering

**Abbreviated source title:** Appl Therm Eng

**Volume:** 106

**Issue date:** 5 August 2016

**Publication year:** 2016

**Pages:** 721-730

**Language:** English

**ISSN:** 13594311

**CODEN:** ATENFT

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** With the rapid development of Chinese natural gas industry, vaporizer as the key equipment is used to regasify LNG to meet the requirement of fuel gas in industrial and domestic purposes. In this paper, a new super open rack vaporizer (SuperORV) model is proposed, added a cross-shaped twisted tape insert to the inner tube based on the conventional vaporizer heat transfer tube. Physical and mathematical models are established, the results from the model exhibit a good agreement with experiment data, which implies the calculation model is reliable. Base on this, the heat transfer process of two kinds of superORV heat transfer tube is simulated numerically. The temperature profiles along the heat transfer tube are obtained, the heat transfer performance and the local heat transfer are analyzed, the heat transfer coefficient profiles against temperature and heat transfer tube length are also discussed. The effects of superORV heat transfer tube with LNG pressure and screw pitch are obtained. The results show that the cross-shaped

twisted tape insert has a significant effect on enhancing heat transfer performance of new heat transfer tube. The heat transfer performance of new super open rack vaporizer is visible. © 2016 Elsevier Ltd

**Number of references:** 16

**Main heading:** Tubes (components)

**Controlled terms:** Gas industry - Heat transfer coefficients - Numerical models - Heat convection

**Uncontrolled terms:** Convective heat transfer - Enhanced heat transfer - Enhancing heat transfer - Heat transfer process - Numerical simulation analysis - Temperature profiles - Twisted tape insert - Vaporizer

**Classification code:** 522 Gas Fuels - 619.1 Pipe, Piping and Pipelines - 641.2 Heat Transfer - 921 Mathematics

**DOI:** 10.1016/j.applthermaleng.2016.03.071

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 126. Numerical calculation of heat transfer characteristics of SuperORV heat transfer tube at supercritical pressure

**Accession number:** 20163902835485

**Authors:** Pan, Jie (1); Lü, Tao (1); Li, Ran (1); Wu, Gang (1)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Kung Cheng Je Wu Li Hsueh Pao/Journal of Engineering Thermophysics

**Abbreviated source title:** Kung Cheng Je Wu Li Hsueh Pao

**Volume:** 37

**Issue:** 9

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 1926-1934

**Language:** Chinese

**ISSN:** 0253231X

**CODEN:** KCJPDF

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** Super open rack vaporizer (SuperORV) is a new-type vaporizer using sea water as heat source, which is widely used in liquefied natural gas (LNG) receiving terminal. The vaporizer consists of panel-shaped heat transfer tubes with double tube structure, which has good heat transfer performance. At present, due to a lack of in-depth studies on SuperORV heat transfer tube, the heat transfer enhancement mechanisms are still indistinct. In particular, the heat transfer performance at supercritical pressure hasn't been investigated. Aimed at the heat transfer processes in both vaporizing section and heating section of SuperORV heat transfer tube, in this paper a distributed parameter model was built based on the energy conservation between LNG and seawater. On this basis, the heat transfer characteristics of SuperORV heat transfer tube at supercritical pressure were calculated and analyzed numerically, and the effects of the operating parameters and the heat transfer enhancement measures (inner fins and twisted tape insert) on heat transfer performance were also discussed. The results exhibit that the SuperORV heat transfer tube has good heat transfer characteristics at supercritical pressure, which can apparently suppress icing on the tube surface and improve the LNG vaporizing efficiency. LNG ow rate and inlet distribution ratio, and seawater/LNG ow ratio have important influences on the heat transfer performance of heat transfer tube, including minimum tube length, ice layer length and ice thickness, whereas the operating pressure has little effect to heat transfer. Both inner fins and twisted tape insert have obvious enhancement in heat transfer and can effectively improve the heat transfer performance of SuperORV heat transfer tube. While both above-mentioned heat transfer enhancement measures were applied in SuperORV heat transfer tube, the required minimum tube length is shortened by more than 40%. © 2016, Science Press. All right reserved.

**Number of references:** 22

**Main heading:** Fins (heat exchange)

**Controlled terms:** Seawater - Tubes (components) - Heat transfer coefficients - Liquefied natural gas

**Uncontrolled terms:** Distributed-parameter model - Heat transfer characteristics - Numerical calculation - Supercritical pressures - SuperORV

**Classification code:** 471.4 Seawater, Tides and Waves - 523 Liquid Fuels - 616.1 Heat Exchange Equipment and Components - 619.1 Pipe, Piping and Pipelines - 641.2 Heat Transfer

**Numerical data indexing:** Percentage 4.00e+01%

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 127. Detection method of SQL injection attack in cloud computing environment

**Accession number:** 20171403535069

**Authors:** Wang, Kuisheng (1); Hou, Yan (1)

**Author affiliation:** (1) College of Computer Science and Technology, Xi'an Shiyou University, China

**Source title:** Proceedings of 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Abbreviated source title:** Proc. IEEE Adv. Inf. Manag., Commun., Electron. Autom. Control Conf., IMCEC

**Part number:** 1 of 1

**Issue title:** Proceedings of 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Issue date:** February 28, 2017

**Publication year:** 2016

**Pages:** 487-493

**Article number:** 7867260

**Language:** English

**ISBN-13:** 9781467396127

**Document type:** Conference article (CA)

**Conference name:** 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Conference date:** October 3, 2016 - October 5, 2016

**Conference location:** Xi'an, China

**Conference code:** 126706

**Sponsor:** Chongqing Global Union Academy of Science and Technology; Global Union Academy of Science and Technology; IEEE Beijing Section; Xi'an Peihua University

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** For the issues that the Web service is easy to suffer from SQL injection attacks in cloud computing environment. This paper proposes a kind of SQL detection method which combined with dynamic taint analysis and input filtering. And it is embedded in the cloud environment to achieve the protection of the Web applications in cloud deployment. First, the method obtains the SQL keywords through the analysis of lexical regulation for SQL statement. Then, it analyses the syntax regulation of SQL statement to create the rule tree. Finally, it traverses ternary tree on the basis of the model which established by SQL syntax regulation to detect the attacks. Experimental results show that the method is effective and feasible. Also, the accuracy is improved by adding the detection module. © 2016 IEEE.

**Number of references:** 11

**Main heading:** Cloud computing

**Controlled terms:** Syntactics - Computer crime - Forestry - Web services

**Uncontrolled terms:** Attack detection - Cloud computing environments - Cloud deployments - Cloud environments - Dynamic Taint Analysis - SQL injection - Sql injection attacks - Syntax analysis

**Classification code:** 722.4 Digital Computers and Systems - 821 Agricultural Equipment and Methods; Vegetation and Pest Control

**DOI:** 10.1109/IMCEC.2016.7867260

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 128. Calculation of the gas flow rate through breather valve based on the method of peak mass conversation (PMC)

**Accession number:** 20162202440127

**Authors:** Kang, Yong (1)

**Author affiliation:** (1) Petroleum Engineering College, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China

**Corresponding author:** Kang, Yong(ykang@xsyu.edu.cn)

**Source title:** Huagong Jinzhan/Chemical Industry and Engineering Progress

**Abbreviated source title:** Huagong Jinzhan/Chem. Ind. Eng. Prog.

**Volume:** 35

**Issue:** 4

**Issue date:** April 5, 2016

**Publication year:** 2016

**Pages:** 1017-1021

**Language:** Chinese

**ISSN:** 10006613

**Document type:** Journal article (JA)

**Publisher:** Materials China

**Abstract:** It is one of the requirements to ensure an oil storage tank equipped with breather valves for limiting its vented oil-gas capacity and keeping it in safety. As the variations of physical parameters caused with the time by surroundings of the oil storage tank, the uncertainty of the design of breather valves is increased. There are many physical parameters affecting the gas flow rate through valves. Temperature change is a main factor. Based on temperature variations, a new method, peak mass conversation (PMC), was presented to calculate the gas flow rate through breather valve. The method is referred to the mass change process of both gas phase and liquid phase as an independent mass conservation, taken the gas phase component of the conservation as a research object, and determined its peak gas flow rate under the saturated vapor pressure as the gas flow rate through breathing valve. By applying the principle of mass conservation, the formula for calculating gas flow rate through breather valve was obtained. Compared to the common methods, the PMC is helpful to get actual values as well as improves the accuracy of breather valve design and selection. © 2016, Chemical Industry Press. All right reserved.

**Number of references:** 1

**Main heading:** Flow rate

**Controlled terms:** Flow of gases - Tanks (containers) - Gases - Safety valves

**Uncontrolled terms:** Gas-phase components - Mass conservation - Mass conversation - Oil storage tank - Physical parameters - Saturated vapor pressure - Temperature changes - Temperature variation

**Classification code:** 619.1.1 Pipe Accessories - 619.2 Tanks - 631 Fluid Flow - 631.1.2 Gas Dynamics - 914.1 Accidents and Accident Prevention - 943.2 Mechanical Variables Measurements

**DOI:** 10.16085/j.issn.1000-6613.2016.04.008

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 129. Prediction of the Scholarship Using Comprehensive Development

**Accession number:** 20171503566800

**Authors:** Wei, Wenjuan (1); Han, Jiaxin (1); Kong, Jie (1); Xia, Haiyang (1)

**Author affiliation:** (1) School of Computer Science, Xi'an ShiYou University, Shaanxi; 710065, China

**Source title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Abbreviated source title:** Proc. - Int. Conf. Enterp. Syst.: Adv. Enterp. Syst., ES

**Part number:** 1 of 1

**Issue title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Issue date:** March 16, 2017

**Publication year:** 2016

**Pages:** 183-188

**Article number:** 7880489

**Language:** English

**ISBN-13:** 9780769559841

**Document type:** Conference article (CA)

**Conference name:** 4th International Conference on Enterprise Systems, ES 2016

**Conference date:** November 2, 2016 - November 3, 2016

**Conference location:** Melbourne, VIC, Australia

**Conference code:** 126897

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** In major colleges and universities, in order to mobilize students enthusiasm for studying and participating in extracurricular activities, all colleges make an evaluation on students comprehensive quality and set different rewards regulations for the various level. The main way is to provide financial incentives, they distribute scholarship for students of meeting requirements. The Decision Tree algorithm is frequently used all the time, however, because of the tree node selected is based on attribute's mutual information, which will lead to some crucial attribute lost their decisive role. Therefore, in this paper, we focused on predicting whether students obtain scholarship on the comprehensive quality of students with Naive Bayes algorithm. © 2016 IEEE.

**Number of references:** 18

**Main heading:** Students

**Controlled terms:** Decision trees - Data mining - Forecasting

**Uncontrolled terms:** Colleges and universities - Comprehensive qualities - Decision-tree algorithm - Extracurricular activities - Financial incentives - Mutual informations - Naive-Bayes algorithm - ROC curves

**Classification code:** 723.2 Data Processing and Image Processing - 921.4 Combinatorial Mathematics, Includes Graph Theory, Set Theory - 961 Systems Science

**DOI:** 10.1109/ES.2016.30

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 130. Discovering the Academic Situation of Students by Relationship Mining

**Accession number:** 20171503566801

**Authors:** Xia, Haiyang (1); Han, Jiabin (1); Kong, Jie (1); Wei, Wenjuan (1); Zhang, Lei (1)

**Author affiliation:** (1) School of Computer Science, Xi'an ShiYou University, Shaanxi; 710065, China

**Source title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Abbreviated source title:** Proc. - Int. Conf. Enterp. Syst.: Adv. Enterp. Syst., ES

**Part number:** 1 of 1

**Issue title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Issue date:** March 16, 2017

**Publication year:** 2016

**Pages:** 189-195

**Article number:** 7880490

**Language:** English

**ISBN-13:** 9780769559841

**Document type:** Conference article (CA)

**Conference name:** 4th International Conference on Enterprise Systems, ES 2016

**Conference date:** November 2, 2016 - November 3, 2016

**Conference location:** Melbourne, VIC, Australia

**Conference code:** 126897

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** While the data mining in education field gained more and more popularity in recent years, there have many research endeavors to find association rules in students' academic situation. The current methods normally apply traditional association rules mining technique to identify those rules. However, traditional association rules mining technique can not identify difference between different types of students' academic situation. To solve this problems, we applied a novel contrast target rules mining method in this paper. Real world data set from Computer Science department of a university of China, the empirical results show the difference characteristics of different types of students in their academic situation. © 2016 IEEE.

**Number of references:** 24

**Main heading:** Association rules

**Controlled terms:** Data mining - Students

**Uncontrolled terms:** Association rules mining - Data set - Education field - Real-world - Rules mining

**Classification code:** 723.2 Data Processing and Image Processing - 903.1 Information Sources and Analysis

**DOI:** 10.1109/ES.2016.31

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 131. Study on relevance between crude oil output and meteorological factors based on NCM-Apriori

**Accession number:** 20164703032516

**Authors:** Hu, Hongtao (1); Gao, Juan (1)

**Author affiliation:** (1) College of Computer Science, Xi'an Shiyou University, Xi'an; Shaanxi Province, China

**Source title:** ICEIEC 2016 - Proceedings of 2016 IEEE 6th International Conference on Electronics Information and Emergency Communication

**Abbreviated source title:** ICEIEC - Proc. IEEE Int. Conf. Electron. Inf. Emerg. Commun.

**Part number:** 1of1

**Issue title:** ICEIEC 2016 - Proceedings of 2016 IEEE 6th International Conference on Electronics Information and Emergency Communication

**Issue date:** October 12, 2016

**Publication year:** 2016

**Pages:** 202-205

**Article number:** 7589720

**Language:** English

**ISBN-13:** 9781509019960

**Document type:** Conference article (CA)

**Conference name:** 6th IEEE International Conference on Electronics Information and Emergency Communication, ICEIEC 2016

**Conference date:** June 17, 2016 - June 19, 2016

**Conference location:** Beijing, China

**Conference code:** 124267

**Sponsor:** IEEE Hong Kong Computational Intelligence Society; Institute of Electrical and Electronics Engineers (IEEE)

**Publisher:** Institute of Electrical and Electronics Engineers Inc.

**Abstract:** Crude oil output is directly or indirectly associated with a number of factors such as reserves, geological structure, number of active wells, and production plan. Analysis of relationship between crude oil output and influencing factors plays a significant role in predicting crude oil output and planning reasonable productions. A method using NCM-Apriori algorithm to calculate the relevance between crude oil output and meteorological factors is proposed in this paper. With this method, data pre-processing based on K-Means algorithm is first conducted on daily production data of a certain oil production plant. Next, different meteorological factors are graded to achieve transaction datasets. An association analysis with NCM-Apriori algorithm is then performed on these datasets. Finally, the strong association rules related to crude oil output are selected based on settings for minimum support and minimum confidence. This method has been proven to be more simple and efficient than traditional Apriori algorithms in computation, thus providing a new reference for predicting crude oil output and developing reasonable crude oil production plans. © 2016 IEEE.

**Number of references:** 12

**Main heading:** Data mining

**Controlled terms:** Proven reserves - Association rules - Planning - Learning algorithms - Production control - Computational efficiency - Crude oil - Data handling

**Uncontrolled terms:** Apriori algorithms - Association analysis - Crude oil production - Data preprocessing - frequent item set - Geological structures - Meteorological factors - Number of factors

**Classification code:** 512.1 Petroleum Deposits - 512.1.2 Petroleum Deposits : Development Operations - 723.2 Data Processing and Image Processing - 723.4.2 Machine Learning - 903.1 Information Sources and Analysis - 912.2 Management - 913.2 Production Control

**DOI:** 10.1109/ICEIEC.2016.7589720

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 132. Test and analysis of electric arc machining characteristics of titanium alloy and high-temperature alloy

**Accession number:** 20154301425614

**Authors:** Peng, Hai (1); Zhai, Yang (1)

**Author affiliation:** (1) School of Mechanical Engineering, Xi'an Shiyou University, Xi'an, Shannxi; 710065, China

**Source title:** Key Engineering Materials

**Abbreviated source title:** Key Eng Mat

**Volume:** 667

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 123-129

**Language:** English

**ISSN:** 10139826

**E-ISSN:** 16629795

**CODEN:** KEMAEY

**Document type:** Journal article (JA)

**Publisher:** Trans Tech Publications Ltd

**Abstract:** The short electric arc machining technique is a new type of strong current processing method, which has many advantages, especially for difficult-to-machine materials, such as no cutting force, small cutting chips, easy to chip removal, high processing efficiency and so on. In this paper, the electric arc processing cutting performance of two typical difficult-to-machine materials, titanium alloy and high-temperature alloy, was studied by electric machining cutting experiment to analyze the influence of arc processing on the properties of materials. Using the designed electric arc machining system, the effect of electrical processing parameters on processing properties was discussed. Furthermore, the surface layer hardness and materials metallurgical structure were detected to study the change of material internal organization and the effects on material properties change, which provide the corresponding theoretical analysis basis for arc machining of difficult-to-machine materials. Experimental results show that the titanium alloy and high-temperature alloy have small heat affected zone and hardening layer after electric arc processing, which could meet the requirement of subsequent machining to obtain a good surface quality. © (2016) Trans Tech Publications, Switzerland.

**Number of references:** 7

**Main heading:** Titanium alloys

**Controlled terms:** Electric arcs - Heat affected zone - Cutting - Electric network parameters - Surface properties - Cutting tools

**Uncontrolled terms:** Cutting performance - Difficult to machine materials - Electrical processing - Machining characteristics - Machining parameters - Machining techniques - Metallurgical structures - Processing properties

**Classification code:** 538.2 Welding - 542.3 Titanium and Alloys - 603.2 Machine Tool Accessories - 701.1 Electricity: Basic Concepts and Phenomena - 703.1 Electric Networks - 931.2 Physical Properties of Gases, Liquids and Solids - 951 Materials Science

**DOI:** 10.4028/www.scientific.net/KEM.667.123

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 133. Performance analysis of nonlinear filters using dynamic error spectrum metric

**Accession number:** 20171103450335

**Authors:** Mao, Yanhui (1); Chen, Yanjun (1); Cheng, Weibin (1); Wang, Yuelong (1)

**Author affiliation:** (1) College of Electronic Engineering, Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China

**Corresponding author:** Mao, Yanhui(yhmaoxjtu@gmail.com)

**Source title:** CGNCC 2016 - 2016 IEEE Chinese Guidance, Navigation and Control Conference

**Abbreviated source title:** CGNCC - IEEE Chin. Guid., Navig. Control Conf.

**Part number:** 1 of 1

**Issue title:** CGNCC 2016 - 2016 IEEE Chinese Guidance, Navigation and Control Conference

**Issue date:** January 20, 2017

**Publication year:** 2016

**Pages:** 2425-2428

**Article number:** 7829173

**Language:** English

**ISBN-13:** 9781467383189

**Document type:** Conference article (CA)

**Conference name:** 7th IEEE Chinese Guidance, Navigation and Control Conference, CGNCC 2016

**Conference date:** August 12, 2016 - August 14, 2016

**Conference location:** Nanjing, Jiangsu, China

**Conference code:** 126063

**Sponsor:** IEEE Control Systems Society (CSS) Chapter; Science and Technology on Aircraft Control Laboratory; Technical Committee on Guidance, Navigation and Control (TCGNC) of Chinese Society of Aeronautics and Astronautics (CSAA)

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** The commonly used root-mean-square error (RMSE) for estimation performance evaluation is easily dominated by large error terms. Then many new alternative absolute metrics has been provided. But each of these metrics only reflects one narrow aspect of estimation performance respectively. A comprehensive measure, error spectrum, was presented aggregating these incomprehensive measures. However, when applying this measure to dynamic systems, it will plot a 3D figure over the total time span, which is not intuitive and difficult to be analyzed. In this study, to overcome its drawbacks, the authors propose a new metric, dynamic error spectrum, to summarize the ES curve. Three forms under different application backgrounds are given, one of which is balanced taking into account

both good and bad behavior of an estimator and so can provide more impartial evaluation results. It can be applied to a variety of dynamic systems directly. Then considering the challenge in performance evaluation of nonlinear filters for nonlinear system, we choose four nonlinear filters to illustrate the superiority of our metric. The simulation results validate its utility and effectiveness. © 2016 IEEE.

**Number of references:** 13

**Main heading:** Mean square error

**Controlled terms:** Nonlinear systems - Errors - Bandpass filters - Nonlinear filtering

**Uncontrolled terms:** Dynamic error - Error spectrum - Error terms - Estimation performance - Evaluation results - Performance analysis - Root mean square errors - Time span

**Classification code:** 703.2 Electric Filters - 716.1 Information Theory and Signal Processing - 922.2 Mathematical Statistics - 961 Systems Science

**DOI:** 10.1109/CGNCC.2016.7829173

**Funding Details:** Number: 2015D-5006-0307, Acronym: -, Sponsor: -; Number: 41474108.61174191, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2013JC08, Acronym: -, Sponsor: Education Department of Shaanxi Province;

**Funding text:** Resrach supported by the National Natural Science Foundation of China through grant 61174191 and 41474108, China petroleum science and technology innovation fund through grant 2015D-5006-0307, shaanxi province education department Industrialization cultivation project through grant 2013JC08.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 134. Test and analysis of low temperature air cutting performance to difficult-to-machine materials

**Accession number:** 20154301425619

**Authors:** Peng, Hai (1); Wang, Ya Fei (1)

**Author affiliation:** (1) School of Mechanical Engineering, Xi'an Shiyou University, Xi'an, Shannxi; 710065, China

**Source title:** Key Engineering Materials

**Abbreviated source title:** Key Eng Mat

**Volume:** 667

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 155-161

**Language:** English

**ISSN:** 10139826

**E-ISSN:** 16629795

**CODEN:** KEMAEY

**Document type:** Journal article (JA)

**Publisher:** Trans Tech Publications Ltd

**Abstract:** This paper mainly analyzes the cutting mechanism of low temperature air cutting, and makes research and analysis about the brittle characteristics, the lubricate mechanism and the chip breaking mechanisms of metal materials under low temperature cold condition. Meanwhile, the cutting performance of typical difficult-to-machine materials, such as The precipitation stainless steel, super-alloy and titanium alloy, were discussed. Through cutting experiment under normal conditions and low temperature air conditions, the influence on cutting force, tool wear, chip shape and surface processing quality of typical difficult-to-machine materials were analyzed. The experimental results show that the low temperature air has better effects on cutting difficult-to-machine materials. It can reduce temperature distribution and cutting force, improve tool life and siface processing quality, decrease the use of cutting fluid and mitigate environmental pollution. Thus, low temperature air cutting is an efficient and environment friendly way to solve the problem of cutting difficult-to-machine materials. © (2016) Trans Tech Publications, Switzerland.

**Number of references:** 8

**Main heading:** Cutting fluids

**Controlled terms:** Cutting tools - Lubrication - Temperature - Metal cutting - Precipitation (chemical) - Titanium alloys

**Uncontrolled terms:** Cutting experiment - Cutting performance - Difficult to machine materials - Environment friendly - Environmental pollutions - Low temperatures - Processing quality - Research and analysis

**Classification code:** 542.3 Titanium and Alloys - 603.2 Machine Tool Accessories - 604.1 Metal Cutting - 607.2 Lubrication - 641.1 Thermodynamics - 802.3 Chemical Operations

**DOI:** 10.4028/www.scientific.net/KEM.667.155

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 135. Supramolecular fluid of associative polymer and viscoelastic surfactant for hydraulic fracturing

**Accession number:** 20170203230109

**Authors:** Yang, Jiang (1); Cui, Weixiang (1); Guan, Baoshan (1); Lu, Yongjun (1); Qiu, Xiaohui (1); Yang, Zhanwei (1); Qin, Wenlong (1)

**Author affiliation:** (1) Xian Petroleum University, RIPED-Langfang, PetroChina, United States

**Source title:** SPE Production and Operations

**Abbreviated source title:** SPE Prod. Oper.

**Volume:** 31

**Issue:** 4

**Issue date:** November 2016

**Publication year:** 2016

**Pages:** 318-324

**Language:** English

**ISSN:** 19301855

**Document type:** Journal article (JA)

**Publisher:** Society of Petroleum Engineers (SPE)

**Abstract:** This paper details the study of a new fracturing fluid that is based on a supramolecular complex between associative polymer and viscoelastic surfactant (VES). The crosslinked complex gel was based on weak physical attractive forces, such as van der Waals, hydrogen bonding, and electrostatic interaction between associative polymer and wormlike micelles of VES. The concentration of surfactant in the new fluid is 10 times less than that of VES fracturing fluid. The combination of VES and associative polymer synergistically enhances the viscosity to several times more than that of the individual components alone. The fluid system was optimized by experimental design. The microstructure of wormlike micelles and complex formation was verified by electron microscopy. The fluid is shear stable at high temperature for 1 hour. The dynamic rheological properties of the supramolecular fluid show high viscoelasticity, in which the elastic moduli are higher than the loss moduli below an angular frequency of 0.1 rad/s. The proppant-transport test in a large-scale fracture simulator showed good proppant-suspension ability. The fluid has 50% lower formation damage than conventional guar. The fluid was prepared with fewer additives, formed gel instantly, and can be mixed on the fly in the field. The gel can be completely broken with almost no residue. Field application of the new fracturing fluid in a gas well showed the enhancement of gas production by more than 100%. The fluid has 20% lower friction pressure than guar fluid. Hence, the new supramolecular fluid is an effective fracturing fluid. © 2016 Society of Petroleum Engineers.

**Number of references:** 18

**Main heading:** Fracturing fluids

**Controlled terms:** Hydrogen bonds - Supramolecular chemistry - Micelles - Vortex flow - Proppants - Viscoelasticity - Surface active agents - Van der Waals forces

**Uncontrolled terms:** Angular frequencies - Associative polymers - Cross-linked complex - Dynamic rheological properties - Individual components - Proppant transports - Supramolecular complexes - Viscoelastic surfactants

**Classification code:** 511.1 Oil Field Production Operations - 631.1 Fluid Flow, General - 801.3 Colloid Chemistry - 801.4 Physical Chemistry - 803 Chemical Agents and Basic Industrial Chemicals - 931.2 Physical Properties of Gases, Liquids and Solids - 931.3 Atomic and Molecular Physics

**Numerical data indexing:** Angular\_Velocity 1.00e-01rad/s, Percentage 1.00e+02%, Percentage 2.00e+01%, Percentage 5.00e+01%, Time 3.60e+03s

**DOI:** 10.2118/175762-PA

**Funding Details:** Number: 2013AA064801, Acronym: -, Sponsor: -; Number: 51174163,51304159, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** The authors acknowledge the support of the project by National Natural Science Foundation of China (Grant Nos. 51174163 and 51304159) and National Hi-Tech Development (863) Plan Project (2013AA064801).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 136. Hydraulic fracture propagation direction during volume fracturing in unconventional reservoirs

**Accession number:** 20160501875856

**Authors:** Zhou, Desheng (1); Zheng, Peng (1); He, Pei (1); Peng, Jiao (1)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China

**Corresponding author:** Zhou, Desheng(desheng@xsyu.edu.cn)

**Source title:** Journal of Petroleum Science and Engineering

**Abbreviated source title:** J. Pet. Sci. Eng.

**Volume:** 141

**Issue date:** May 01, 2016

**Publication year:** 2016

**Pages:** 82-89

**Language:** English

**ISSN:** 09204105

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** Creating an artificial fracture network by hydraulic fracturing plays the most important role in unconventional oil and gas development. The propagation direction of a fracture is the base to understand the mechanism of forming a fracture network. For size limitation, the fracture propagation direction has not been well studied in labs. In this paper, a comprehensive numerical model is developed to study the fracture propagation direction during volume fracturing of unconventional reservoirs. The model is based on elastic and fracturing mechanics of a rock, as well as the maximum circumferential stress criterion and boundary element method. Simulated results prove that, the propagation direction of a hydraulic fracture is affected by formation in-situ stresses, hydraulic pressure in the fracture and the initial azimuth of the fracture. An H factor is proposed to evaluate the combined effect of those factors, and proved mathematically and numerically that it is a major factor controlling a fracture propagation direction. Fractures will follow the same propagation path if the H factor keeps constant for different stresses and pressure combination. A fracture will follow the direction of the in-situ maximum principal stress as the applied internal hydraulic pressure in the fracture is less than the maximum stress, otherwise, the fracture will try to follow its initial azimuth and yield a propagation direction path between its initial azimuth and the direction of the in-situ maximum principal stress. The work is helpful in understanding the forming process of a complex fracture network during hydraulic fracturing in unconventional reservoirs. The H factor is useful in reducing both lab test and numerical simulation times, making lab tests of fracture extension at high stresses and pressure viable. © 2016 Elsevier B.V.

**Number of references:** 20

**Main heading:** Boundary element method

**Controlled terms:** Fracture - Hydraulic fracturing - Stresses - Sailing vessels - Numerical models

**Uncontrolled terms:** Circumferential stress - Circumferential stress theory - Fracture propagation - Hydraulic fracture propagation - Maximum principal stress - Propagation direction - Unconventional oil and gas - Unconventional reservoirs

**Classification code:** 512.1.2 Petroleum Deposits : Development Operations - 674.1 Small Marine Craft - 921 Mathematics - 921.6 Numerical Methods - 951 Materials Science

**DOI:** 10.1016/j.petrol.2016.01.028

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 137. The research and development of automatic vertical drilling tool

**Accession number:** 20164202921897

**Authors:** Yan, Wenhui (1); Peng, Yong (1); Wu, Heng (1)

**Author affiliation:** (1) Department of Mechanical Engineering, Xi'an Shiyou University, Xi'an, Shannxi; 710065, China

**Source title:** 2016 IEEE International Conference on Mechatronics and Automation, IEEE ICMA 2016

**Abbreviated source title:** IEEE Int. Conf. Mechatronics Autom., IEEE ICMA

**Part number:** 1of1

**Issue title:** 2016 IEEE International Conference on Mechatronics and Automation, IEEE ICMA 2016

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 1226-1231

**Article number:** 7558737

**Language:** English

**ISBN-13:** 9781509023943

**Document type:** Conference article (CA)

**Conference name:** 13th IEEE International Conference on Mechatronics and Automation, IEEE ICMA 2016

**Conference date:** August 7, 2016 - August 10, 2016

**Conference location:** Harbin, Heilongjiang, China

**Conference code:** 123645

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Automatic deviation control and straight drilling is one of key technologies to ensure the drilling quality during vertical wells drilling, which requires systemic design and analytical theory for the automatic vertical drilling tool. The suspension structure design of rotation control shaft with fully seal has been adopted in the automatic vertical drilling tool based on force pushing principle. The engineering prototype of automatic vertical drilling tool has been developed. The simulation experiment for key units such as hydraulic assigned valve, torque generator, the monitoring and controlling system of stabilized platform, and water drilling on the ground of automatic vertical drilling system has all been finished successfully. The field experiment has indicate that the control ability for inclination of automatic vertical drilling system has reached to 1.2°, and time between failures is more than 200 hours in the field test. The drilling tool of automatic vertical drilling system that assembles mechanical electro-hydraulic system can achieve deviation control actively in easily-inclined formation such as high dip angle, irregular ground stress, and greatly liberate drill pressure, improve drilling speed and reduce drilling costs. © 2016 IEEE.

**Number of references:** 9

**Main heading:** Quality control

**Controlled terms:** Hydraulic equipment

**Uncontrolled terms:** Automatic - Electro-hydraulic system - Monitoring and controlling System - Research and development - Suspension structure - Time between failures - Vertical drilling - Vertical drilling systems

**Classification code:** 632.2 Hydraulic Equipment and Machinery - 913.3 Quality Assurance and Control

**Numerical data indexing:** Time 7.20e+05s

**DOI:** 10.1109/ICMA.2016.7558737

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### **138. Dissolution characteristic of feldspar in Chang-8 reservoir, DZ and ZY region, Xifeng Oil field of Ordos Basin** ([Open Access](#))

**Accession number:** 20174804462190

**Authors:** Liu, Hanlin (1); Wang, Fengqin (1); Wang, Jin (1)

**Author affiliation:** (1) College of Geosciences and Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Liu, Hanlin(LHLDMC@163.com)

**Source title:** IET Conference Publications

**Abbreviated source title:** IET Conf Publ

**Volume:** 2016

**Part number:** 1 of 1

**Issue:** CP706

**Issue date:** 2016

**Publication year:** 2016

**Language:** English

**ISBN-13:** 9781785614026

**Document type:** Conference article (CA)

**Conference name:** 2016 International Field Exploration and Development Conference, IFEDC 2016

**Conference date:** August 11, 2016 - August 12, 2016

**Conference location:** Beijing, China

**Conference code:** 131863

**Publisher:** Institution of Engineering and Technology

**Abstract:** Feldspar dissolution acts as a main mechanism for the forming of secondary pores in Formation Chang-8 of DZ, ZY reservoir, Xifeng Oil Field. In order to clarify the development characteristics and scale of secondary pores in the target zone, this paper has precisely described 150 rock samples from 33 wells and calculated the dissolution degree with the help of technologies involving thin section analysis, scanning electron microscope, X ray diffraction and electron probe microanalysis. The outcomes indicate that feldspar dissolution is universal over the whole target zone, where secondary pores count for as much as 60% of the whole pore space. Secondary pores can be divided, in the view of their shape and structure, into three categories: intergranular dissolved pores, intragranular dissolved pores

and composite dissolved pores. Intergranular dissolved pores are harbor-like or arc-shaped pores, formed via local dissolution around the feldspar grain. Intragranular dissolved pores are stripped or cellular pores formed from seepage and dissolution along bicrystal planes or cleavages in feldspar grain. Composite dissolved pores are the combination of the two mechanisms above. On the basis of the dissolution characteristics of the target formation, dissolution rate is defined to quantitatively measure the influence of feldspar dissolution on the pore system. Dissolution degree of the target zone is relatively strong, mainly involving medium dissolution (dissolution rate between 25%-50%), and strong dissolution (dissolution rate between 50%-70%), which in total cover 80% of the total dissolution degree. The contribution of Different types of feldspars to dissolution rate varies, where secondary pore space from potash feldspar dissolution is about 2.1 times as that from plagioclase. Potash feldspar does not merely play an important role in the forming of secondary pores in burial diagenetic process, its contribution goes higher as dissolution degree enhanced.

**Number of references:** 19

**Main heading:** Dissolution

**Controlled terms:** Petroleum reservoir engineering - X ray diffraction - Electron probe microanalysis - Oil well flooding - Feldspar - Potash - Scanning electron microscopy

**Uncontrolled terms:** Development characteristics - Diagenetic process - Dissolution rates - Erdos Basin - Feldspar dissolution - Quantitative calculation - Secondary pores - Xifeng oil fields

**Classification code:** 482.2 Minerals - 511.1 Oil Field Production Operations - 512.1.2 Petroleum Deposits : Development Operations - 801 Chemistry - 802.3 Chemical Operations - 804.2 Inorganic Compounds

**Numerical data indexing:** Percentage 2.50e+01% to 5.00e+01%, Percentage 5.00e+01% to 7.00e+01%, Percentage 6.00e+01%, Percentage 8.00e+01%

**DOI:** 10.2991/icmcm-16.2016.111

**Compendex references:** YES

**Open Access type(s):** All Open Access, Gold

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 139. The computational model for surge pressure of Herschel-Bulkley fluid in eccentric annulus

**Accession number:** 20164102893452

**Authors:** Li, Qi (1); Wang, Zaixing (1); Li, Xuyang (1); Shen, Liyang (1)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China

**Corresponding author:** Li, Qi(liqi@xsyu.edu.cn)

**Source title:** Shiyou Xuebao/Acta Petrolei Sinica

**Abbreviated source title:** Shiyou Xuebao

**Volume:** 37

**Issue:** 9

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 1187-1192

**Language:** Chinese

**ISSN:** 02532697

**CODEN:** SYHPD9

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** A precise computational model for surge pressure is the prerequisite to accurately predict the bottom-hole pressure in various drilling operations, including casing in narrow annular space, as well as drilling in slim holes, deep-water and extended-reach wells. Traditional computational methods for surge pressure, which use Calculation Fluids Dynamics (CFD) software to simulate the flow of Herschel-Bulkley fluid in eccentric annuli, require high computer performance and is time costing, resulting in limited field application. A physical model of fluid motion is established using narrow slot flow model to simulate eccentric annulus. Under the condition of steady laminar flow, a mathematical model of surge and swab pressure and analytical solution method based on the golden section method and self-adaptive Simpson integral method are obtained by combining the governing equations of fluid motion and rheology equation of Herschel-Bulkley fluid. The rationality of this model is verified by laboratory test data. The mathematical model for the surge-swab pressure of Herschel-Bulkley fluid in eccentric annulus shows high accuracy and fast computational velocity in terms of numerical method. Compared with the laboratory test data, the error is within the range of  $\pm 10\%$ , indicating that the model is sufficiently accurate to meet the requirements of field operations. The influence factors of the surge-swab pressure are analyzed. Under the condition of totally eccentric annulus, the gradient of surge pressure decreases to around 50% of that for concentric annulus. The tripping velocity should be

strictly limited for operations in the narrow annular space. © 2016, Editorial Office of ACTA PETROLEI SINICA. All right reserved.

**Number of references:** 23

**Main heading:** Laminar flow

**Controlled terms:** Numerical methods - Computational fluid dynamics - Application programs - Computational methods - Computation theory - Equations of motion

**Uncontrolled terms:** Eccentric annuli - Flow model - Golden section method - Herschel-Bulkley fluids - Integral method

**Classification code:** 631.1 Fluid Flow, General - 721.1 Computer Theory, Includes Formal Logic, Automata Theory, Switching Theory, Programming Theory - 723 Computer Software, Data Handling and Applications - 723.5 Computer Applications - 921.2 Calculus - 921.6 Numerical Methods - 931.1 Mechanics

**Numerical data indexing:** Percentage 5.00e+01%

**DOI:** 10.7623/syxb201609014

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 140. Synthesis of hierarchical ZSM-5/MCM-41 core-shell zeolite and its application as catalyst in gasoline hydro-upgrading

**Accession number:** 20163302719887

**Authors:** Zhang, Juntao (1); Cui, Shenghang (1); Shen, Zhibing (1); Ding, Tao (1); Chai, Xuelei (1); Sun, Chenchen (1)

**Author affiliation:** (1) Research Center of Petroleum Processing & Petrochemicals, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Zhang, Juntao(zhangjt@xsyu.edu.cn)

**Source title:** Shiyou Xuebao, Shiyou Jiagong/Acta Petrolei Sinica (Petroleum Processing Section)

**Abbreviated source title:** Shiyou Xuebao Shiyou Jiagong

**Volume:** 32

**Issue:** 4

**Issue date:** August 25, 2016

**Publication year:** 2016

**Pages:** 703-709

**Language:** Chinese

**ISSN:** 10018719

**CODEN:** SXSHEY

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** Hierarchical ZSM-5/MCM-41 zeolites were synthesized by the introduction of template and new silica-alumina species in the alkali-treated ZSM-5 seriflux, and characterized by XRD, N<sub>2</sub> adsorption and HRTEM. The NiMo hydro-upgrading catalysts of different Ni/Mo molar ratios and with as-synthesized zeolites as support were prepared by impregnation. Under such operating conditions as  $p=2.0$  MPa,  $T=350$ ,  $LHSV=2.0$  h<sup>-1</sup> and  $V(H_2)/V(Oil)=300$ , the effects of Ni/Mo molar ratios on hydroisomerization and aromatization performances of the catalysts for the heavy FCC gasoline fraction after desulfurization FCC gasoline hydro-upgrading were investigated in a fixed bed microreactor. The results showed that the ZSM-5/MCM-41 sample with  $nSi/nAl=50$  of the new silica-alumina sources possessed better micro-mesoporous structure, with clear core-shell structure, in which the morphologies of ZSM-5 was as the core and the morphologies of MCM-41 as the shell. The hydroisomerization and aromatization activities of the hydro-upgrading catalyst were closely related to its textural properties and the acid type. When the  $n(Ni)/n(Mo)=1/2$ ,  $w(Ni)=3.0\%$ , the prepared hydro-upgrading catalyst exhibited high hydroisomerization and aromatization abilities. © 2016, Science Press. All right reserved.

**Number of references:** 14

**Main heading:** Gasoline

**Controlled terms:** Binary alloys - Aluminum oxide - Catalyst activity - Zeolites - Isomerization - Silica - Mesoporous materials - Aromatization - Shells (structures) - Alumina

**Uncontrolled terms:** Aromatization activity - Core shell structure - Fixed bed micro-reactor - Hierarchical zeolites - Hydro-upgrade - Mesoporous structures - Operating condition - ZSM-5/MCM-41

**Classification code:** 408.2 Structural Members and Shapes - 523 Liquid Fuels - 802.2 Chemical Reactions - 803 Chemical Agents and Basic Industrial Chemicals - 804 Chemical Products Generally - 804.2 Inorganic Compounds

**Numerical data indexing:** Percentage 3.00e+00%

**DOI:** 10.3969/j.issn.1001-8719.2016.04.007

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 141. Synthesis of new flow improvers from canola oil and application to waxy crude oil

**Accession number:** 20163702806586

**Authors:** Chen, Gang (1); Bai, Yun (1); Zhang, Jie (1); Yuan, Weihua (1); Song, Hua (1); Jeje, Ayodeji (1)

**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; Shaanxi, China

**Corresponding author:** Chen, Gang(gangchen@xsyu.edu.cn)

**Source title:** Petroleum Science and Technology

**Abbreviated source title:** Petrol Sci Technol

**Volume:** 34

**Issue:** 14

**Issue date:** July 17, 2016

**Publication year:** 2016

**Pages:** 1285-1290

**Language:** English

**ISSN:** 10916466

**E-ISSN:** 15322459

**CODEN:** PSTEFV

**Document type:** Journal article (JA)

**Publisher:** Bellwether Publishing, Ltd.

**Abstract:** Several techniques are employed to mitigate the problems associated with the crystallization of paraffin during the production and/or transportation of waxy crude oil. One of these techniques is the addition of chemicals that depress the pour point of the oil and inhibit the formation of paraffin crystals. In this work, the chemicals, polyamine amide (PAA), are prepared by aminolysis and polycondensation from canola oil and polyamine as substrates. Nitrogen atoms are fixed in the main chain of the polymers to modify the polarity. The effectiveness of the PAAs on four crude oil was tested as pour point depressants as well as paraffin inhibitors. The highest pour point reduction depression was achieved as 12.6°C. Differential scanning calorimetry and paraffin crystal morphology studies were conducted on simulated crude oil to elucidate the mechanism of pour point reduction. © 2016 Taylor & Francis Group, LLC.

**Number of references:** 16

**Main heading:** Amides

**Controlled terms:** Differential scanning calorimetry - Paraffins - Crude oil - Petroleum transportation

**Uncontrolled terms:** Canola oil - Crystal morphologies - Flow improvers - Main chains - Nitrogen atom - Polyamines - Pour point depressants - Waxy Crude Oil

**Classification code:** 512.1 Petroleum Deposits - 804.1 Organic Compounds - 944.6 Temperature Measurements

**Numerical data indexing:** Temperature 2.86e+02K

**DOI:** 10.1080/10916466.2016.1198804

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 142. Urea Enhanced Aquathermolysis of Heavy Oil Catalyzed by Hydroxamic Acid-Co(II) Complex at Low Temperature (Open Access)

**Accession number:** 20163402727081

**Authors:** Wu, Ya (1); Li, Yongfei (1); Chen, Gang (1); Zhao, Wei (1); Zhang, Jie (1)

**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Chen, Gang(gangchen@xsyu.edu.cn)

**Source title:** MATEC Web of Conferences

**Abbreviated source title:** MATEC Web Conf.

**Volume:** 67

**Part number:** 1of1

**Issue title:** International Symposium on Materials Application and Engineering, SMAE 2016

**Issue date:** July 29, 2016

**Publication year:** 2016

**Article number:** 06038

**Language:** English

**ISSN:** 22747214

**E-ISSN:** 2261236X

**Document type:** Conference article (CA)

**Conference name:** International Symposium on Materials Application and Engineering, SMAE 2016

**Conference date:** August 20, 2016 - August 21, 2016

**Conference location:** Chiang Mai, Thailand

**Conference code:** 123077

**Publisher:** EDP Sciences

**Abstract:** To develop effective water-soluble catalyst for aquathermolysis, a phenyl hydroxamic acid-Co(II) complex was synthesized using hydroxamic acid and CoCl<sub>2</sub>. The effects of water content and catalyst concentration on aquathermolysis were investigated. The effect of adding urea as fortifiers was investigated. The crude oil samples before and after aquathermolysis were fully characterized by SARA and elemental analysis. With the catalyst and urea, the viscosity of the product was also substantially reduced from 470000 mPa•s to 120000 mPa•s at 15°C. Finally improved the flow properties better and upgrade the quality of heavy oil. © The Authors, published by EDP Sciences, 2016.

**Number of references:** 15

**Main heading:** Viscosity

**Controlled terms:** Catalysts - Cobalt compounds - Metabolism - Temperature - Urea - Crude oil - Organic acids

**Uncontrolled terms:** Aquathermolysis - Catalyst concentration - Flow properties - Hydroxamic acids - Low temperatures - Oil samples - Water soluble catalyst

**Classification code:** 512.1 Petroleum Deposits - 631.1 Fluid Flow, General - 641.1 Thermodynamics - 803 Chemical Agents and Basic Industrial Chemicals - 804 Chemical Products Generally - 804.1 Organic Compounds - 931.2 Physical Properties of Gases, Liquids and Solids

**Numerical data indexing:** Temperature 2.88e+02K

**DOI:** 10.1051/mateconf/20166706038

**Compendex references:** YES

**Open Access type(s):** All Open Access, Gold, Green

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 143. Thermal performance calculation and analysis of heat transfer tube in super open rack vaporizer

**Accession number:** 20154401459389

**Authors:** Pan, Jie (1); Li, Ran (1); Lv, Tao (1); Wu, Gang (1); Deng, Zhian (1)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an, Shaanxi Province; 710065, China

**Corresponding author:** Pan, Jie(jackpan@xsyu.edu.cn)

**Source title:** Applied Thermal Engineering

**Abbreviated source title:** Appl Therm Eng

**Volume:** 93

**Issue date:** January 25, 2016

**Publication year:** 2016

**Pages:** 27-35

**Language:** English

**ISSN:** 13594311

**CODEN:** ATENFT

**Document type:** Journal article (JA)

**Publisher:** Elsevier Ltd

**Abstract:** As one of the most widely-used liquefied natural gas (LNG) vaporizer, super open rack vaporizer (SuperORV) consists of panel-shaped heat transfer tubes with duplex tube configuration. In this paper, an energy balance-based distributed parameter model for predicting the thermal performance of SuperORV heat transfer tube was developed, where introduces numerous empirical correlations. The results from the model exhibit a good agreement with the experimental data, which implies the calculation model is reliable. Based on this, the heat transfer process of SuperORV heat transfer tube was simulated numerically, the bulk fluid and metal temperature profiles along the heat transfer tube was obtained at the condition with ice formation and heat transfer enhancement measures, the thermal performance of SuperORV heat transfer tube was analyzed, and the effects of operating parameters and heat transfer enhancement measures on the thermal performance were discussed. The results show that the

operating parameters have important effects on the thermal performance of heat transfer tube, and the heat transfer enhancement measures can improve the heat transfer performance markedly. The required minimum tube length while both inner fin and twisted tape insert were applied is shortened by 60% compared with that without heat transfer enhancement measures. © 2015 Elsevier Ltd. All rights reserved.

**Number of references:** 16

**Main heading:** Liquefied natural gas

**Controlled terms:** Tubes (components) - Heat transfer coefficients

**Uncontrolled terms:** Distributed-parameter model - Empirical correlations - Heat Transfer enhancement - Heat transfer process - Liquefied Natural Gas (LNG) - Operating parameters - SuperORV - Thermal Performance

**Classification code:** 523 Liquid Fuels - 619.1 Pipe, Piping and Pipelines - 641.2 Heat Transfer

**Numerical data indexing:** Percentage 6.00e+01%

**DOI:** 10.1016/j.applthermaleng.2015.09.047

**Funding Details:** Number: 51304160, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

Number: 2014JQ7274, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province;

**Funding text:** This study was supported by the National Natural Science Foundation of China (Grant No. 51304160) and Natural Science Basic Research Plan in Shaanxi Province of China (Program No. 2014JQ7274).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

#### 144. Thermal performance analysis of SuperORV heat transfer tube at supercritical pressure

**Accession number:** 20160601900880

**Authors:** Pan, Jie (1); Li, Ran (1); Lv, Tao (1); Wu, Gang (1)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyu University, Xi'an, Shaanxi Province; 710065, China

**Corresponding author:** Pan, Jie(jackpan@xsyu.edu.cn)

**Source title:** Journal of Natural Gas Science and Engineering

**Abbreviated source title:** J. Nat. Gas Sci. Eng.

**Volume:** 29

**Issue date:** February 01, 2016

**Publication year:** 2016

**Pages:** 488-496

**Language:** English

**ISSN:** 18755100

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** Super open rack vaporizer (SuperORV) is a new-type of liquefied natural gas (LNG) vaporizer whose lower half of heat transfer tubes has double tube structure. A distributed parameter model based on energy balance is developed in the present paper with the aim to simulate the thermal performance of SuperORV heat transfer tube at supercritical pressure. Corresponding empirical correlations are used to evaluate the convection heat transfer of LNG and seawater, and the heat transfer enhancement effects of inner fin and twisted tape insert are considered in computation. Good agreement between calculated and experimental data implies the calculation model is reliable. On this basis, the temperature and ice thickness profiles along the heat transfer tube are obtained by numerical solution with or without ice layer presence, the thermal performance of heat transfer tube is analyzed, and the effects of operating parameters and heat transfer enhancement techniques on the thermal performance are discussed. The results indicate that both the operating parameters and the heat transfer enhancement techniques have great influence on the thermal performance, including required minimum tube length, ice thickness and length of formed ice layer. The heat transfer enhancement techniques can improve the heat transfer performance markedly, and the required tube length is reduced by 47.7% while both inner fin and twisted tape insert are applied. © 2016 Elsevier B.V..

**Number of references:** 17

**Main heading:** Liquefied natural gas

**Controlled terms:** Tubes (components) - Heat transfer coefficients - Fins (heat exchange) - Ice - Heat convection

**Uncontrolled terms:** Distributed-parameter model - Empirical correlations - Heat Transfer enhancement - Liquefied Natural Gas (LNG) - Super-critical pressures - SuperORV - Thermal Performance - Thermal performance analysis

**Classification code:** 523 Liquid Fuels - 616.1 Heat Exchange Equipment and Components - 619.1 Pipe, Piping and Pipelines - 641.2 Heat Transfer

**Numerical data indexing:** Percentage 4.77e+01%

**DOI:** 10.1016/j.jngse.2016.01.030

**Funding Details:** Number: 2014JQ7274, Acronym: -, Sponsor: -; Number: 51304160, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This study was supported by the National Natural Science Foundation of China (Grant No. 51304160) and the Natural Science Basic Research Plan in Shaanxi Province of China (Program No. 2014JQ7274).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 145. Molecular dynamics simulation of effect of hydrogen atoms on crack propagation behavior of $\alpha$ -Fe

**Accession number:** 20202208738682

**Authors:** Song, H.Y. (1); Zhang, L. (1); Xiao, M.X. (1)

**Author affiliation:** (1) College of Materials Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Song, H.Y.(gsfshy@sohu.com)

**Source title:** Physics Letters, Section A: General, Atomic and Solid State Physics

**Abbreviated source title:** Phys Lett Sect A Gen At Solid State Phys

**Volume:** 380

**Issue:** 48

**Issue date:** December 16, 2016

**Publication year:** 2016

**Pages:** 4049-4056

**Language:** English

**ISSN:** 03759601

**CODEN:** PYLAAG

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** The effect of the hydrogen concentration and hydrogen distribution on the mechanical properties of  $\alpha$ -Fe with a pre-existing unilateral crack under tensile loading is investigated by molecular dynamics simulation. The results reveal that the models present good ductility when the front region of crack tip has high local hydrogen concentration. The peak stress of  $\alpha$ -Fe decreases with increasing hydrogen concentration. The studies also indicate that for the samples with hydrogen atoms, the crack propagation behavior is independent of the model size and boundaries. In addition, the crack propagation behavior is significantly influenced by the distribution of hydrogen atoms. © 2016 Elsevier B.V.

**Number of references:** 37

**Main heading:** Molecular dynamics

**Controlled terms:** Hydrogen - Atoms - Crack propagation - Crack tips

**Uncontrolled terms:** Crack propagation behavior - Effect of hydrogen - Hydrogen atoms - Hydrogen concentration - Hydrogen distribution - Molecular dynamics simulations - Tensile loading - Unilateral cracks

**Classification code:** 801.4 Physical Chemistry - 804 Chemical Products Generally - 931.3 Atomic and Molecular Physics - 951 Materials Science

**DOI:** 10.1016/j.physleta.2016.10.019

**Funding Details:** Number: 2016KW-049, Acronym: -, Sponsor: -; Number: 2012KJXX-39, Acronym: -, Sponsor: -; Number: 2016JK1593, Acronym: -, Sponsor: -; Number: 20160221, Acronym: -, Sponsor: -; Number: 11572259, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** This work is supported by the National Natural Science Foundation of China (Grant No. 11572259), the Program for International Cooperation and Exchanges of Shaanxi Province (Grant No. 2016KW-049), the Young Talent Fund of University Association for Science and Technology in Shaanxi (Grant No. 20160221), the Scientific Research Program of Shaanxi Provincial Education Department (Grant No. 2016JK1593) and the Program for New Scientific and Technological Star of Shaanxi Province (Grant No. 2012KJXX-39).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 146. Strain field tuning the electronic and magnetic properties of semihydrogenated two-bilayer GaN nanosheets (Open Access)

**Accession number:** 20160601889352

**Authors:** Xiao, Mei-Xia (1); Liang, You-Ping (1); Chen, Yu-Qin (1); Liu-Meng (1)

**Author affiliation:** (1) College of Materials Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Xiao, Mei-Xia(mxxiao@xsyu.edu.cn)

**Source title:** Wuli Xuebao/Acta Physica Sinica

**Abbreviated source title:** Wuli Xuebao

**Volume:** 65

**Issue:** 2

**Issue date:** January 20, 2016

**Publication year:** 2016

**Article number:** 023101

**Language:** Chinese

**ISSN:** 10003290

**CODEN:** WLHPAR

**Document type:** Journal article (JA)

**Publisher:** Institute of Physics, Chinese Academy of Sciences

**Abstract:** In this paper, first-principles calculations based on the density functional theory are performed to investigate the effects of strain field on the electronic and magnetic properties of two-bilayer gallium nitride (GaN) nanosheets. The two-bilayer GaN nanosheet without surface modification forms a planar graphitic structure, whereas that with full hydrogenation for the surface Ga and N atoms adopts the energetically more favorable wurtzite structure. Surface hydrogenation is proven to be an effective way to induce a transition from indirect to direct band gap. The bare and fully-hydrogenated GaN nanosheets are nonmagnetic semiconductors. When only one-side Ga or N atoms on the surface are hydrogenated, the semihydrogenated two-bilayer GaN nanosheets will preserve their initial wurtzite structures. The two-bilayer GaN nanosheet with one-side N atoms hydrogenated transforms into a nonmagnetic metal, while that with one-side Ga atoms hydrogenated (H-GaN) is a ferromagnetic semiconductor with band gaps of 3.99 and 0.06 eV in the spin-up and spin-down states, respectively. We find that the two-bilayer H-GaN nanosheets will maintain ferromagnetic states under a strain field and the band gaps  $E_g$  in spin-up and spin-down states are a function of strain  $\epsilon$ . As the tensile strain is +6%, the band gap in spin-up state reduces to 2.71 eV, and that in spin-down state increases to 0.41 eV for the two-bilayer H-GaN nanosheets. Under the compressive strain field, the two-bilayer H-GaN nanosheets will show a transition from semiconducting to half-metallic state under compression of -1%, where the spin-up state remains as a band gap insulator with band gap of 4.16 eV and the spin-down state is metallic. Then the two-bilayer H-GaN nanosheets will turn into fully-metallic properties with bands crossing the Fermi level in the spin-up and spin-down states under a compressive strain of -6%. Moreover, the value of binding energy  $E_b$  for the two-bilayer H-GaN nanosheet decreases (increases) monotonically with increasing compressive (tensile) strain. It is found that although hydrogenation on oneside Ga atoms of the two-bilayer H-GaN nanosheets is preferred to be under compressive strain, the two-bilayer H-GaN nanosheets are still the energetically favorable structures. The physical mechanisms of strain field tuning band gaps in the spin-up and spin-down states for the two-bilayer H-GaN nanosheets are mainly induced by the combined effects of through-bond and p-p direct interactions. Our results demonstrate that the predicted diverse and tunable electronic and magnetic properties may lead to the potential application of GaN nanosheets in novel electronic and spintronic nanodevices. © 2016 Chinese Physical Society.

**Number of references:** 33

**Page count:** 6

**Main heading:** Gallium nitride

**Controlled terms:** Calculations - Ferromagnetic materials - Atoms - Energy gap - Ferromagnetism - Hydrogenation - Nanosheets - Semiconducting gallium compounds - Wide band gap semiconductors - Binding energy - III-V semiconductors - Density functional theory - Magnetic properties - Zinc sulfide - Tensile strain - Metals - Surface treatment - Magnetic semiconductors

**Uncontrolled terms:** Compressive strain fields - Electronic and magnetic properties - Ferromagnetic semiconductor - First-principles calculation - Gallium nitrides (GaN) - Non-magnetic semiconductors - Spintronic nanodevices - Strain fields

**Classification code:** 701.2 Magnetism: Basic Concepts and Phenomena - 708.4 Magnetic Materials - 712.1 Semiconducting Materials - 712.1.2 Compound Semiconducting Materials - 761 Nanotechnology - 801.4 Physical Chemistry - 802.2 Chemical Reactions - 804.2 Inorganic Compounds - 921 Mathematics - 922.1 Probability Theory - 931.1 Mechanics - 931.3 Atomic and Molecular Physics - 931.4 Quantum Theory; Quantum Mechanics - 933 Solid State Physics

**Numerical data indexing:** Electron\_Volt 2.71e+00eV, Electron\_Volt 3.99e+00eV, Electron\_Volt 4.10e-01eV, Electron\_Volt 4.16e+00eV, Electron\_Volt 6.00e-02eV, Percentage -1.00e+00%, Percentage -6.00e+00%

**DOI:** 10.7498/aps.65.023101

**Compendex references:** YES

**Open Access type(s):** All Open Access, Hybrid Gold

**Database:** Compendex

**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 147. Research development of the catalysts used in pyrolysis process of sludge

**Accession number:** 20161102098643

**Authors:** Li, Jinling (1); Liu, Luzhen (1); Qu, Simin (1)

**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Cailiao Daobao/Materials Review

**Abbreviated source title:** Cailiao Daobao/Mater. Rev.

**Volume:** 30

**Issue:** 2

**Issue date:** February 10, 2016

**Publication year:** 2016

**Pages:** 65-69

**Language:** Chinese

**ISSN:** 1005023X

**Document type:** Journal article (JA)

**Publisher:** Cailiao Daobaoshe/ Materials Review

**Abstract:** The treatment and disposal of sludge has become one of the important works in the environment protection field, and the recycling energy is getting more and more attention. Among sludge treatment methods, the pyrolysis technology has been considered as the most prospective application technology due to its advantages of completeness, solidification of heavy metals in sludge, less pollution emissions and high recovery rate of resources. However, it is still on the stage of laboratory research in China. The sources and species of the sludge are sketched, and the effects of the pyrolysis catalysis, such as sodium compounds, potassium compounds, metal oxides and the pyrolytic residue, on the pyrolysis process and the pyrolysis products, are summarized. The pyrolysis process can be improved by adding catalysts, thus enhancing the reducing quantity, harmless and reclamation of the sludge. In addition, the research and development orientation of sludge pyrolysis are prospected. © 2016, Materials Review Magazine. All right reserved.

**Number of references:** 17

**Main heading:** Pyrolysis

**Controlled terms:** Heavy metals - Sodium Carbonate - Potassium compounds - Catalysts - Waste treatment - Metal recovery - Sludge disposal - Sodium sulfate

**Uncontrolled terms:** Environment protection - Pollution emissions - Prospective applications - Pyrolysis products - Research and development - Research development - Sludge - Treatment and disposal

**Classification code:** 452.2 Sewage Treatment - 452.4 Industrial Wastes Treatment and Disposal - 531 Metallurgy and Metallography - 802.2 Chemical Reactions - 803 Chemical Agents and Basic Industrial Chemicals - 804 Chemical Products Generally - 804.2 Inorganic Compounds

**DOI:** 10.11896/j.issn.1005-023X.2016.03.012

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 148. Research progress on synthesis and application of polyoxymethylene dimethyl ethers

**Accession number:** 20161002066747

**Authors:** Ding, Tao (1); Shen, Zhibing (1); Zhang, Juntao (1)

**Author affiliation:** (1) Research Center of Petroleum Processing & Petrochemicals, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China

**Corresponding author:** Zhang, Juntao(zhangjt@xsyu.edu.cn)

**Source title:** Huagong Jinzhan/Chemical Industry and Engineering Progress

**Abbreviated source title:** Huagong Jinzhan/Chem. Ind. Eng. Prog.

**Volume:** 35

**Issue:** 3

**Issue date:** March 5, 2016

**Publication year:** 2016

**Pages:** 758-765

**Language:** Chinese

**ISSN:** 10006613

**Document type:** Journal article (JA)

**Publisher:** Materials China

**Abstract:** Polyoxymethylene dimethyl ethers(PODE) made from non-petroleum-based substitute fuel is a new kind of green and environment-friendly diesel fuel additive, which has excellent performance and great application potential because of its high cetane number, high oxygen content and non-intermiscibility gap between diesel. It can improve the diesel fuel's cetane number and combustibility while reduce the emissions of pollutant. This work presents an overview of PODE. First, the physico-chemical characteristics and some performance indexes for diesel fuel of PODEn has been described in detail. Then the recent research progress of synthesis technology and mechanism of chain propagation for synthesis reaction was also summarized. Using ionic liquid thin film catalysis as the possible industrialization route for PODE was proposed. The research progress of PODEn as diesel additive and its new applications of being new component in fuel and new type of green solvent oil was also presented. Finally the trend and key tasks of future research work was pointed out. The proper degree of polymerization and additive amount of PODE should be determined, and the combustion and power performance of diesel fuel blended with PODE should be checked by lots of experiments. The production standard should be also established. © 2016, Chemical Industry Press. All right reserved.

**Number of references:** 24

**Main heading:** Ethers

**Controlled terms:** Fuel additives - Ionic liquids - Acetal resins - Combustion - Diesel fuels

**Uncontrolled terms:** Degree of polymerization - Dimethyl ethers - Environment friendly - Performance indices - Physicochemical characteristics - Production standards - Recent researches - Synthesis reaction

**Classification code:** 523 Liquid Fuels - 803 Chemical Agents and Basic Industrial Chemicals - 804 Chemical Products Generally - 804.1 Organic Compounds - 815.1.1 Organic Polymers

**DOI:** 10.16085/j.issn.1000-6613.2016.03.017

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 149. Conventional well logging data filtering with wavelet transformation and Hilbert-Huang transformation

**Accession number:** 20163202703598

**Authors:** Zhao, Junlong (1); Liu, Jianjian (1)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China

**Corresponding author:** Zhao, Junlong(zjl1970@163.com)

**Source title:** Shiyou Diqu Wuli Kantan/Oil Geophysical Prospecting

**Abbreviated source title:** Shiyou Diqu Wuli Kantan

**Volume:** 51

**Issue:** 4

**Issue date:** August 15, 2016

**Publication year:** 2016

**Pages:** 801-808

**Language:** Chinese

**ISSN:** 10007210

**CODEN:** SDWKEP

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** To make clear effect differences among wavelet transform (WT), wavelet package transform (WPT), and Hilbert-Huang transform (HHT) on logging data, we review fundamental idea and approach feature of WT filters, WPT filters, and HHT filters based on published documents. First gamma ray logging data with noise whose intensity is 10 times to Gauss white noise is filtered by WT filters, WPT filters, HHT reducing filters, and HHT-WT associating filters. Then HHT three dimensions spectrum characteristics, root-mean-square (rms) error, signal to noise ratio (S/N), and similar degree (SD) are analyzed on this filtered GR data. Finally the relation between filtering effect and noise intensity is studied. The following observations are found out based on our work: A. There is some difference of rms error, S/N, SD and HHT 3D spectrum features with the four filters; B. Filtering effects will be decreasing when noise intensity is high, filtering effect is similar when noise intensity is between 5 times and 17 times to Gauss white noise; C. WT filters should be the first choice when the noise intensity is relatively weak or strong; D. HHT-WT filters is better than HHT reducing filters. © 2016, Editorial Department OIL GEOPHYSICAL PROSPECTING. All right reserved.

**Number of references:** 9

**Main heading:** Hilbert-Huang transform

**Controlled terms:** Gamma rays - Well logging - Spectrum analysis - Wavelet transforms - White noise - Metadata - Signal to noise ratio

**Uncontrolled terms:** Filtering effects - Hilbert Huang Transformation - Hilbert Huang transforms - Signal to noise (S/N) ratios - Spectrum characteristic - Wavelet package transform - Wavelet transformations - Well logging data

**Classification code:** 716.1 Information Theory and Signal Processing - 921.3 Mathematical Transformations - 931.3 Atomic and Molecular Physics - 932.1 High Energy Physics

**DOI:** 10.13810/j.cnki.issn.1000-7210.2016.04.023

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 150. Multi-fluid Modeling Biomass Fast Pyrolysis in the Fluidized-Bed Reactor Including Particle Shrinkage Effects

**Accession number:** 20163502761234

**Authors:** Zhong, Hanbin (1); Zhang, Juntao (1); Zhu, Yuqin (1); Liang, Shengrong (1)

**Author affiliation:** (1) School of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China

**Corresponding author:** Zhong, Hanbin(hanbinzhong@126.com)

**Source title:** Energy and Fuels

**Abbreviated source title:** Energy Fuels

**Volume:** 30

**Issue:** 8

**Issue date:** August 18, 2016

**Publication year:** 2016

**Pages:** 6440-6447

**Language:** English

**ISSN:** 08870624

**E-ISSN:** 15205029

**CODEN:** ENFUEM

**Document type:** Journal article (JA)

**Publisher:** American Chemical Society

**Abstract:** The fast pyrolysis of biomass in a bubbling fluidized-bed reactor was simulated with the multi-fluid model combining the variable particle density and diameter model based on the mass conservation at the particle scale. Different particle shrinkage effects on the reactor performance were investigated through changing the apparent density of char species. The detailed distributions of particle density and diameter in the reactor and entrained out of the system were revealed. The results demonstrate that the reactor performance, including the particle density and diameter distribution, entrainment behavior, biochar composition and yield, and biomass conversion, is dramatically affected by the particle shrinkage effects. The average particle density increases, while the average particle diameter decreases, with the increase of the char density, which means more intense shrinkage. A weaker shrinkage effect leads to stronger entrainment behavior, larger biochar yield and mass fraction of biomass in biochar, and lower biomass conversion. © 2016 American Chemical Society.

**Number of references:** 21

**Main heading:** Biomass

**Controlled terms:** Supersaturation - Fluid catalytic cracking - Shrinkage - Bioconversion - Chemical reactors - Fluidized beds - Fluidized bed furnaces

**Uncontrolled terms:** Biomass conversion - Bubbling fluidized bed reactor - Diameter distributions - Fluidized bed reactors - Multi-fluid models - Particle densities - Particle diameters - Reactor performance

**Classification code:** 642.2 Industrial Furnaces and Components - 801.2 Biochemistry - 801.4 Physical Chemistry - 802.1 Chemical Plants and Equipment - 802.2 Chemical Reactions - 951 Materials Science

**DOI:** 10.1021/acs.energyfuels.6b00914

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 151. Research progress of catalysts for FCC diesel aromatics selective ring opening

**Accession number:** 20162202440240

**Authors:** Sun, Chenchen (1); Tian, Yuanyu (1); Zhang, Juntao (1); Chai, Xuelel (1); Cui, Shenghang (1)

**Author affiliation:** (1) Research Center of Petroleum Processing & Petrochemicals, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China

**Corresponding author:** Sun, Chenchen(17809290513@163.com)

**Source title:** Huagong Jinzhan/Chemical Industry and Engineering Progress

**Abbreviated source title:** Huagong Jinzhan/Chem. Ind. Eng. Prog.

**Volume:** 35

**Issue:** 5

**Issue date:** May 5, 2016

**Publication year:** 2016

**Pages:** 1440-1445

**Language:** Chinese

**ISSN:** 10006613

**Document type:** Journal article (JA)

**Publisher:** Materials China

**Abstract:** The technology of selective ring opening can make the aromatics into a single naphthene or alkane compounds and greatly enhance the cleanliness and cetane number of diesel fuel, and the core of this technology is to develop the bifunctional catalysts with abilities of both hydrogenation and ring opening performance. Recent advances in aromatic hydrocarbon selective ring opening catalyst for FCC diesel oil have been introduced. The effects of catalyst carrier, active metal and preparation method on hydrogenation ring opening reaction performance are discussed. Analysis indicates that the acid and structure of the carrier, the type of active metal and different preparation methods can all greatly influence the catalytic performance. Finally, we put forward some suggestions on the research of the selective ring opening catalyst. The focus of future research is to develop new carrier with the suitable acidity and pore structure and the active metal components, and strengthen researches of the reaction mechanism. © 2016, Chemical Industry Press. All right reserved.

**Number of references:** 19

**Main heading:** Hydrogenation

**Controlled terms:** Catalyst selectivity - Diesel fuels - Metals - Aromatic hydrocarbons - Aromatization

**Uncontrolled terms:** Bi-functional catalysts - Catalytic performance - FCC diesel - Hydrogenation and ring openings - Preparation method - Reaction mechanism - Ring opening reaction - Selective ring opening

**Classification code:** 523 Liquid Fuels - 802.2 Chemical Reactions - 803 Chemical Agents and Basic Industrial Chemicals - 804 Chemical Products Generally - 804.1 Organic Compounds

**DOI:** 10.16085/j.issn.1000-6613.2016.05.025

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 152. Multi-fluid model with variable particle density and diameter based on mass conservation at the particle scale

**Accession number:** 20160801993254

**Authors:** Zhong, Hanbin (1); Liang, Shengrong (1); Zhang, Juntao (1); Zhu, Yuqin (1)

**Author affiliation:** (1) School of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China

**Corresponding author:** Zhong, Hanbin(hanbinzhong@126.com)

**Source title:** Powder Technology

**Abbreviated source title:** Powder Technol.

**Volume:** 294

**Issue date:** June 01, 2016

**Publication year:** 2016

**Pages:** 43-54

**Language:** English

**ISSN:** 00325910

**E-ISSN:** 1873328X

**CODEN:** POTE BX

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** The multi-fluid model (MFM) has been widely used in the simulation of gas-solid fluidized bed reactor, in which the density and diameter of particles normally change due to the heterogeneous reactions. However, the particle diameter always keeps constant although the particle density varies along with reaction in the previous MFM,

which may disobey the law of mass conservation at the particle scale. Therefore, in order to overcome the limitation of constant diameter in the previous MFM, the biomass pyrolysis reaction was taken as an example to develop the variable particle density and diameter model based on the mass conservation at the particle scale, which was successfully incorporated into MFM to simulate the biomass pyrolysis process in a fluidized bed reactor. The results indicate that the segregation/mixing and entrainment behavior are significantly affected by the variation model of particle density and diameter and the species density in the solid phase. © 2015 Elsevier B.V.

**Number of references:** 39

**Main heading:** Fluidized beds

**Controlled terms:** Fluidized bed furnaces - Biomass - Supersaturation - Fluid catalytic cracking - Chemical reactors

**Uncontrolled terms:** Diameter model - Diameter of particle - Fluidized bed reactors - Gas-solid fluidized bed - Heterogeneous reactions - Multi-fluid models - Particle diameters - Particle scale

**Classification code:** 642.2 Industrial Furnaces and Components - 801.4 Physical Chemistry - 802.1 Chemical Plants and Equipment - 802.2 Chemical Reactions

**DOI:** 10.1016/j.powtec.2016.02.024

**Funding Details:** Number: SKLHOP201506, Acronym: -, Sponsor: State Key Laboratory of Heavy Oil Processing; Number: 2014BS18, Acronym: XSYU, Sponsor: Xi'an Shiyou University;

**Funding text:** The authors acknowledge the support by State Key Laboratory of Heavy Oil Processing (No. SKLHOP201506 ) and the Science Foundation of Xi'an Shiyou University (No. 2014BS18 ). The authors also thank the anonymous referees for their comments on this manuscript.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 153. Research on cutting and scaling theory for water injection pipe in oil exploitation

**Accession number:** 20170303267244

**Authors:** Zhu, L. (1); Liu, D. (1); Short, Greg (2)

**Author affiliation:** (1) Mechanical Engineering, Xian Shiyou University, Shanxi; 710065, China; (2) Mech. Eng. Dept., King Fahd Univ. of Pet. and Miner., KFUPM, Dhahran, Saudi Arabia

**Corresponding author:** Zhu, L.(706660950@qq.com)

**Source title:** Journal of Mechanical Engineering Research and Developments

**Abbreviated source title:** J Mech Eng Res Dev

**Volume:** 39

**Issue:** 4

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 930-936

**Language:** English

**ISSN:** 10241752

**CODEN:** JERDFO

**Document type:** Journal article (JA)

**Publisher:** Bangladesh University of Engineering and Technology

**Abstract:** The technology of cutting and scaling water injection pipe is a kind of mechanical descaling method, which can increase the inner diameter of the water injection pipe effectively, improve the water injection pressure so as to increase the efficiency of water injection. Compared with chemical descaling and high-pressure water jet descaling, mechanical descaling is more environmental protection, easy operation and better descaling effect. According to the characteristics of scale cutting mechanism model, research and analyze the scale cutting technology of water injection pipe wall through scale cutting mechanism, the design of tool structure and determination of cutting parameters, etc. To further improve the efficiency and reliability of water injection pipe descaling have an effect of guiding the development of water injection pipe descaling technology. © 2016, Bangladesh University of Engineering and Technology. All rights reserved.

**Number of references:** 12

**Main heading:** Water injection

**Controlled terms:** High pressure effects - Efficiency - Oil well flooding - Metal cleaning

**Uncontrolled terms:** Cutting mechanisms - Cutting parameters - Cutting technology - Deep holes - Descaling effects - Efficiency and reliability - High-pressure water jets - Water injection pressures

**Classification code:** 511.1 Oil Field Production Operations - 612.1 Internal Combustion Engines, General - 913.1 Production Engineering

**Compendex references:** YES

**Database:** Compendex  
**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 154. Thermal expansion behaviors of epitaxial film for wurtzite GaN studied by using temperature-dependent Raman scattering ([Open Access](#))

**Accession number:** 20162902623720

**Authors:** Wang, Dang-Hui (1); Xu, Tian-Han (1); Song, Hai-Yang (1)

**Author affiliation:** (1) College of Materials Science and Engineering of Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Wang, Dang-Hui(wdhyxp@163.com)

**Source title:** Wuli Xuebao/Acta Physica Sinica

**Abbreviated source title:** Wuli Xuebao

**Volume:** 65

**Issue:** 13

**Issue date:** July 5, 2016

**Publication year:** 2016

**Article number:** 130702

**Language:** Chinese

**ISSN:** 10003290

**CODEN:** WLHPAR

**Document type:** Journal article (JA)

**Publisher:** Institute of Physics, Chinese Academy of Sciences

**Abstract:** III-nitride materials have attracted considerable attention in the last decade due to their wide applications in solidstate light devices with their direct wide band-gaps and higher quantum efficiencies. InGaN/GaN multiple quantum well is important active region for light-emitting diode, which can be tuned according to indium composition in the  $\text{In}_x\text{Ga}_{1-x}\text{N}$  alloy system. Owing to difficulty in fabricating bulk materials, GaN thin films are heteroepitaxially grown on latticemismatched and thermal-expansion-mismatched substrates, such as sapphire ( $\text{Al}_2\text{O}_3$ ), Si and SiC, which subsequently results in a mass of threading dislocations and higher residual strains. On the one hand, dislocations and defects existing in GaN epilayers trap the carriers as scattering centers in the radiative recombination process between electrons and holes, and play an important role in drooping the internal quantum efficiency. On the other hand, higher built-in electric field induced by residual strains existing in GaN epilayer could make the emission wavelength red-shifted. It is common knowledge that temperature is one of the important factors in the growth process of epitaxial films, as a result, further research on thermal expansion behaviors is needed. Based on the above analysis, an in-depth study of thermal expansion behavior of wurtzite GaN epitaxial film is of vital importance both in theory and in application. In this study, we investigate the thermal expansion behaviors of wurtzite GaN epitaxial films by using temperature-dependent Raman scattering in a temperature range from 83 K to 503 K. According to the physical implication, Gruneisen parameter is almost a constant (Gruneisen parameters of all phonon modes are in a range between 1 to 2 for GaN) that characterizes the relationship between the phonon shift and the volume of a solid-state material. More importantly, Gruneisen parameter is relatively insensitive to temperature and suitable for building the connection between the phonon shift and thermal expansion coefficient. Therefore, the linear relationship between the phonon shift and temperature is built and utilized to calculate the thermal expansion coefficient according to the physical implication of the Gruneisen parameter. Conclusions can be obtained as follows. (1) The thermal expansion coefficient of GaN epilayer can be calculated in a certain temperature range by measuring the phonon modes of E2 (high), A1 (TO) and E1 (TO) through using temperature-dependent Raman scattering when the corresponding Gruneisen parameters are determined. (2) The calculated thermal expansion coefficients of GaN epilayer are consistent with the theoretical values. Conclusions and methods in this paper provide an effective quantitative analysis method to characterize the thermal expansion behaviors of other III-nitride epitaxial thin films, such as AlN, InN, AlGaIn, InGaIn, InAlIn etc., which can be of benefit to reducing the dislocation density and improving the luminescence efficiency of light emitting diode. Therefore, research on thermal expansion behaviors of epilayers using temperature-dependent Raman scattering has a direction for further studying the lattice-mismatch and thermal-expansion-mismatch between the epitaxial film and substrate. © 2016 Chinese Physical Society.

**Number of references:** 21

**Page count:** 7

**Main heading:** Gallium nitride

**Controlled terms:** Aluminum oxide - Epitaxial growth - Thermal expansion - Alumina - Raman scattering - Electric fields - Energy gap - Semiconductor alloys - Silicon carbide - III-V semiconductors - Sapphire - Semiconductor quantum wells - Zinc sulfide - Photoluminescence - Epilayers - Quantum efficiency - Phonons

**Uncontrolled terms:** Gruneisen parameters - Internal quantum efficiency - Radiative recombination process - Temperature dependent - Temperature dependent Raman scattering - Temperature-dependent raman - Thermal expansion coefficients - Thermal expansion mismatch

**Classification code:** 482.2.1 Gems - 641.1 Thermodynamics - 701.1 Electricity: Basic Concepts and Phenomena - 712.1 Semiconducting Materials - 714.2 Semiconductor Devices and Integrated Circuits - 741.1 Light/Optics - 802.3 Chemical Operations - 804.2 Inorganic Compounds - 931.4 Quantum Theory; Quantum Mechanics - 933.1.2 Crystal Growth - 951 Materials Science

**Numerical data indexing:** Temperature 8.30e+01K to 5.03e+02K

**DOI:** 10.7498/aps.65.130702

**Compendex references:** YES

**Open Access type(s):** All Open Access, Hybrid Gold

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 155. Tricomponent coupling biodiesel production catalyzed by surface modified calcium oxide

**Accession number:** 20160401842989

**Authors:** Tang, Ying (1); Li, Lili (1); Wang, Shanshan (1); Cheng, Qitong (1); Zhang, Jie (1)

**Author affiliation:** (1) College of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an, Shaanxi; 710065, China

**Corresponding author:** Tang, Ying(tangying78@xsyu.edu.cn)

**Source title:** Environmental Progress and Sustainable Energy

**Abbreviated source title:** Environ Prog Sustainable Energy

**Volume:** 35

**Issue:** 1

**Issue date:** January 1, 2016

**Publication year:** 2016

**Pages:** 257-262

**Language:** English

**ISSN:** 19447442

**E-ISSN:** 19447450

**CODEN:** ENVPDI

**Document type:** Journal article (JA)

**Publisher:** John Wiley and Sons Inc

**Abstract:** Commercial CaO has been used as basic catalysts for tricomponent coupling biodiesel production using the reactant of methanol, rapeseed oil, and dimethyl carbonate (DMC) under mild reaction condition to produce no-glycerol biodiesel. To enhance the catalytic efficiency, surface modification was carried out over commercial CaO. The yield of fatty acid methyl ester (FAME) was enhanced to 98.8% over 0.01% ethyl bromoacetate modified CaO at the oil/DMC/methanol ratio of 1:1:8 under 65°C in 6 h. Good performance of modified CaO in water-contained reactant shows its high capacity of water resistance, which can be further confirmed by the humidity test of modified CaO in the vapor-saturated atmosphere. The FT-IR analysis confirms the chemical connection of modifier and CaO. The effect of surface modification on the physicochemical properties of CaO was evidenced by TGA, XRD, BET, CO<sub>2</sub>-TPD, and SEM. © 2015 American Institute of Chemical Engineers Environ Prog.

**Number of references:** 24

**Main heading:** Biodiesel

**Controlled terms:** Chemical analysis - Fatty acids - Surface treatment - Lime

**Uncontrolled terms:** Biodiesel production - bitransesterification - Catalytic efficiencies - Dimethyl carbonate - Fatty acid methyl ester - Mild reaction conditions - Surface-modified - Water-resistances

**Classification code:** 523 Liquid Fuels - 804.1 Organic Compounds - 804.2 Inorganic Compounds

**Numerical data indexing:** Percentage 1.00e-02%, Percentage 9.88e+01%, Temperature 3.38e+02K, Time 2.16e+04s

**DOI:** 10.1002/ep.12194

**Funding Details:** Number: 21306149, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 156. Adsorption characteristics of Chang 7 shale from the Triassic Yanchang Formation in Ordos Basin, and its controlling factor

**Accession number:** 20160801961876

**Authors:** Zhao, Jingzhou (1, 2); Wang, Rui (3); Er, Chuang (1, 2)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Shaanxi Key Laboratory of Petroleum Accumulation Geology, Xi'an Shiyou University, Xi'an; 710065, China; (3) The 2nd Oil Production Factory of Dagang Oil Field Company, PetroChina, Huanghua; 061100, China

**Source title:** Earth Science Frontiers

**Abbreviated source title:** Earth Sci. Front.

**Volume:** 23

**Issue:** 1

**Issue date:** January 1, 2016

**Publication year:** 2016

**Pages:** 146-153

**Language:** Chinese

**ISSN:** 10052321

**Document type:** Journal article (JA)

**Publisher:** Science Frontiers editorial department

**Abstract:** The Chang 7 Member in the Zhidan-Ganquan region of the Ordos Basin is a set of dark mudstones and shales deposited in a deep lacustrine setting. With high TOC, type II1 organic matter and Ro mostly of 0.6%-1.2%, the Chang 7 mudstones and shales are confirmed to be the principal source of the widely distributed oils in the Ordos Basin. In order to discuss the adsorption characteristics of Chang 7 organic-rich shales, we analyzed the test results of isothermal adsorption, the content of organic carbon, XRD, thermal maturity and liquid nitrogen adsorption of 16 shale samples chosen from the study area. It turns out that the Langmuir volume of the Chang 7 shales varies between 0.56 m<sup>3</sup>/t and 4.43 m<sup>3</sup>/t. With the increase of pressure, the Langmuir volume rises correspondingly until the pressure reaches a certain level. The Langmuir volume has a positive correlation with the organic carbon content, clay mineral content, specific surface area and pore volume. In contrast to many marine shales, the Langmuir volume of the Chang 7 lacustrine shale has a negative correlation with quartz content, which is probably due to the fact that the source of the lake-deposited quartz is of terrestrial detrital origin. The relation of the Langmuir volume and thermal maturity (Ro) of the studied shales is negative when the Ro is less than 0.9% or so but becomes positive as the Ro is more than 0.9%. Based on the comprehensive evaluation, it is found that the TOC content and clay mineral content have the most significant effect on adsorption characteristics, while the specific surface area is a more direct factor. © 2016, Editorial Office of Earth Science Frontiers. All right reserved.

**Number of references:** 4

**Main heading:** Clay minerals

**Controlled terms:** Metamorphic rocks - Gas adsorption - Quartz - Specific surface area - Shale - Organic carbon

**Uncontrolled terms:** Adsorption characteristic - Controlling factors - Ordos Basin - Triassic - Yanchang Formation

**Classification code:** 482.2 Minerals - 802.3 Chemical Operations - 804.1 Organic Compounds

**Numerical data indexing:** Percentage 6.00e-01% to 1.20e+00%, Percentage 9.00e-01%

**DOI:** 10.13745/j.esf.2016.01.013

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 157. Application of artificial intelligence on black shale lithofacies prediction in marcellus shale, appalachian basin

**Accession number:** 20160902041360

**Authors:** Wang, Guochang (1); Ju, Yiwen (1); Carr, Timothy R. (2); Li, Chaofeng (1); Cheng, Guojian (3)

**Author affiliation:** (1) University of Chinese Academy of Sciences, China; (2) West Virginia University, United States; (3) Xi'an Shiyou University, China

**Corresponding author:** Wang, Guochang

**Source title:** Society of Petroleum Engineers - SPE/AAPG/SEG Unconventional Resources Technology Conference

**Abbreviated source title:** Soc. Pet. Eng. - SPE/AAPG/SEG Unconv. Resour. Technol. Conf.

**Part number:** 1of1

**Issue title:** Society of Petroleum Engineers - SPE/AAPG/SEG Unconventional Resources Technology Conference

**Issue date:** 2016

**Publication year:** 2016

**Report number:** URTeC: 1935021

**Language:** English

**ISBN-13:** 9781613993606

**Document type:** Conference article (CA)

**Conference name:** SPE/AAPG/SEG Unconventional Resources Technology Conference

**Conference date:** August 25, 2014 - August 27, 2014

**Conference location:** Denver, CO, United states

**Conference code:** 117756

**Publisher:** Society of Petroleum Engineers

**Abstract:** Organic-rich shale lithofacies, primarily defined by mineral composition and organic matter richness, reflects the features of the two critical factors for unconventional shale reservoirs. The research of shale lithofacies can aid in identifying shale gas productive zones and designing horizontal well and hydraulic fracturing. Seven shale lithofacies in Marcellus Shale have been defined by mineral composition and TOC content. Prediction of shale lithofacies by conventional logs is the key step to define the distribution of shale lithofacies laterally and vertically, but the relationship between lithofacies and logs is non-linear and complex. The effectiveness of conventional mathematical methods is limited. Artificial intelligence (AI) classifiers, such as artificial neural network (ANN), and support vector machine (SVM), can solve complex nonlinear problems. In addition, learning algorithms based on AI could also work together with AI classifiers to recognize shale lithofacies. Meanwhile, an innovative decomposition method, hierarchical decomposition, has been proposed and used to enhance the performance of ANN and SVM classifiers in predict Marcellus Shale lithofacies. In this paper, we devoted ourselves to comprehensively discuss the strength and weakness of these AI algorithms in pattern recognition and present an integrated workflow for organic-rich shale lithofacies prediction. This methodology should be helpful for recognizing shale lithofacies in other shale gas plays, which AIDS in identifying high productive shale gas sweet spots. Copyright 2014, Unconventional Resources Technology Conference (URTeC).

**Number of references:** 34

**Main heading:** Forecasting

**Controlled terms:** Neural networks - Support vector machines - Hydraulic fracturing - Resource valuation - Horizontal wells - Pattern recognition - Shale gas - Complex networks - Decision trees

**Uncontrolled terms:** Decomposition methods - Hierarchical decompositions - Integrated workflow - Mathematical method - Mineral composition - Nonlinear problems - Organic matter richness - Organic-rich shales

**Classification code:** 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 512.2 Natural Gas Deposits - 522 Gas Fuels - 722 Computer Systems and Equipment - 723 Computer Software, Data Handling and Applications - 921.4 Combinatorial Mathematics, Includes Graph Theory, Set Theory - 961 Systems Science

**DOI:** 10.15530/urtec-2014-1935021

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 158. Reservoir simulation using smart proxy in SACROC unit - Case study

**Accession number:** 20164402973243

**Authors:** He, Qin (1); Mohaghegh, Shahab D. (2); Liu, Zhikun (3)

**Author affiliation:** (1) Saint Francis University, United States; (2) Intelligent Solutions, Inc., West Virginia University, United States; (3) Xi'an Shiyou University, China

**Source title:** SPE Eastern Regional Meeting

**Abbreviated source title:** SPE East. Reg. Meet.

**Volume:** 2016-January

**Part number:** 1of1

**Issue title:** Society of Petroleum Engineers - SPE Eastern Regional Meeting 2016, ERM 2016

**Issue date:** 2016

**Publication year:** 2016

**Report number:** SPE-184069-MS

**Language:** English

**ISBN-13:** 9781613995105

**Document type:** Conference article (CA)

**Conference name:** 2016 SPE Eastern Regional Meeting, ERM 2016

**Conference date:** September 13, 2016 - September 15, 2016

**Conference location:** Canton, OH, United states

**Conference code:** 124063

**Publisher:** Society of Petroleum Engineers (SPE)

**Abstract:** In oil and gas industry, quick decisions on reservoir management have a huge impact on business success. Reservoir simulation is used as a typical tool to predict field performance and analyze uncertainties for assistance on decision making. Nevertheless, history matching, as a critical step of reservoir simulation, typically requires running a numerical simulation model repeatedly with different parameter settings, which is a huge computational cost, especially for complicated geological models with numerous grid cells. For reservoir engineers, how to achieve efficient reservoir simulation by taking full advantage of field data without compromise on the simulation time is a big concern. In this work, Smart Proxy, as a relative new proxy model type, is proposed to investigate the feasibility of fastening history matching process as an alternative. Smart Proxy is an ensemble of Artificial Intelligence and Data Mining (AI&DM) technologies that are able to learn and replicate the behavior of reservoir simulation model with high accuracy. It can be developed off line and put online for automatic history matching at high speed such that a single run can be performed in a fraction of a second (Mohaghegh 2006). This paper presents the Smart Proxy generation and its implementation in a real oilfield simulation case named SACROC Unit. It essentially involves detailing numerical reservoir simulation and Smart Proxy generation for a naturally fractured carbonate numerical simulation model with highly complicated development stages. The developed Smart Proxy is implemented to perform automatic history matching in the designated study area of SACROC Unit. The efficient history matching has been proven to be successfully accomplished using Smart Proxy simulation. Tremendous time and efforts have been saved without any compromise on simulation accuracy compared with that of traditional numerical reservoir simulation method. Copyright 2016, Society of Petroleum Engineers.

**Number of references:** 34

**Main heading:** Decision making

**Controlled terms:** Reservoir management - Petroleum reservoir evaluation - Numerical methods - Data mining - Numerical models - Gas industry - Uncertainty analysis

**Uncontrolled terms:** Automatic History Matching - Fractured carbonates - Numerical reservoir simulations - Oil and Gas Industry - Reservoir engineers - Reservoir simulation - Reservoir simulation model - Simulation accuracy

**Classification code:** 512.1.2 Petroleum Deposits : Development Operations - 522 Gas Fuels - 723.2 Data Processing and Image Processing - 912.2 Management - 921 Mathematics - 921.6 Numerical Methods - 922.1 Probability Theory

**DOI:** 10.2118/184069-MS

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 159. Design of a programmable and low-frequency filter for biomedical signal sensing applications

**Accession number:** 20171303497613

**Authors:** Zhao, Tian (1); Liu, Xuan (1); Zhang, Guohe (1); Su, Yali (2)

**Author affiliation:** (1) School of Microelectronics, Xi'an Jiaotong University, Xi'an, China; (2) School of Mechanical Engineering, Xi'an Shiyou University, Xi'an, China

**Corresponding author:** Zhang, Guohe(zhangguohe@xjtu.edu.cn)

**Source title:** Proceedings - 2016 9th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics, CISP-BMEI 2016

**Abbreviated source title:** Proc. - Int. Congr. Image Signal Process., BioMed. Eng. Inform., CISP-BMEI

**Part number:** 1 of 1

**Issue title:** Proceedings - 2016 9th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics, CISP-BMEI 2016

**Issue date:** February 13, 2017

**Publication year:** 2016

**Pages:** 1746-1750

**Article number:** 7852999

**Language:** English

**ISBN-13:** 9781509037100

**Document type:** Conference article (CA)

**Conference name:** 9th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics, CISP-BMEI 2016

**Conference date:** October 15, 2016 - October 17, 2016

**Conference location:** Datong, China

**Conference code:** 126492

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** A programmable low-frequency filter for biomedical signal sensing application is presented here based on the principle of fifth-order Bessel transconductance capacitor (Gm-C) ladder filter. Current division and current cancellation techniques are used to achieve ultra-low Gm for operation transconductance amplifier (OTA) design. Active inductor is designed through a gyrator structure composed of an OTA and a capacitor. In order to achieve tunable cutoff frequency for the filter, constant Gm and variable capacitor structures are utilized in the design. The cutoff frequency can thus be adjusted as 35Hz, 150Hz and 250Hz through two digital control bits CTRSA and CTRSB. Gm is also adjustable to compensate frequency drift caused by the process and temperature variation. The filter was designed with 0.18 $\mu$ m 1P6M CMOS technology and achieves a THD of 61.2dB and consumes 12.38 $\mu$ W under 1.8V supply voltage. © 2016 IEEE.

**Number of references:** 20

**Main heading:** Cutoff frequency

**Controlled terms:** Transconductance - Operational amplifiers - Signal processing - Bandpass filters - C (programming language) - Digital control systems

**Uncontrolled terms:** Biomedical signal - Current cancellation - GM-C filters - Low-frequency - programmable - Sensing applications - Temperature variation - Transconductance amplifier

**Classification code:** 701.1 Electricity: Basic Concepts and Phenomena - 703.2 Electric Filters - 713.1 Amplifiers - 716.1 Information Theory and Signal Processing - 723.1.1 Computer Programming Languages - 731.1 Control Systems

**Numerical data indexing:** Decibel 6.12e+01dB, Frequency 1.50e+02Hz, Frequency 2.50e+02Hz, Frequency 3.50e+01Hz, Power 1.24e-05W, Voltage 1.80e+00V

**DOI:** 10.1109/CISP-BMEI.2016.7852999

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 160. The new analysis method of permeability stress-sensitivity and stimulation

**Accession number:** 20164402962435

**Authors:** Liu, X. (1, 2); Shen, R. (1); Zhang, H. (1); Liu, X. (3)

**Author affiliation:** (1) China National Petroleum Corporation, Drilling Research Institute, China; (2) China University of Petroleum, China; (3) Xi'an Shiyu University, China

**Source title:** Society of Petroleum Engineers - IADC/SPE Asia Pacific Drilling Technology Conference

**Abbreviated source title:** Soc. Pet. Eng. - IADC/SPE Asia Pac. Drill. Technol. Conf.

**Part number:** 1of1

**Issue title:** Society of Petroleum Engineers - IADC/SPE Asia Pacific Drilling Technology Conference

**Issue date:** 2016

**Publication year:** 2016

**Report number:** SPE-180567-MS

**Language:** English

**ISBN-13:** 9781613994504

**Document type:** Conference article (CA)

**Conference name:** IADC/SPE Asia Pacific Drilling Technology Conference 2016

**Conference date:** August 22, 2016 - August 24, 2016

**Conference location:** Singapore, Singapore

**Conference code:** 123867

**Publisher:** Society of Petroleum Engineers

**Abstract:** Formation and fracture parameters can be obtained usefully by straight-line analysis. Due to the reason that the reservoir permeability and fluid properties are pressure-dependent, conventional straight-line method may lead to significant error. Besides, pressure-dependence of permeability is always difficult to be quantified with traditional method. This paper aims to analysis the error and manage to propose a new procedure to quantify the pressure-dependence of permeability as well as to evaluate the stimulation efficiency. In the paper, we firstly analyze the errors caused by pressure-dependence of permeability and gas properties and study influencing factors. Furthermore, a new method for radius of influence calculation is introduced. Then, procedures used to quantify pressure-dependence of permeability as well as estimate formation/fracture parameters are presented in detail. Finally, One field example is used to testified these procedures. We can get some conclusions from the error analysis that, due to the existence of pressure-dependent permeability and gas properties, the plot obtained by traditional straight-line method would deviate from straight-line. This method is proved to be accurate to quantify pressure-dependent of permeability and evaluate the stimulation efficiency by applying the modified method in this paper to field data. The technique innovations of this paper include:(1)we evaluate the error caused by ignoring pressure-dependent permeability and gas properties;(2) a new method for pseudotime calculation under variable rate /flowing pressure condition is presented;(3)

a new procedure of quantifying pressure-dependence of permeability as well as evaluating the stimulation efficiency is also proposed and validated. Copyright 2016, IADC/SPE Asia Pacific Drilling Technology Conference.

**Number of references:** 19

**Main heading:** Errors

**Controlled terms:** Petroleum reservoir evaluation - Gas permeability - Efficiency

**Uncontrolled terms:** Permeability modulus - Pressure conditions - Pressure dependence - Pressure dependent - Radius of influences - Reservoir permeability - Straight line analysis - Stress sensitivity

**Classification code:** 512.1.2 Petroleum Deposits : Development Operations - 913.1 Production Engineering - 931.2 Physical Properties of Gases, Liquids and Solids

**DOI:** 10.2118/180567-MS

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 161. Design of a low noise low power preamplifier used for portable biomedical signal acquisition

**Accession number:** 20171303497612

**Authors:** Su, Yali (1); Liu, Xuan (2)

**Author affiliation:** (1) School of Mechanical Engineering, Xi'an Shiyu University, Xi'an, China; (2) School of Microelectronics, Xi'an Jiaotong University, Xi'an, China

**Source title:** Proceedings - 2016 9th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics, CISP-BMEI 2016

**Abbreviated source title:** Proc. - Int. Congr. Image Signal Process., BioMed. Eng. Inform., CISP-BMEI

**Part number:** 1 of 1

**Issue title:** Proceedings - 2016 9th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics, CISP-BMEI 2016

**Issue date:** February 13, 2017

**Publication year:** 2016

**Pages:** 1742-1745

**Article number:** 7852998

**Language:** English

**ISBN-13:** 9781509037100

**Document type:** Conference article (CA)

**Conference name:** 9th International Congress on Image and Signal Processing, BioMedical Engineering and Informatics, CISP-BMEI 2016

**Conference date:** October 15, 2016 - October 17, 2016

**Conference location:** Datong, China

**Conference code:** 126492

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** A low noise preamplifier used for biomedical signal acquisition is presented in the paper. A 'T-type feedback' operational amplifier topology structure is used here based on the traditional 'AC coupling-capacitor feedback'. The resulting amplifier, built in SMIC 0.18um standard CMOS process, processes signals from 0.2/25Hz to 10 kHz with an input-referred noise of 0.96uVrms and a power dissipation of 18.54uW while occupying 0.065mm<sup>2</sup> of chip area. The simulation results show that, the presented preamplifier has proper gain and bandwidth, small input-referred noise and chip area consumption. It is suitable for the applications in low power, low noise and high integration circuits used for biomedical signal acquisition. © 2016 IEEE.

**Number of references:** 11

**Main heading:** Operational amplifiers

**Controlled terms:** Feedback amplifiers - Low power electronics - Mergers and acquisitions

**Uncontrolled terms:** AC coupling capacitors - Biomedical signal - Biomedical signal acquisition - Low noise - Low noise preamplifiers - Low Power - Low-noise low-power preamplifiers - Standard CMOS process

**Classification code:** 713.1 Amplifiers

**Numerical data indexing:** Area 6.50e-08m<sup>2</sup>, Frequency 1.00e+04Hz

**DOI:** 10.1109/CISP-BMEI.2016.7852998

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 162. Numerical simulation analysis on the flow field and convection heat transfer in a new heat transfer tube of SuperORV

**Accession number:** 20162202430615

**Authors:** Deng, Zhi'an (1); Jiang, Chenwei (1); Zhang, Xueting (1); Liang, Xiao (1); Yang, Fan (2)

**Author affiliation:** (1) Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (2) Shaanxi Xianyang Petroleum Company of Sinopec Sales Co., Ltd., Xi'an; Shaanxi; 710065, China

**Source title:** Natural Gas Industry

**Abbreviated source title:** Natur. Gas Ind.

**Volume:** 36

**Issue:** 4

**Issue date:** April 25, 2016

**Publication year:** 2016

**Pages:** 90-95

**Language:** Chinese

**ISSN:** 10000976

**CODEN:** TIGOE3

**Document type:** Journal article (JA)

**Publisher:** Natural Gas Industry Journal Agency

**Abstract:** A new heat transfer tube of SuperORV (super open rack vaporizer) is developed by adding a Phillips screw spoiler lever to the inner tube of the traditional heat transfer tube to strengthen the heat transfer efficiency. Mathematical and physical models corresponding to the new and the traditional heat transfer tubes were built to study the heat transfer efficiency of this new device. Two types of heat transfer tubes were compared in terms of their flow fields and convection heat transfer performances by means of numerical simulation. As a result, the relationship diagram of inlet velocity vs. Nusselt Number of flow path in heat transfer tubes was worked out, and the distribution laws of temperature and heat transfer coefficient at different positions of heat transfer tubes were drawn. After numerical simulation was carried out on the existing experiments, simulation results and experimental data were compared and analyzed. It is shown that based on the FLUENT numerical simulation method, the heat transfer characteristics can be described accurately. By virtue of screw spoiler levers, not only the turbulence intensity of the fluid is enhanced, but the boundary layer thickness is reduced effectively with a strong secondary flow, so the radial heat exchange of the fluid is strengthened and the overall heat transfer capacity of heat transfer tubes is improved. Inlet flow velocity is proportional to the increasing rate of Nusselt Number, and heat transfer coefficient increases with the rise of temperature. With the same Reynolds number, the average temperature of the fluid inside the new heat transfer tube is significantly higher than that in the traditional transfer tube. These results provide reference for the localization of SuperORV. © 2016, Natural Gas Industry Journal Agency. All right reserved.

**Number of references:** 15

**Main heading:** Heat transfer coefficients

**Controlled terms:** Boundary layers - Flow velocity - Flow fields - Boundary layer flow - Inlet flow - Reynolds number - Numerical methods - Efficiency - Heat convection - Numerical models - Nusselt number - Tubes (components)

**Uncontrolled terms:** Boundary layer thickness - Enhanced heat transfer - Fluent numerical simulations - Heat transfer characteristics - Heat transfer efficiency - Numerical simulation analysis - SuperORV - Turbulence intensity

**Classification code:** 619.1 Pipe, Piping and Pipelines - 631 Fluid Flow - 631.1 Fluid Flow, General - 641.2 Heat Transfer - 913.1 Production Engineering - 921 Mathematics - 921.6 Numerical Methods - 943.2 Mechanical Variables Measurements

**DOI:** 10.3787/j.issn.1000-0976.2016.04.014

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 163. Development strategies of provincial natural gas markets in China: A case study of Shaanxi Province

**Accession number:** 20161702309686

**Authors:** Li, Bo (1); Zhang, Ke (1, 2); Wang, Dan (1); Li, Dong (1); Li, Xiaochong (1)

**Author affiliation:** (1) Shaanxi Natural Gas Co., Ltd., Xi'an; Shaanxi; 710016, China; (2) Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China

**Source title:** Natural Gas Industry

**Abbreviated source title:** Natur. Gas Ind.

**Volume:** 36

**Issue:** 3

**Issue date:** March 25, 2016

**Publication year:** 2016

**Pages:** 114-119

**Language:** Chinese

**ISSN:** 10000976

**CODEN:** TIGOE3

**Document type:** Journal article (JA)

**Publisher:** Natural Gas Industry Journal Agency

**Abstract:** With the transformation of energy consumption structure in China, natural gas is sharing an increasing proportion in primary energy consumption, but the increasing rate is low. So, there is still great potential to further expand the natural gas consumption markets. In this paper, based on natural gas utilization situations in China, the development status of natural gas industry in Shaanxi Province was discussed to highlight the potential and urgency of developing natural gas consumption markets in the province. According to the development situations of different areas, the markets are divided into four levels, i.e., county and township near-term small market, municipal near-term medium market, major county mid-term medium market, and municipal early-term large market. The gas consumption is divided into initial stage, growth stage and mature stage. Finally, development programs were proposed on natural gas markets in different areas at various development stages. Firstly, as for the markets at the initial stage, marketing enterprises should focus on urban gas to perform their political responsibilities. Secondly, as for the markets at the growth stage, enterprises should focus on the adjustment of natural gas market structure to perform their economic responsibilities. And thirdly, for mature markets, enterprises should pay attention to the large-sized advanced industrial users that are newly built, rebuilt or expanded in the periphery and should give the priority to the distributed energy in promotion and utilization. © 2016, Natural Gas Industry Journal Agency. All right reserved.

**Number of references:** 17

**Main heading:** Marketing

**Controlled terms:** Energy utilization - Commerce - Gas industry - Natural gas - Gases

**Uncontrolled terms:** China - Consumption situation - Industrial development - Market development - Shaanxi Province - Strategic analysis

**Classification code:** 522 Gas Fuels - 525.3 Energy Utilization - 911.4 Marketing

**DOI:** 10.3787/j.issn.1000-0976.2016.03.016

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

#### **164. Corrigendum to "Development of a downhole incharge inflow control valve in intelligent wells" (Journal of Natural Gas Science and Engineering (2016) 29 (559–569) (S1875510016300208)(10.1016/j.jngse.2016.01.020))**

**Accession number:** 20164502978443

**Authors:** Wang, Jinlong (1); Zhang, Ningsheng (1); Wang, Yuelong (2); Zhang, Bing (1); Wang, Yingru (3); Liu, Tian'en (4)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) College of Electrical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (3) College of Chinese Language and Literature, Xi'an International Studies University, Xi'an; 710128, China; (4) Petroleum Engineering Research Institute, Dagang Oilfield of Petrochina, Tianjin; 300280, China

**Corresponding author:** Wang, Jinlong(shuifengzou520@126.com)

**Source title:** Journal of Natural Gas Science and Engineering

**Abbreviated source title:** J. Nat. Gas Sci. Eng.

**Volume:** 36

**Issue date:** November 1, 2016

**Publication year:** 2016

**Pages:** 1050

**Language:** English

**ISSN:** 18755100

**Document type:** Erratum (ER)

**Publisher:** Elsevier B.V.

**Abstract:** The authors regret that carelessly used a wrong picture in Fig. 5 published in Vol 29, 2016. We apologize for not finding out this mistake during proof reading. The correct figure should be as follows. The authors would like to apologise for any inconvenience caused.[display presented] © 2016 Elsevier B.V.

**DOI:** 10.1016/j.jngse.2016.10.049

**ErratuFig:** 608253551

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 165. The characteristics of gravity and magnetic fields and the distribution of tight sandstone gas in the eastern Ordos Basin, China (Open Access)

**Accession number:** 20161602245006

**Authors:** Yuan, Bingqiang (1, 2); Zhang, Huaan (3); Zhang, Chunguan (1); Xu, Haihong (4); Yan, Yunkui (3)

**Author affiliation:** (1) School of Geoscience and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Shaanxi Key Lab of Petroleum Accumulation Geology, Xi'an Shiyou University, Xi'an; 710065, China; (3) Yanchang Oilfield Co. Ltd, Yanchuan, Shaanxi; 717208, China; (4) Xi'an Center of Geological Survey, China Geological Survey, Xi'an, Shaanxi; 710054, China

**Corresponding author:** Yuan, Bingqiang(yuanbingqiang@sohu.com)

**Source title:** Geophysical Journal International

**Abbreviated source title:** Geophys. J. Int.

**Volume:** 205

**Issue:** 1

**Issue date:** April 1, 2016

**Publication year:** 2016

**Pages:** 665-679

**Language:** English

**ISSN:** 0956540X

**E-ISSN:** 1365246X

**Document type:** Journal article (JA)

**Publisher:** Oxford University Press

**Abstract:** In order to perform gas exploration and determine the distribution pattern of gas in the Yanchang Oil Field in the eastern part of the North Shaanxi Slope, Ordos Basin, China, gravity and magnetic survey data were systemically collated, processed and interpreted in combination with the drilling data and recent seismic data. The genesis of gravity and magnetic anomalies and the relationship between the characteristics of the gravity and magnetic fields and known gas distribution were explored in order to predict the favourable exploration targets for gas. Gravity anomalies resulted both from the lateral variation in density of the basement rock and lateral lithologic transformation in the sedimentary cover. The regional magnetic anomalies were mainly caused by the basement metamorphic rocks and the residual magnetic anomalies may reflect the amount and general location of the volcanic materials in the overlying strata. The residual gravity and magnetic anomalies generated by high-density sandstone and high content of volcanics in the gas reservoir of the upper Paleozoic distorted and deformed the anomaly curves when they were stacked onto the primary background anomaly. The gas wells were generally found to be located in the anomaly gradient zones, or the distorted part of contour lines, and the flanks of high and low anomalies, or the transitional zones between anomaly highs and lows. The characteristics of gravity and magnetic fields provide significant information that can be used for guidance when exploring the distribution of gas. Based on these characteristics, five favourable areas for gas exploration were identified; these are quasi-equally spaced like a strip extending from the southeast to the northwest. © The Authors 2016.

**Number of references:** 47

**Main heading:** Gases

**Controlled terms:** Geological surveys - Sandstone - Image processing - Magnetic fields - Metamorphic rocks - Natural gas fields - Petroleum prospecting - Buildings - Seismology

**Uncontrolled terms:** Asia - Distribution patterns - Gas and hydrate systems - Gravity and magnetic anomalies - Gravity anomalies and Earth structures - Magnetic anomalies: modelling and interpretations - Ordos basin, China - Tight sandstone gas

**Classification code:** 402 Buildings and Towers - 481.1 Geology - 482.2 Minerals - 484.1 Earthquake Measurements and Analysis - 512.1.2 Petroleum Deposits : Development Operations - 512.2.1 Natural Gas Fields - 701.2 Magnetism: Basic Concepts and Phenomena - 723.2 Data Processing and Image Processing

**DOI:** 10.1093/gji/ggw047

**Funding text:** The authors would like to acknowledge the relevant leaders and experts in the natural gas exploration and development division of Yanchang Oilfield Co. Ltd. and the School of Geoscience and Engineering resource

college of Xi'an Shiyou University for their the help and guidance. Many thanks for the insightful comments of the two anonymous reviewers and editors, which significantly improved the original version of this paper. We would like to thank the program 'The integrated research on geophysical data in the eastern part Ordos Basin-2007-53' of Yanchang Oilfield Co. Ltd for their funding support.

**Compendex references:** YES

**Open Access type(s):** All Open Access, Bronze

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 166. Development of a downhole incharge inflow control valve in intelligent wells

**Accession number:** 20160701935729

**Authors:** Wang, Jinlong (1); Zhang, Ningsheng (1); Wang, Yuelong (2); Zhang, Bing (1); Wang, Yingru (3); Liud, Tian'en (4)

**Author affiliation:** (1) College of Petroleum Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) College of Electrical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (3) College of Chinese Language and Literature, Xi'an International Studies University, Xi'an; 710128, China; (4) Petroleum Engineering Research Institute, Dagang Oilfield of Petrochina, Tianjin; 300280, China

**Corresponding author:** Wang, Jinlong(shuifengzou520@126.com)

**Source title:** Journal of Natural Gas Science and Engineering

**Abbreviated source title:** J. Nat. Gas Sci. Eng.

**Volume:** 29

**Issue date:** February 01, 2016

**Publication year:** 2016

**Pages:** 559-569

**Language:** English

**ISSN:** 18755100

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** A complex hydraulic control system for intelligent wells is costly and cannot use numerous producing layers. Thus, it cannot be easily employed in China oilfields that demand a downhole electric drive inflow control valve, which can be combined with the downhole electronic monitoring system, applied to a 5.5-inch wellbore, and remotely controlled with low cost. In this study, a tubular linear motor is used in developing an incharge inflow control valve (IICV) to drive the sliding sleeve. A rotor displacement detector and a tubular linear motor are integrated to measure the IICV opening. The resulting intelligent well systems only need three 0.25-inch power wires and a 0.25-inch signal transmission cable to control over 12 producing layers. Such intelligent well systems can also reduce the number of holes on the feed-through production packer. The IICV can be combined with the downhole electronic monitoring system to achieve the electronization of intelligent well systems and reduce costs. Field application results show that the IICV continuously ran fault-free in the downhole for 15 months. The cumulative increase in oil production capacity is  $> 8 \times 10^6$  kg, which directly increased profit by  $> \$3$  million. The proposed systems can effectively use reservoir energy and enhance oil recovery. © 2016 Elsevier B.V.

**Number of references:** 39

**Main heading:** Electric drives

**Controlled terms:** Monitoring - Safety valves - Linear motors - Oil wells

**Uncontrolled terms:** Flow trim - Inflow control valve - Intelligent well systems - Rotor displacement - Tubular linear motor

**Classification code:** 512.1.1 Oil Fields - 619.1.1 Pipe Accessories - 705.3 Electric Motors - 914.1 Accidents and Accident Prevention

**Numerical data indexing:** Age 1.25e+00yr, Size 1.40e-01m, Size 6.35e-03m

**DOI:** 10.1016/j.jngse.2016.01.020

**Funding Details:** Number: 51274165, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** The authors would like to acknowledge the financial support from the projects of the National Natural Science Foundation of China [ A Study of Multi-layer Commingling with Intelligent Well Completion for the Optimization of the Node Combination Model (No. 51274165 ) and A Study of Intelligent Well System Design and the Production Optimization of a Control Model (No. U1262105 ) ] and the Education Department of the Shaanxi Provincial Government Special Scientific Research Projects in China [ Water Invasion Monitoring and Optimization Control Model of a Horizontal Intelligent Well in a Low-Permeability Reservoir (No. 14JK1587 ) ].

**Compendex references:** YES

**ErratuFig:** 613000936

**Database:** Compendex

**Data Provider:** Engineering Village  
Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 167. Task analysis approach based on perceptual control theory

**Accession number:** 20162802581726

**Authors:** Li, Juan-Ni (1, 2); Hua, Qing-Yi (1); Ji, Xiang (1); Zhang, Min-Jun (1)

**Author affiliation:** (1) School of Information, Northwest University, Xi'an; 710075, China; (2) School of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Hua, Qing-Yi(huaqy@nwu.edu.cn)

**Source title:** Journal of Beijing Institute of Technology (English Edition)

**Abbreviated source title:** J Beijing Inst Technol Engl Ed

**Volume:** 25

**Issue:** 2

**Issue date:** June 1, 2016

**Publication year:** 2016

**Pages:** 278-286

**Language:** English

**ISSN:** 10040579

**CODEN:** JBITE5

**Document type:** Journal article (JA)

**Publisher:** Beijing Institute of Technology

**Abstract:** Based on perceptual control theory, a task analysis approach is proposed to describe more accurately user tasks in dynamic environments, which is of more powerful and flexible descriptive ability. Theoretically, a task meta model is established to describe the interactive process in an individual, dynamic, and flexible way. Methodologically, an implementation framework is illustrated to map the user-oriented description into implementation-oriented models, which will be as a technical tool to transform from a task model to a user interface prototype. © 2016 Beijing Institute of Technology.

**Number of references:** 14

**Main heading:** Control theory

**Controlled terms:** User interfaces - Job analysis

**Uncontrolled terms:** Context of use - Dynamic environments - Interactive process - Perceptual control - Task analysis - Task meta-models - Technical tools - User interface prototypes

**Classification code:** 722.2 Computer Peripheral Equipment - 731.1 Control Systems

**DOI:** 10.15918/j.jbit1004-0579.201625.0217

**Funding Details:** Number: 61272286, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 20126101110006, Acronym: SRFDP, Sponsor: Specialized Research Fund for the Doctoral Program of Higher Education of China;

**Funding text:** Supported by the National Natural Science Foundation of China (61272286); the Specialized Research Fund for the Doctoral Program of Higher Education of China (20126101110006)

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 168. Acoustic resonance detection using statistical methods of voltage envelope characterization in metal halide lamps (Open Access)

**Accession number:** 20165003111739

**Authors:** Lei, Fang (1, 2); Dupuis, Pascal (1); Durrieu, Olivier (1); Zissis, Georges (1); Maussion, Pascal (1)

**Author affiliation:** (1) LAPLACE, Université de Toulouse, CNRS, INPT, UPS, France; (2) Xi'an Shiyou University, School of Electronic Engineering, Xi'an, China

**Source title:** IEEE Industry Application Society, 52nd Annual Meeting: IAS 2016

**Abbreviated source title:** IEEE Ind. Appl. Soc., Annu. Meet.: IAS

**Part number:** 1of1

**Issue title:** IEEE Industry Application Society, 52nd Annual Meeting: IAS 2016

**Issue date:** November 2, 2016

**Publication year:** 2016

**Article number:** 7731890

**Language:** English

**ISBN-13:** 9781467386715

**Document type:** Conference article (CA)

**Conference name:** 52nd Annual Meeting on IEEE Industry Application Society, IAS 2016

**Conference date:** October 2, 2016 - October 6, 2016

**Conference location:** Portland, OR, United states

**Conference code:** 124722

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Acoustic resonance (AR) occurs in metal halide (MH) lamps and could cause light flicker, lamp arc bending and rotation, lamp extinction and arc tube explosion in the worst situations. This study takes place in the context of developing electronic ballasts with a low-cost and robust AR detection and avoidance mechanism. In this case, a lock-in amplifier is used to obtain the variations of lamp voltage envelope. A mathematical criterion is proposed to classify AR presence and severity. This criterion is based upon the short-term standard variation of voltage envelope and it was tested over a set of MH lamps with different powers and manufacturers. By varying the operation frequency of the high-frequency ballast, it was experimentally possible to control the average electrical power and the level of AR occurrence in the lamps. A data set consisting of healthy (without AR or AR-free) and faulty (with AR) cases was constructed by varying these parameters. The proposed criterion permitted to classify the observed waveforms in a two-dimensional (2D) plane. It was observed that AR-free and AR cases are separated. The results of this study show that the voltage envelope variations and the defined criterion are significantly correlated with AR presence whatever the lamp of the operation power. © 2016 IEEE.

**Number of references:** 19

**Main heading:** Resonance

**Controlled terms:** Metal halides - Locks (fasteners) - Metal halide lamps

**Uncontrolled terms:** 2D plane - Acoustic resonance - healthy reference - Lock-in amplifier - Standard deviation

**Classification code:** 707.2 Electric Lamps - 804 Chemical Products Generally - 931.1 Mechanics

**DOI:** 10.1109/IAS.2016.7731890

**Compendex references:** YES

**Open Access type(s):** All Open Access, Green

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 169. Applications of savitzky-golay filter for seismic random noise reduction ([Open Access](#))

**Accession number:** 20161202113904

**Authors:** Liu, Yanping (1); Dang, Bo (1); Li, Yue (2); Lin, Hongbo (2); Ma, Haitao (2)

**Author affiliation:** (1) College of Electronic Engineering, Xi'an Shiyou University, Xi'an, China; (2) College of Communication Engineering, Jilin University, Changchun, China

**Source title:** Acta Geophysica

**Abbreviated source title:** Acta Geophys.

**Volume:** 64

**Issue:** 1

**Issue date:** February 1, 2016

**Publication year:** 2016

**Pages:** 101-124

**Language:** English

**ISSN:** 18956572

**E-ISSN:** 18957455

**Document type:** Journal article (JA)

**Publisher:** De Gruyter Open Ltd

**Abstract:** This article utilizes Savitzky-Golay (SG) filter to eliminate seismic random noise. This is a novel method for seismic random noise reduction in which SG filter adopts piecewise weighted polynomial via least-squares estimation. Therefore, effective smoothing is achieved in extracting the original signal from noise environment while retaining the shape of the signal as close as possible to the original one. Although there are lots of classical methods such as Wiener filtering and wavelet denoising applied to eliminate seismic random noise, the SG filter outperforms them in approximating the true signal. SG filter will obtain a good tradeoff in waveform smoothing and valid signal preservation under suitable conditions. These are the appropriate window size and the polynomial degree. Through examples from synthetic seismic signals and field seismic data, we demonstrate the good performance of SG filter by comparing it with the Wiener filtering and wavelet denoising methods. © 2015 Liu et al.

**Number of references:** 36

**Main heading:** Bandpass filters

**Controlled terms:** Seismic waves - Signal denoising - Seismic response - Least squares approximations

**Uncontrolled terms:** Least squares estimation - Random noise reductions - Savitzky-Golay filter - Seismic data - Seismic signals - SG filter - Wavelet denoising method - Weighted polynomials

**Classification code:** 484 Seismology - 484.2 Secondary Earthquake Effects - 703.2 Electric Filters - 716.1 Information Theory and Signal Processing - 921.6 Numerical Methods

**DOI:** 10.1515/acgeo-2015-0062

**Funding Details:** Number: 41130421,41174160,41274118, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** We would like to thank the members of modern signal processing laboratory of Jilin University in China. This work is supported by National Natural Science Foundation of China with the grant no. 41174160, 41130421 and 41274118, respectively.

**Compendex references:** YES

**Open Access type(s):** All Open Access, Hybrid Gold

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 170. Nonlinear robust adaptively SDRE filtering method for SINS/SAR integrated Navigation System

**Accession number:** 20171103450327

**Authors:** Gao, Yi (1); Wang, Yuelong (1); Cheng, Weibin (1)

**Author affiliation:** (1) Shaanxi Key Laboratory of Measurement and Control Technology for Oil and Gas Wells, Xi'an Shiyou University, Shaanxi, China

**Source title:** CGNCC 2016 - 2016 IEEE Chinese Guidance, Navigation and Control Conference

**Abbreviated source title:** CGNCC - IEEE Chin. Guid., Navig. Control Conf.

**Part number:** 1 of 1

**Issue title:** CGNCC 2016 - 2016 IEEE Chinese Guidance, Navigation and Control Conference

**Issue date:** January 20, 2017

**Publication year:** 2016

**Pages:** 2383-2387

**Article number:** 7829165

**Language:** English

**ISBN-13:** 9781467383189

**Document type:** Conference article (CA)

**Conference name:** 7th IEEE Chinese Guidance, Navigation and Control Conference, CGNCC 2016

**Conference date:** August 12, 2016 - August 14, 2016

**Conference location:** Nanjing, Jiangsu, China

**Conference code:** 126063

**Sponsor:** IEEE Control Systems Society (CSS) Chapter; Science and Technology on Aircraft Control Laboratory; Technical Committee on Guidance, Navigation and Control (TCGNC) of Chinese Society of Aeronautics and Astronautics (CSAA)

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** The robust adaptive filtering method based on the State Dependent Riccati Equation technique for SINS/SAR integrated navigation system. This method adopts the state dependent coefficient form to convert nonlinear system model into linear system for avoiding the errors caused by the traditional numerical linearization process. It also adopts the concepts of robust estimation and adaptive factor to construct reasonably the discriminate statistics and adaptive factor for resisting the disturbances of singular observations and kinematic model error. Experimental results and comparison analysis demonstrate that the proposed filtering method can not only effectively resist disturbances from nonlinear system state noise and observation noise, but it also can achieve higher accuracy than the extended kalman filtering and SDRE filtering methods. © 2016 IEEE.

**Number of references:** 11

**Main heading:** Linear systems

**Controlled terms:** Adaptive filtering - Kalman filters - Air navigation - Nonlinear systems - Riccati equations - Kinematics - Navigation systems - Adaptive filters - Numerical methods

**Uncontrolled terms:** Comparison analysis - Extended Kalman filtering - Linearization process - Nonlinear system modeling - Observation noise - SINS/SAR integrated - State dependent coefficients - State-dependent Riccati equation

**Classification code:** 431.5 Air Navigation and Traffic Control - 921.2 Calculus - 921.6 Numerical Methods - 931.1 Mechanics - 961 Systems Science

**DOI:** 10.1109/CGNCC.2016.7829165

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 171. Quality assessment of surface water environment based on improved grey correlation method

**Accession number:** 20163902832075

**Authors:** Si, Xun-Lian (1); Zhang, Yan-Bo (1)

**Author affiliation:** (1) Research Center of Oil and Gas Resource Economic and Management, Xi'an Shiyou University, Xi'an, Shanxi Province; 710065, China

**Source title:** Conference Proceedings of the 4th International Symposium on Project Management, ISPM 2016

**Abbreviated source title:** Conf. Proc. Int. Symp. Proj. Manag., ISPM

**Part number:** 1of1

**Issue title:** Conference Proceedings of the 4th International Symposium on Project Management, ISPM 2016

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 175-180

**Language:** English

**ISBN-13:** 9781921712487

**Document type:** Conference article (CA)

**Conference name:** 4th International Symposium on Project Management, ISPM 2016

**Conference date:** July 9, 2016 - July 10, 2016

**Conference location:** Wuhan, China

**Conference code:** 123412

**Sponsor:** Hubei Zhongke Institute of Geology and Environment Technology

**Publisher:** Aussino Academic Publishing House

**Abstract:** A surface water environmental quality assessment model was proposed based on improved grey correlation method. At first, the linear interpolation method was carried out on the processing of water quality monitoring data normalization, and then use the standard ratio method to determine the factor weights, and the weighted hamming distance method introduced to calculate the similarity between evaluation object and standard and determine grey class under its jurisdiction. At last, we compared the evaluation results of empirical analysis with the results obtained by single factor index method, fuzzy comprehensive evaluation method and BP neural network method. The results demonstrate that the improved grey correlation analysis method is simple and easy, high accuracy and high practicability.

**Number of references:** 17

**Main heading:** Surface waters

**Controlled terms:** Correlation methods - Interpolation - Neural networks - Quality control - Hamming distance - Water quality

**Uncontrolled terms:** Environmental quality - Grey correlation methods - Linear Interpolation - Ratio method - Weighted hamming distances

**Classification code:** 444.1 Surface Water - 445.2 Water Analysis - 913.3 Quality Assurance and Control - 921.6 Numerical Methods - 922.2 Mathematical Statistics

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 172. H# output tracking control over networked control systems with Markovian jumping parameters

**Accession number:** 20160301824027

**Authors:** Wu, Ying (1); Wu, Yanpeng (2)

**Author affiliation:** (1) School of Computer Science, Xi'an Shiyou University, Xi'an; 710065, China; (2) Department of Automation, Northwestern Polytechnical University, Xi'an; 710072, China

**Corresponding author:** Wu, Ying(wuyg1226@hotmail.com)

**Source title:** Optimal Control Applications and Methods

**Abbreviated source title:** Optim Control Appl Methods

**Volume:** 37

**Issue:** 6**Issue date:** November 1, 2016**Publication year:** 2016**Pages:** 1162-1174**Language:** English**ISSN:** 01432087**E-ISSN:** 10991514**CODEN:** OCAMD5**Document type:** Journal article (JA)**Publisher:** John Wiley and Sons Ltd

**Abstract:** The problem of H<sub>∞</sub> output tracking control over networked control systems (NCSs) with communication limits and environmental disturbances is studied in this paper. A wide range of time-varying stochastic problem arising in networked tracking control system is reduced to a standard convex optimization problem involving linear matrix inequalities (LMIs). The closed-loop hybrid NCS is modeled as a Markov jump linear system in which random time delays and packet dropouts are described as two stochastic Markov chains. Gridding approach is introduced to guarantee the finite value of the sequences of transmission delays from sensor to actuator. Sufficient conditions for the stochastic stabilization of the hybrid NCS tracking system are derived by the LMI-based approach through the computation of the optimal H<sub>∞</sub> performance. The mode-dependent robust H<sub>∞</sub> output tracking controller is obtained by the optimal iteration method. Numerical examples are given to demonstrate the effectiveness of the proposed robust output tracking controller for NCS. Copyright © 2016 John Wiley & Sons, Ltd. Copyright © 2016 John Wiley & Sons, Ltd.

**Number of references:** 29**Main heading:** Linear matrix inequalities**Controlled terms:** Stochastic systems - Markov processes - Navigation - Copyrights - Convex optimization - Linear systems - Robust control - Chains - Networked control systems - Controllers - Iterative methods**Uncontrolled terms:** Convex optimization problems - Environmental disturbances - Markov jump linear systems - Markovian jumping parameters - Networked Control Systems (NCSs) - Optimal controls - Stochastic stabilization - Tracking control systems**Classification code:** 602.1 Mechanical Drives - 731 Automatic Control Principles and Applications - 731.1 Control Systems - 731.2 Control System Applications - 732.1 Control Equipment - 902.3 Legal Aspects - 921.1 Algebra - 921.6 Numerical Methods - 922.1 Probability Theory - 961 Systems Science**DOI:** 10.1002/oca.2229**Compendex references:** YES**Database:** Compendex**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 173. Adaptive Noise Cancellation for Electromagnetic-while-Drilling System

**Accession number:** 20165003107093**Authors:** Keman, Liu (1)**Author affiliation:** (1) Key Laboratory of Photoelectric Logging and Detecting of Oil and Gas, Ministry of Education, Xi'an Shiyou University, Xi'an, China**Corresponding author:** Keman, Liu(coreman2005@126.com)**Source title:** Proceedings - 2016 3rd International Conference on Information Science and Control Engineering, ICISCE 2016**Abbreviated source title:** Proc. - Int. Conf. Inf. Sci. Control Eng., ICISCE**Part number:** 1of1**Issue title:** Proceedings - 2016 3rd International Conference on Information Science and Control Engineering, ICISCE 2016**Issue date:** October 31, 2016**Publication year:** 2016**Pages:** 1253-1256**Article number:** 7726365**Language:** English**ISBN-13:** 9781509025350**Document type:** Conference article (CA)**Conference name:** 3rd International Conference on Information Science and Control Engineering, ICISCE 2016**Conference date:** July 8, 2016 - July 10, 2016**Conference location:** Beijing, China**Conference code:** 124721

**Sponsor:** Beijing University of Civil Engineering and Architecture; China Jiliang University; et al.; The University of Texas at San Antonio (UTSA); University of Hull; Xiamen University

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** An electromagnetic telemetry system is a real time data transmission system for drill string telemetry, which is detected the electromagnetic signal between the wellhead and dipole on the surface. The well-site noise is an important factor that affects the electromagnetic MWD system transmission performance. An adaptive noise cancellation method was studied to enhance the EM-MWD receiver's ability to extract very weak signals from large amounts of well site noise. Firstly, the principle of MWD is introduced, and then the characteristic of well site noise is described briefly. Thirdly, step-size parameter  $\mu$  is modified based on the noise characteristics of the well site. Finally, experimental results show that the modified LMS algorithm can suppress the well site noise 3-9dB compared with LMS algorithm. And the modified LMS algorithm has faster convergence speed, smaller steady and lower excess mean square error. © 2016 IEEE.

**Number of references:** 10

**Main heading:** Adaptive filters

**Controlled terms:** Drill strings - Mean square error - Adaptive filtering - Bandpass filters - Telemetry equipment

**Uncontrolled terms:** Adaptive noise cancellations - Electromagnetic measurement while drilling - Electromagnetic signals - Electromagnetic telemetry system - Excess mean square error - Least mean square (LMS) - Real time data transmission - Transmission performance

**Classification code:** 511.2 Oil Field Equipment - 703.2 Electric Filters - 922.2 Mathematical Statistics

**Numerical data indexing:** Decibel 3.00e+00dB to 9.00e+00dB

**DOI:** 10.1109/ICISCE.2016.268

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 174. Discovering Learning Patterns of Male and Female Students by Contrast Targeted Rule Mining

**Accession number:** 20171503566802

**Authors:** Tian, Xianghong (1); Kong, Jie (2); Zhu, Tianqing (3); Xia, Haiyang (1)

**Author affiliation:** (1) Jinling Institute of Technology, Nanjing, China; (2) School of Computer Science, Xi'an Shiyou University, Xi'an, China; (3) Deakin University, Melbourne, Australia

**Source title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Abbreviated source title:** Proc. - Int. Conf. Enterp. Syst.: Adv. Enterp. Syst., ES

**Part number:** 1 of 1

**Issue title:** Proceedings - 4th International Conference on Enterprise Systems: Advances in Enterprise Systems, ES 2016

**Issue date:** March 16, 2017

**Publication year:** 2016

**Pages:** 196-202

**Article number:** 7880491

**Language:** English

**ISBN-13:** 9780769559841

**Document type:** Conference article (CA)

**Conference name:** 4th International Conference on Enterprise Systems, ES 2016

**Conference date:** November 2, 2016 - November 3, 2016

**Conference location:** Melbourne, VIC, Australia

**Conference code:** 126897

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** In recent years, data mining techniques has attracted the attention from educational researchers and applied in educational research pervasively. As a famous data mining method, traditional association rules mining tend to ignore the infrequent data item and can only analyze a single dataset. To address these issues, a contrast targeted rule mining model is introduced in this paper. A complete analysis for the patterns and differences in the academic situation of male and female students is then conducted by the contrast targeted rule mining. Some useful association rules extracted by CTR are presented to demonstrate the difference of male and female students' learning patterns. © 2016 IEEE.

**Number of references:** 22

**Main heading:** Association rules

**Controlled terms:** Education computing - Data mining - Students

**Uncontrolled terms:** Association rules mining - contrast targeted rule - Data items - Data mining methods - Educational research - Female students - Learning patterns - Rule mining

**Classification code:** 723.2 Data Processing and Image Processing - 903.1 Information Sources and Analysis

**DOI:** 10.1109/ES.2016.32

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 175. Metal-organic framework coated paper substrates for paper spray mass spectrometry

**Accession number:** 20164803066134

**Authors:** Wang, Xiaoting (1); Zheng, Yajun (1); Wang, Teng (1); Xiong, Xingchuang (2); Fang, Xiang (2); Zhang, Zhiping (1)

**Author affiliation:** (1) School of Chemistry and Chemical Engineering, Xi'an Shiyu University, Xi'an; 710065, China; (2) National Institute of Metrology, Beijing; 100013, China

**Corresponding author:** Zhang, Zhiping(zhangzp0304@gmail.com)

**Source title:** Analytical Methods

**Abbreviated source title:** Anal. Methods

**Volume:** 8

**Issue:** 45

**Issue date:** December 7, 2016

**Publication year:** 2016

**Pages:** 8004-8014

**Language:** English

**ISSN:** 17599660

**E-ISSN:** 17599679

**Document type:** Journal article (JA)

**Publisher:** Royal Society of Chemistry

**Abstract:** Metal-organic frameworks (MOFs) have emerged as novel materials owing to their inherent structural characteristics, i.e., a large surface area and a well-ordered porous structure, but there are no reports on their application to paper spray mass spectrometry. Herein we explore the capability of paper substrates coated with three types of MOFs [e.g., MIL-53(Al), ZIF-8 and UiO-66(Zr)] for paper spray, in which the as-prepared UiO-66(Zr) coated paper demonstrated the highest sensitivity in the analysis of therapeutic drugs in dried blood spots relative to MIL-53(Al) and ZIF-8 coated paper substrates. To get a better understanding on the interactions between drugs and MOF coated papers, much effort has been focused on the elution behaviors of target drug verapamil from the MOF coated papers and the adsorption ability of the studied analyte to MOF particles in solution systems. Due to the more favorable elution behaviors and weaker adsorption ability of the tested drugs at the surface of UiO-66(Zr) coated paper relative to the other two papers, the estimated lower limit of quantitation (LLOQ) values of the examined drugs with UiO-66(Zr) coated paper have improvements of 8.5-46.6-fold relative to those from uncoated filter paper, and the values were in the range of 0.04-0.65 ng mL<sup>-1</sup>. Based on the high sensitivity of UiO-66(Zr) coated paper in drug quantitative analysis, the developed paper has also been successfully applied for the analysis of five anti-psychotic drugs (e.g., clozapine, amisulpride, quetiapine, risperidone and aripiprazole) in 40 human blood samples. © 2016 The Royal Society of Chemistry.

**Number of references:** 70

**Main heading:** Mass spectrometry

**Controlled terms:** Crystalline materials - Blood - Drug products - Organometallics - Paper - Aluminum coatings

**Uncontrolled terms:** Adsorption ability - Antipsychotic drug - Human blood samples - Large surface area - Lower limit of quantitations - Metalorganic frameworks (MOFs) - Structural characteristics - Therapeutic drugs

**Classification code:** 461.2 Biological Materials and Tissue Engineering - 801 Chemistry - 804.1 Organic Compounds - 811.1 Pulp and Paper - 813.2 Coating Materials - 933.1 Crystalline Solids

**Numerical data indexing:** Mass\_Density 4.00e-08kg/m<sup>3</sup> to 6.50e-07kg/m<sup>3</sup>

**DOI:** 10.1039/c6ay02123a

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 176. Evolutionary algorithm for logic circuit synthesis with memristor-based implication gate

**Accession number:** 20164402968742

**Authors:** Wang, Xiaoxiao (1, 2); Jiao, Licheng (1); Li, Yangyang (1)

**Author affiliation:** (1) School of Electrical Engineering, Xidian University, Xi'an; 710071, China; (2) School of Computer Science, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Huazhong Keji Daxue Xuebao (Ziran Kexue Ban)/Journal of Huazhong University of Science and Technology (Natural Science Edition)

**Abbreviated source title:** Huazhong Ligong Daxue Xuebao

**Volume:** 44

**Issue:** 10

**Issue date:** October 23, 2016

**Publication year:** 2016

**Pages:** 70-76

**Language:** Chinese

**ISSN:** 16714512

**Document type:** Journal article (JA)

**Publisher:** Huazhong University of Science and Technology

**Abstract:** An evolutionary algorithm for logic synthesis with memristor-based implication gates (IMP\_ELS) was proposed to minimize the number of pulses under a given number of working memristors. The problem was modeled as a minimization problem with constant constraint. When the constraint violation was decreased to certain degree, one of AND, OR and EXOR remainder functions was obtained through comparing the truth table of the best solution by far and the truth table of the given function. The new evolution process was started to synthesis the obtained remainder function. The multistage evolution could ensure obtaining the feasible solution. A new initialization method was developed to encode the circuit to reduce redundant and illegal gates in initial population. The results on 2~11 bit benchmarks show that the algorithm can decrease pulse numbers by 28% on 82% benchmarks if the number of working memristors is increased from 2 to 3. © 2016, Editorial Board of Journal of Huazhong University of Science and Technology. All right reserved.

**Number of references:** 9

**Main heading:** Evolutionary algorithms

**Controlled terms:** Timing circuits - Codes (symbols) - Computer circuits - Logic circuits - Logic Synthesis - Memristors

**Uncontrolled terms:** Circuit synthesis - Constraint violation - Evolution process - Feasible solution - Initialization methods - Memristor - Minimization problems - Truth tables

**Classification code:** 713.4 Pulse Circuits - 714.2 Semiconductor Devices and Integrated Circuits - 721.2 Logic Elements - 721.3 Computer Circuits - 723.2 Data Processing and Image Processing - 723.5 Computer Applications

**Numerical data indexing:** Percentage 2.80e+01%, Percentage 8.20e+01%

**DOI:** 10.13245/j.hust.161014

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 177. Research of PMSM fuzzy direct torque controller based on sliding mode observer

**Accession number:** 20164202921687

**Authors:** Ya, Gao (1); Yi, Gao (2)

**Author affiliation:** (1) School of Electronic Information Engineering, Xi'An Technological University, Xi'an, Shaanxi Province, China; (2) School of Electronic Engineering, Xi'An Shiyou University, Xi'an, Shaanxi Province, China

**Source title:** 2016 IEEE International Conference on Mechatronics and Automation, IEEE ICMA 2016

**Abbreviated source title:** IEEE Int. Conf. Mechatronics Autom., IEEE ICMA

**Part number:** 1of1

**Issue title:** 2016 IEEE International Conference on Mechatronics and Automation, IEEE ICMA 2016

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 17-21

**Article number:** 7558527

**Language:** English

**ISBN-13:** 9781509023943

**Document type:** Conference article (CA)

**Conference name:** 13th IEEE International Conference on Mechatronics and Automation, IEEE ICMA 2016

**Conference date:** August 7, 2016 - August 10, 2016

**Conference location:** Harbin, Heilongjiang, China

**Conference code:** 123645

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** In this paper, fuzzy control is introduced to reduce the big flux linkage and torque ripple of traditional PMSM DTC system. Simultaneously, using SVPWM to modulating voltages, using the full-order state observer to replace the integral part of the stator flux linkage observer, those method effectively reduce the dc drift, the integral error accumulation, other shortcomings and modulation precision. Moreover, a new position observing system was designed instead of the traditional position sensor in this control system. This design replaced the traditional switch functions with continuous saturation functions in the sliding mode observer, and the result showed the high frequency noise signal could be reduced effectively. By the experimenting for the traditional PMSM DTC system with stator flux linkage integral observer and the PMSM fuzzy DTC system with full-order state observer and sliding mode observer those are designed in this paper, the results show the control performance of the new fuzzy DTC system is better than the one of traditional DTC system evidently. The stator flux linkage and torque ripple of new system are decreased significantly. The new sliding mode observer could accurate observing position signal. © 2016 IEEE.

**Number of references:** 10

**Main heading:** Synchronous motors

**Controlled terms:** Flux linkage - Vector spaces - State estimation - Pulse width modulation - Torque control - Fuzzy control - Voltage control - Permanent magnets - Sliding mode control - Stators

**Uncontrolled terms:** High-frequency noise - Modulation precision - Ordering state - Permanent magnetic synchronous motors - Saturation function - Sliding mode observers - Space vector pulse width modulation - Stator flux linkage

**Classification code:** 701.2 Magnetism: Basic Concepts and Phenomena - 703.1 Electric Networks - 704.1 Electric Components - 705.1 Electric Machinery, General - 705.3.1 AC Motors - 731 Automatic Control Principles and Applications - 731.1 Control Systems - 731.3 Specific Variables Control - 921 Mathematics

**DOI:** 10.1109/ICMA.2016.7558527

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 178. Hybrid Electric Vehicle Motor Power Operation Control Analysis [\(Open Access\)](#)

**Accession number:** 20161602265720

**Authors:** Wei, Min (1); Li, Bing (1); Wei, Juan (2)

**Author affiliation:** (1) School of Electronic Engineering, Xi'an Shiyou University, xi'an; 710065, China; (2) School of Telecommunications Engineering, Xidian University, xi'an; 710071, China

**Corresponding author:** Wei, Min(weimin\_pb@163.com)

**Source title:** MATEC Web of Conferences

**Abbreviated source title:** MATEC Web Conf.

**Volume:** 44

**Part number:** 1of1

**Issue title:** 2016 International Conference on Electronic, Information and Computer Engineering, ICEICE 2016

**Issue date:** March 8, 2016

**Publication year:** 2016

**Article number:** 01056

**Language:** English

**ISSN:** 22747214

**E-ISSN:** 2261236X

**Document type:** Conference article (CA)

**Conference name:** 2016 International Conference on Electronic, Information and Computer Engineering, ICEICE 2016

**Conference date:** April 26, 2016 - April 27, 2016

**Conference location:** Hong Kong, Hong kong

**Conference code:** 119811

**Sponsor:** HongKong Control Engineering and Information Science Research Association; International Frontiers of science and technology Research Association; National Chin-Yi University of Technology

**Publisher:** EDP Sciences

**Abstract:** The design of hybrid electric vehicle drive motor is based on the premise of meeting the electric requirement. As the power generation and the regenerative braking are in operation state, it can not charge the battery when the normal generating voltage of motor is lower than that of the battery. In view of the problem, the hybrid electric vehicle

driving motor control system is designed. In this system, the boost operation of pulse-width modulation (PWM) method of half controlled rectifier is used to improve the power voltage, as the speed is the main measure of the feedback current and voltage. The fuzzy PID control strategy can optimize the frequency and duty cycle of PWM pulse width, and then with the generating efficiency is greatly improved. The power generation principle, control strategy and software implementation are analyzed in the paper, and its rationality is verified by experiments. © Owned by the authors, published by EDP Sciences, 2016.

**Number of references:** 5

**Main heading:** Hybrid vehicles

**Controlled terms:** Power control - Electric rectifiers - Regenerative braking - Voltage control - Pulse width modulation - Electric machine control - Secondary batteries - Three term control systems - Traction motors

**Uncontrolled terms:** Control strategies - Controlled rectifier - Driving motors - Feedback currents - Fuzzy - pid controls - Generating efficiencies - Operation state - Software implementation

**Classification code:** 432 Highway Transportation - 602 Mechanical Drives and Transmissions - 662.1 Automobiles - 702.1.2 Secondary Batteries - 731.1 Control Systems - 731.2 Control System Applications - 731.3 Specific Variables Control

**DOI:** 10.1051/mateconf/20164401056

**Compendex references:** YES

**Open Access type(s):** All Open Access, Gold, Green

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 179. Data centre transformation: Integrated business model framework of cloud computing oriented data centre

**Accession number:** 20171403534697

**Authors:** Yale, Yu (1); Guojian, Cheng (1, 2); Xinjian, Qiang (2)

**Author affiliation:** (1) ZTE Telecommunication College, Xi'an Peihua University, Xi'an; 710125, China; (2) School of Computer Science, Xi'an Shiyu University, Xi'an; 710065, China

**Source title:** Proceedings of 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Abbreviated source title:** Proc. IEEE Adv. Inf. Manag., Commun., Electron. Autom. Control Conf., IMCEC

**Part number:** 1 of 1

**Issue title:** Proceedings of 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Issue date:** February 28, 2017

**Publication year:** 2016

**Pages:** 1848-1855

**Article number:** 7867538

**Language:** English

**ISBN-13:** 9781467396127

**Document type:** Conference article (CA)

**Conference name:** 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Conference date:** October 3, 2016 - October 5, 2016

**Conference location:** Xi'an, China

**Conference code:** 126706

**Sponsor:** Chongqing Global Union Academy of Science and Technology; Global Union Academy of Science and Technology; IEEE Beijing Section; Xi'an Peihua University

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** This paper first reviews the concept of business model and business model innovation, the business model frameworks and issues in current enterprise data centres, and then investigates the key factors which drive the data centre transformation and the challenges and risks that the operators of the current or traditional data centres are facing. This paper discusses the main characteristics of the next generation data centre - cloud computing oriented data centre and presents the key concerns of building the cloud computing oriented data centres. Based on the above analysis and discussion, this paper presents a new and practical integrated business model framework to strategically address the key issues regarding the planning, building and operation of cloud computing oriented data centre collectively from business, management and technology perspective based on the strong belief that an enterprise data centre should be built as service oriented platform, and be managed and operated as a pure business. The author has

presented, used and applied this framework in several real cases in China during last one year and half with positive feedbacks from the clients. © 2016 IEEE.

**Number of references:** 28

**Main heading:** Cloud computing

**Controlled terms:** Metadata - Digital storage

**Uncontrolled terms:** Business model frameworks - Business model innovation - Business modeling - Data centres - Enterprise Architecture - Enterprise data - Integrated business - Service Oriented

**Classification code:** 722.1 Data Storage, Equipment and Techniques - 722.4 Digital Computers and Systems

**DOI:** 10.1109/IMCEC.2016.7867538

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 180. Radar high resolution range profile target recognition based on sparse decomposition in compressed sensing

**Accession number:** 20162102422411

**Authors:** Duan, Peipei (1, 2); Li, Hui (1); Li, Bin (1)

**Author affiliation:** (1) Department of Electronics Engineering, Northwestern Polytechnical University, Xi'an; 710029, China; (2) School of Computer Science, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Xibei Gongye Daxue Xuebao/Journal of Northwestern Polytechnical University

**Abbreviated source title:** Xibei Gongye Daxue Xuebao

**Volume:** 34

**Issue:** 2

**Issue date:** April 1, 2016

**Publication year:** 2016

**Pages:** 256-261

**Language:** Chinese

**ISSN:** 10002758

**CODEN:** XGDUE2

**Document type:** Journal article (JA)

**Publisher:** Northwestern Polytechnical University

**Abstract:** In recent years, with the development of compressed sensing theory, sparse representation is widely used in signal compression and feature extraction. This method presents tremendous application potential. Radar target recognition is one of the classic applications of signal processing and there are many recognition algorithms. Some recognition algorithms are based on high resolution range profile (HRRP), but less of them employ the sparseness of HRRP samples. Thus, a radar HRRP target recognition algorithm based on sparse decomposition in compressed sensing is presented here. First, several orthogonal bases are used to compose a redundant dictionary which can satisfy the accuracy and speediness of HRRP sparse representation. Then, the training samples' taxonomic dictionaries are acquired by an improve grouping MP decomposition algorithm. Finally, the reconstruction errors of testing samples were calculated to recognize the targets. The simulation results show that this algorithm has higher recognition rate and better denoising performance. It is easy and practical for radar target recognition. © 2016, Northwestern Polytechnical University. All right reserved.

**Number of references:** 11

**Main heading:** Radar target recognition

**Controlled terms:** Compressed sensing - Radar signal processing

**Uncontrolled terms:** High resolution range profiles - Orthogonal basis - RTR (radar target recognition) - Signal compression - Sparse decomposition

**Classification code:** 716.1 Information Theory and Signal Processing - 716.2 Radar Systems and Equipment

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 181. Petroleum accumulation from continuous to discontinuous: concept, classification and distribution

**Accession number:** 20161502242469

**Authors:** Zhao, Jingzhou (1); Cao, Qing (1); Bai, Yubin (1); Er, Chuang (1); Li, Jun (1); Wu, Weitao (1); Shen, Wuxian (1)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Shaanxi Key Laboratory of Petroleum Accumulation Geology, Xi'an Shiyu University, Xi'an; Shaanxi; 710065, China

**Corresponding author:** Zhao, Jingzhou(jzzhao@xsyu.edu.cn)

**Source title:** Shiyu Xuebao/Acta Petrolei Sinica

**Abbreviated source title:** Shiyu Xuebao

**Volume:** 37

**Issue:** 2

**Issue date:** February 1, 2016

**Publication year:** 2016

**Pages:** 145-159

**Language:** Chinese

**ISSN:** 02532697

**CODEN:** SYHPD9

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** Based on an extensive investigation and a comprehensive study of conventional and unconventional petroleum reservoirs, we proposed a revised definition of petroleum reservoir and a new classification of petroleum accumulation. The revised concept defines petroleum reservoir as continuous hydrocarbon accumulation in a single reservoir or a set of reservoirs with an independent or unified pressure system. In terms of the accumulation style or patterns of hydrocarbon distribution, petroleum accumulation is classified into 3 basic types, namely, continuous accumulation, quasi-continuous accumulation and discontinuous accumulation. More significantly, we demonstrated that petroleum accumulation is a process from continuous to discontinuous accumulation and the three basic types of accumulation are resulted from this process. (1) Continuous accumulation. Such an accumulation is principally formed within a source rock that also acts as a reservoir. Most shale hydrocarbon and coalbed methane accumulations belong to this category. It is characterized by that hydrocarbons are stored in the state of free, sorbed and dissolved types; reservoirs are tight to ultra-tight, with permeability of nanodarcy to millidarcy; an accumulation actually has only a single reservoir, and the hydrocarbon distribution is extensive and continuous within the scope of effective source rocks; neither defined boundary nor bottom or edge water can be observed; accumulation is largely in situ or near where the hydrocarbons are generated and no prominent migration occurred; and accumulation is basically not controlled by traps. (2) Quasi-continuous accumulation. This type of accumulation occurs predominantly in tight reservoirs and the majority of tight oil and gas accumulations can be attributed to this type. It is distinguished by that hydrocarbon distribution is extensive geographically and each accumulation comprises numerous contiguous small-to medium-sized reservoirs; the accumulation has no defined boundaries and neither prominent water lag nor regional updip water is present, or only incomplete edge water is present; hydrocarbon charge is pervasive and accumulation is the direct result of primary migration or short distance secondary migration, and the migration is principally driven by non-buoyant forces and is primarily in non-Darcy flow; and hydrocarbon accumulation is basically not controlled by anticlinal traps, but largely by non-anticlinal traps especially stratigraphic (lithologic) traps. (3) Discontinuous accumulation. Also known as conventional trapped accumulation (i.e. the conventional accumulation), this type of accumulation occurs mostly in conventional reservoirs or quality reservoirs. But some accumulations of tight oil and gas, coalbed methane and even shale oil and gas also belong to this variety. The accumulations of this pattern are discrete geographically, and each accumulation has explicit boundaries and complete water lag is commonly existed. Migration is generally in the Darcy flow and can occur over long distance and the driving force is mainly buoyancy. And the accumulation is strictly governed by various traps including structural, stratigraphic and combination traps. Actually, the above 3 types of accumulation could be formed from a single source kitchen. In that case, close relationship and unique laws governing hydrocarbon distribution must exist among them. As a result, they ought to be taken into consideration as a closely related entity in the study and exploration of petroleum systems to enhance the success rate. © 2016, Editorial Office of ACTA PETROLEI SINICA. All right reserved.

**Number of references:** 50

**Main heading:** Stratigraphy

**Controlled terms:** Petroleum reservoirs - Flow of fluids - Petroleum reservoir engineering - Buoyancy - Coal deposits - Methane

**Uncontrolled terms:** Classification and distribution - Continuous accumulation - Discontinuous accumulation - Hydrocarbon accumulation - Hydrocarbon distribution - Petroleum accumulations - Quasi-continuous accumulations - Unconventional petroleum

**Classification code:** 481.1 Geology - 503 Mines and Mining, Coal - 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 631.1 Fluid Flow, General - 804.1 Organic Compounds - 931.2 Physical Properties of Gases, Liquids and Solids

**DOI:** 10.7623/syxb201602001

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 182. Discussing the internal structural characteristics of coal seams using electrical microresistivity image logging data

**Accession number:** 20162202434801

**Authors:** Liu, Zhidi (1); Zhao, Jingzhou (1)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, East Section of Electronic 2nd Road 18#, Xi'an, Shaanxi; 710065, China

**Corresponding author:** Liu, Zhidi(liuzhidi@xsyu.edu.cn)

**Source title:** International Journal of Oil, Gas and Coal Technology

**Abbreviated source title:** Int. J. Oil Gas Coal Technol.

**Volume:** 12

**Issue:** 2

**Issue date:** 2016

**Publication year:** 2016

**Pages:** 179-196

**Language:** English

**ISSN:** 17533309

**E-ISSN:** 17533317

**Document type:** Journal article (JA)

**Publisher:** Inderscience Publishers

**Abstract:** This paper summarises the response characteristics of electrical microresistivity image logging on different coal seam structures through systemic pectionation from Qinshui Basin in Central China. We use these characteristics to describe the internal structure characteristics of coal seams. The results show that image logging is a good way to provide reliable information for many aspects, such as the division of coal seams, deformed soft coal, the internal structure of coal seams, and so on. Coal seams with a layered structure are commonly shown to be relatively homogeneous orange-yellow (2,700-3,900 #·m) and to have clear lamination characteristics of dark and tan strips (800-1,500 #·m) inside. The layered-block structure is mainly shown in bright yellow (3,300-3,600 #·m) and has few dark stripes (800-1,200 #·m). The block structure is shown as bright yellow-white (3,300-4,800 #·m). The partings show up as clear and complete dark stripes (800-1,200 #·m) in images. The layers in which deformed soft coal develops normally have irregular fractures and present dark stripes of dark grey strata (1,000-1,500 #·m) in image logs. Copyright © 2016 Inderscience Enterprises Ltd.

**Number of references:** 20

**Main heading:** Coal

**Controlled terms:** Coal deposits - Well logging

**Uncontrolled terms:** Block structures - Coal seams - Discussion - Internal structure - Layered Structures - Microresistivity - Response characteristic - Structural characteristics

**Classification code:** 503 Mines and Mining, Coal - 524 Solid Fuels

**Numerical data indexing:** Electrical\_Resistivity 1.00e+03Ohms\*m to 1.50e+03Ohms\*m, Electrical\_Resistivity 2.70e+03Ohms\*m to 3.90e+03Ohms\*m, Electrical\_Resistivity 3.30e+03Ohms\*m to 3.60e+03Ohms\*m, Electrical\_Resistivity 3.30e+03Ohms\*m to 4.80e+03Ohms\*m, Electrical\_Resistivity 8.00e+02Ohms\*m to 1.20e+03Ohms\*m, Electrical\_Resistivity 8.00e+02Ohms\*m to 1.50e+03Ohms\*m

**DOI:** 10.1504/IJOGCT.2016.076540

**Funding text:** The authors would like to thank the key laboratory of science research project in Shaanxi province department of education (Grant No: 14JS082; 14JS084) and the foundation research project of natural science in Shaanxi Provincial (Grant No: 2013JQ5008) for their support during the completion of this paper.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 183. Random error model and experiment of fiber Bragg grating acceleration sensing system

**Accession number:** 20170103223664

**Authors:** Liu, Qinpeng (1); Fu, Haiwei (1); Jia, Zhen'an (1); Yu, Dakuan (1); Hong, Gao (1)

**Author affiliation:** (1) Ministry Education Key Laboratory on photoelectric oil-gas logging and Detecting, School of Science, Xi'an shiyou University, Xi'an; 710065, China

**Corresponding author:** Liu, Qinpeng

**Source title:** Proceedings of SPIE - The International Society for Optical Engineering

**Abbreviated source title:** Proc SPIE Int Soc Opt Eng

**Volume:** 10155

**Part number:** 1of1

**Issue title:** Optical Measurement Technology and Instrumentation

**Issue date:** 2016

**Publication year:** 2016

**Article number:** 101550F

**Language:** English

**ISSN:** 0277786X

**E-ISSN:** 1996756X

**CODEN:** PSISDG

**ISBN-13:** 9781510607682

**Document type:** Conference article (CA)

**Conference name:** International Symposium on Optical Measurement Technology and Instrumentation

**Conference date:** May 9, 2016 - May 11, 2016

**Conference location:** Beijing, China

**Conference code:** 125512

**Sponsor:** China High-Tech Industrialization Association (CHIA); Chinese Society for Optical Engineering (CSOE)

**Publisher:** SPIE

**Abstract:** The random error model for evaluating FBG dynamic sensing system is proposed and established by using Allan variance, and the error recognition is experimentally demonstrated. The composition of the FBG sensing system, the characteristic of random error and error source for FBG acceleration sensing system are analyzed. The random error theoretical model based on the FBG acceleration sensing system is proposed and analyzed. In order to experimentally perform stability characterization of the system, the static output signal is achieved, and Allan variance curve is obtained by data processing, and the main coefficients of the error source can be further obtained. The model based on the Allan variance adequately demonstrates that it is feasible to evaluate the FBG system, which provides the basis for further designing, improvements and developing. © 2016 SPIE.

**Number of references:** 14

**Main heading:** Fiber Bragg gratings

**Controlled terms:** Fiber optic sensors - Data handling - Errors

**Uncontrolled terms:** Acceleration sensing - Allan variance - Dynamic sensing - Error recognition - Model-based OPC - Random error models - Stability characterizations - Theoretical modeling

**Classification code:** 723.2 Data Processing and Image Processing - 741.1.2 Fiber Optics

**DOI:** 10.1117/12.2244008

**Funding Details:** Number: 2009AA06Z203, Acronym: -, Sponsor: -; Number: 2013JK1101, Acronym: -, Sponsor: -; Number: 2016JM6055, Acronym: -, Sponsor: -; Number: 61240028,F050304, Acronym: NSF, Sponsor: National Science Foundation;

**Funding text:** This work was supported in part by the National Science Foundation under Grant F050304 and 61240028, in part by the National "863" Program under Grant 2009AA06Z203, in part by the Shaanxi province Education department natural Science under Grant 2013JK1101, in part by the Shaanxi province natural Science under Grant 2016JM6055

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## **184. Simultaneous refractive index and temperature measurements by using dual interference in an all-fiber Mach-Zehnder interferometer**

**Accession number:** 20161302145063

**Authors:** Yan, Xu (1); Fu, Haiwei (1); Li, Huidong (1); Qiao, Xueguang (1)

**Author affiliation:** (1) Ministry of Education Key Laboratory on Photoelectric Oil-Gas Logging and Detecting, School of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Yan, Xu(yanxu\_wuli@163.com)

**Source title:** Chinese Optics Letters

**Abbreviated source title:** Chin. Opt. Lett.

**Volume:** 14

**Issue:** 3

**Issue date:** March 10, 2016

**Publication year:** 2016

**Article number:** 030603

**Language:** English

**ISSN:** 16717694

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** A Fourier analysis applied to the Mach-Zehnder interferometer (MZI) transmission spectrum for simultaneous refractive index (RI) and temperature measurements is proposed and experimentally demonstrated in this Letter. In the fast Fourier transform (FFT) spectrum of the MZI transmission spectrum, several frequency components are generally observed, which means that the transmission spectrum of the MZI is formed by the superposition of some dual-mode interference (DMI) spectra, and each frequency component represents different core-cladding interferences. We can select some dominant frequency components in the FFT spectrum of the MZI transmission spectrum to take the inverse FFT (IFFT). Then, the corresponding DMI patterns can be obtained. Due to the shift of the wavelength of these DMI spectra with changes in the environmental parameters, we can use the coefficient matrix of these DMI spectra for multi-parameter sensing. In this Letter, two DMI patterns are separated from the resultant transmission spectrum of the MZI. As the RI and temperature change, the shifts of the two DMI patterns with respect to the RI and temperature will be observed. The sensitivities of the RI and temperature are -137.1806 nm/RIU (RI unit) and 0.0860 nm/, and -22.9955 nm/RIU and 0.0610 nm/ for the two DMIs. Accordingly, it can be used to simultaneously measure RI and temperature changes. The approach can eliminate the influence of multiple interferences and improve the accuracy of the sensor. © 2016 Chinese Optics Letters.

**Number of references:** 23

**Page count:** 5

**Main heading:** Mach-Zehnder interferometers

**Controlled terms:** Fast Fourier transforms - Temperature measurement - Fourier analysis - Inverse problems - Fourier series - Refractive index

**Uncontrolled terms:** Coefficient matrix - Dominant frequency - Environmental parameter - Frequency components - Machzehnder interferometers (MZI) - Multiple interferences - Temperature changes - Transmission spectrums

**Classification code:** 741.1 Light/Optics - 741.3 Optical Devices and Systems - 921 Mathematics - 921.3 Mathematical Transformations - 941.3 Optical Instruments - 944.6 Temperature Measurements

**DOI:** 10.3788/COL201614.030603

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 185. In-fiber Mach-Zehnder interferometer based on cascading fiber air bubble for high sensitivity liquid refractive index measurement

**Accession number:** 20163102668068

**Authors:** Li, Hui-Dong (1); Fu, Hai-Wei (1); Shao, Min (1); Yan, Xu (1); Jia, Zhen-An (1)

**Author affiliation:** (1) Ministry of Education Key Laboratory on Photoelectric Oil-gas Logging and Detecting, School of Science, Xi'an Shiyou University, Xi'an; 710065, China

**Source title:** Guangzi Xuebao/Acta Photonica Sinica

**Abbreviated source title:** Guangzi Xuebao

**Volume:** 45

**Issue:** 7

**Issue date:** July 1, 2016

**Publication year:** 2016

**Article number:** 0706006

**Language:** Chinese

**ISSN:** 10044213

**CODEN:** GUXUED

**Document type:** Journal article (JA)

**Publisher:** Chinese Optical Society

**Abstract:** A kind of optical fiber refractive index sensor based on a fiber core etched air-bubble in-fiber Mach-Zehnder interferometer was proposed and demonstrated. A core etched standard single mode fiber was spliced to a thinner core single mode fiber to form an air bubble at the connecting point. By this method, a section of thinner core fiber was cascaded between two air bubbles to form a structure of (Air-Bubble)-Thin core fiber-(Air-Bubble) in-fiber Mach-Zehnder interferometer as a refractive index sensor. The air-bubble in the sensor serves as an optical

coupler for modes conversion and the thin core fiber serves as sensing beams. The transmission spectrum of sensor was studied by experiment. The results show that, the dip power of the interference fringes changes with respect to surrounding refractive index with a good linearity, at the same time, the dip wavelength keeps low dependence on RI. The sensitivity of the sensor is -216.21dB/RIU in the range of 1.345~1.389. The sensor is a good potential candidate for bio-chemical measurements. © 2016, Science Press. All right reserved.

**Number of references:** 20

**Page count:** 5

**Main heading:** Refractive index

**Controlled terms:** Single mode fibers - Refractometers - Mach-Zehnder interferometers

**Uncontrolled terms:** Air bubbles - Liquid refractive index - Optical fiber refractive indices - Refractive index sensor - Standard single mode fibers - Surrounding refractive indices (SRI) - Thin-core fibers - Transmission spectrums

**Classification code:** 741.1 Light/Optics - 741.1.2 Fiber Optics - 741.3 Optical Devices and Systems - 941.3 Optical Instruments

**DOI:** 10.3788/gzxb20164507.0706006

**Funding Details:** Number: 14JK1580,14JS073, Acronym: -, Sponsor: -; Number: 2014QN005, Acronym: -, Sponsor: -; Number: 61275088,61505160, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** Foundation item: The National Natural Science Foundation of China (Nos. 61275088, 61505160), the Research Foundation of Education Bureau of Shaanxi Province, China (No. 14JS073, 14JK1580), the Youth Science and Technology Innovation Found of Xi'an Shiyou University (No. 2014QN005)

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 186. Accumulation conditions and models of tight oil reservoirs in Chang-7 of Huaqing area, the Ordos Basin

**Accession number:** 20170203241364

**Authors:** Wu, Weitao (1, 2); Deng, Jing (3); Zhao, Jingzhou (1, 2); Sun, Bo (3); Guo, Hanqin (4); Deng, Xiuqin (3); Er, Chuang (1, 2); Bai, Yubin (1, 2)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (2) Key Laboratory of Hydrocarbon Accumulation of Shaanxi Province, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (3) Research Institute of Petroleum Exploration, PetroChina Changqing Oilfield Company, Xi'an; Shaanxi; 710029, China; (4) No. 1 Oil Plant, PetroChina Changqing Oilfield Company, Yan'an; Shaanxi; 716000, China

**Source title:** Oil and Gas Geology

**Abbreviated source title:** Oil Gas Geol.

**Volume:** 37

**Issue:** 6

**Issue date:** December 28, 2016

**Publication year:** 2016

**Pages:** 874-881

**Language:** Chinese

**ISSN:** 02539985

**Document type:** Journal article (JA)

**Publisher:** Editorial Department of Oil and Gas Geology

**Abstract:** Based on drilling, mud logging, wireline logging, production test results, thin section observation and laboratory data, this paper focuses on a study on accumulation conditions, source rock qualities, migration-accumulation conditions of the Chang-7 tight oil reservoirs in Huaqing area, Erdos Basin. A tight oil pooling model is also established. The result shows that the reservoirs are mainly feldspar lithic sandstones with an average porosity of 7.4%, and an average permeability of  $0.134 \times 10^{-3} \mu\text{m}^2$ . The reservoirs are also found to contain largely secondary dissolved nanopores (accounting for 70.6% of the total surface porosity) with radius mostly less than 1  $\mu\text{m}$ . The best source rock of Chang-7 occurs in the third interval of Chang-7. It has an average TOC of 8.99%, obviously greater than that of its second (2.17%) and the first (1.12%) intervals. Its thickness ranges between 28 m and 36 m, while the total thickness of the first and the second intervals is between 35 m and 55 m. It has Ro values between 1.02% and 1.2%, clearly a type I kerogen and within the peak stage of hydrocarbon generation (the hydrocarbon generation capacity is up to  $600 \times 10^4 \text{ t/km}^2$ ). The migration pathway in Chang-7 is a three dimensional network carrier system consisting of horizontal fractures, oblique crossing fractures and sandbodies. The oblique crossing fractures on the source-reservoir interface are considered to be the primary pathways for the initially expelled hydrocarbons. The migration is driven by an overpressure in the range from 15 MPa to 22 MPa caused by hydrocarbon generation. The tight oil reservoirs in Chang-7 include lithologic thinning-out type, lenticular type and diagenetic trap type and they are large in number and

are laterally connected and vertically superposed, thus being quasi-continuous reservoirs. The source rock in the third interval of Chang-7 and the reservoirs in its first and second intervals constitute a lower-generation and upper-storage assemblage, and the source rocks and reservoirs within the first and second intervals of the Chang-7 form inner-source alternating assemblages. The two types of assemblages constitute a quasi-continuous type of reservoir-forming model with two-source hydrocarbon supply. © 2016, Editorial Office of Oil and Gas Geology. All right reserved.

**Number of references:** 24

**Main heading:** Hydrocarbons

**Controlled terms:** Oil well drilling - Petroleum reservoirs - Oil well logging - Feldspar - Metamorphic rocks - Digital storage - Fracture - Oil bearing formations - Petroleum reservoir engineering - Oil shale - Porosity

**Uncontrolled terms:** Continuous reservoirs - Hydrocarbon accumulation - Hydrocarbon generation - Oil bearing layers - Ordos Basin - Reservoir forming models - Three-dimensional networks - Tight oil

**Classification code:** 482.2 Minerals - 512.1 Petroleum Deposits - 512.1.1 Oil Fields - 512.1.2 Petroleum Deposits : Development Operations - 722.1 Data Storage, Equipment and Techniques - 804.1 Organic Compounds - 931.2 Physical Properties of Gases, Liquids and Solids - 951 Materials Science

**Numerical data indexing:** Percentage 1.02e+00% to 1.20e+00%, Percentage 1.12e+00%, Percentage 2.17e+00%, Percentage 7.06e+01%, Percentage 7.40e+00%, Percentage 8.99e+00%, Pressure 1.50e+07Pa to 2.20e+07Pa, Size 1.00e-06m, Size 2.80e+01m to 3.60e+01m, Size 3.50e+01m to 5.50e+01m

**DOI:** 10.11743/ogg20160609

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 187. Emotion Recognition Model Based on SOM Algorithm

**Accession number:** 20171203460325

**Authors:** Liao, Yi (1); Jiang, Youyi (2)

**Author affiliation:** (1) Department of Music, Xi'an Shiyou University, Xi'an; 710065, China; (2) College of Geomatics, Xi'an University of Science and Technology, Xi'an; 710054, China

**Source title:** Proceedings - 2016 International Conference on Smart City and Systems Engineering, ICSCSE 2016

**Abbreviated source title:** Proc. - Int. Conf. Smart City Syst. Eng., ICSCSE

**Part number:** 1 of 1

**Issue title:** Proceedings - 2016 International Conference on Smart City and Systems Engineering, ICSCSE 2016

**Issue date:** January 18, 2017

**Publication year:** 2016

**Pages:** 354-356

**Article number:** 7825112

**Language:** English

**ISBN-13:** 9781509055302

**Document type:** Conference article (CA)

**Conference name:** 2016 International Conference on Smart City and Systems Engineering, ICSCSE 2016

**Conference date:** November 25, 2016 - November 26, 2016

**Conference location:** Zhangjiajie, Hunan, China

**Conference code:** 126073

**Sponsor:** Central South University; Changsha University of Science and Technology; Communications Research Institute of Changsha University of Science and Technology; Hunan City University; Research Institute of New Energy and Energy-Saving and Emission Reduction; Research Institute of Road and Bridge of Guangdong Academy of Building Research

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** The use of computer technology to the music of the understanding and analysis of the music has become a hot spot in the field of music technology research. This paper is on the computer field of music and emotional understanding using SOM algorithm to classify the characteristics of music itself, and to train the computer automatic recognition. Thus a model of music emotion recognition based on SOM algorithm is established. Providing a new method and reference is for the automatic recognition of the emotion of music. © 2016 IEEE.

**Number of references:** 6

**Main heading:** Emotion Recognition

**Controlled terms:** Speech recognition

**Uncontrolled terms:** Automatic recognition - Computer technology - Emotion recognition - Hot spot - Music emotions - Music technologies - SOM algorithms

**Classification code:** 723.2 Data Processing and Image Processing - 751.5 Speech

**DOI:** 10.1109/ICSCSE.2016.0099

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 188. Double Cantilever Beams Accelerometer Using Short Fiber Bragg Grating for Eliminating Chirp

**Accession number:** 20163402724523

**Authors:** Liu, Qinpeng (1); Jia, Zhen'An (1); Fu, Haiwei (1); Yu, Dakuan (1); Gao, Hong (1); Qiao, Xueguang (1)

**Author affiliation:** (1) Ministry of Education Key Laboratory on Photoelectric Oil-Gas Logging and Detecting, School of Science, Xi'an Shiyu University, Xi'an; 710065, China

**Source title:** IEEE Sensors Journal

**Abbreviated source title:** IEEE Sensors J.

**Volume:** 16

**Issue:** 17

**Issue date:** September 1, 2016

**Publication year:** 2016

**Pages:** 6611-6616

**Article number:** 7506242

**Language:** English

**ISSN:** 1530437X

**E-ISSN:** 15581748

**Document type:** Journal article (JA)

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** An accelerometer based on the shorter fiber Bragg grating (FBG) is demonstrated and experimentally researched. The reflective optic spectra of FBG under inhomogeneous strain are researched by using the coupled-mode theory; the theoretical analysis demonstrates that the features of the reflective optic spectra are closely related with the chirping coefficient and the length of FBG under inhomogeneous strain. On these basics, an FBG accelerometer based on the double cantilever beams with small strain gradient is pointedly proposed. Experimental results show that the accelerometer has good response characteristic, and it provides broad flat frequency range from 4 to 30 Hz, corresponding sensitivity range from 7.76 to 10.8 pm/ms<sup>-2</sup>, while the flatness is less than 3 dB, the cross-axis sensitivity is less than 3.89% of the main-axis sensitivity, and the temperature sensitivity can be effectively eliminated by the self-symmetrical structure. © 2001-2012 IEEE.

**Number of references:** 21

**Main heading:** Accelerometers

**Controlled terms:** Fiber Bragg gratings - Nanocantilevers - Cantilever beams

**Uncontrolled terms:** Coupled mode theory - Cross-axis sensitivity - Double cantilever beam - Reflective optics - Response characteristic - Sensitivity range - Symmetrical structure - Temperature sensitivity

**Classification code:** 408.2 Structural Members and Shapes - 761 Nanotechnology - 933 Solid State Physics - 943.1 Mechanical Instruments

**Numerical data indexing:** Frequency 4.00e+00Hz to 3.00e+01Hz, Percentage 3.89e+00%, Decibel 3.00e+00dB

**DOI:** 10.1109/JSEN.2016.2588485

**Funding Details:** Number: 134010253, Acronym: -, Sponsor: -; Number: 61240028, F050304, Acronym: NSF, Sponsor: National Science Foundation; Number: 2016JM6055, Acronym: -, Sponsor: Natural Science Foundation of Shanxi Province;

**Funding text:** Manuscript received April 18, 2016; revised June 12, 2016; accepted July 4, 2016. Date of publication July 7, 2016; date of current version August 3, 2016. This work was supported in part by the National Science Foundation under Grant F050304 and Grant 61240028, in part by the Doctoral Science Foundation of the Xi'an Shiyu University under Grant 134010253, and in part by the Shanxi province National Science Foundation under Grant 2016JM6055. The associate editor coordinating the review of this paper and approving it for publication was Dr. Minghong Yang.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 189. Inverse spectral problem for non-selfadjoint Dirac operator with boundary and jump conditions dependent on the spectral parameter ([Open Access](#))

**Accession number:** 20162702550739

**Authors:** Wei, Zhaoying (1, 2); Wei, Guangsheng (2)

**Author affiliation:** (1) School of Science, Xi'an Shiyou University, Xi'an; 710065, China; (2) College of Mathematics and Information Science, Shaanxi Normal University, Xi'an; 710062, China

**Corresponding author:** Wei, Zhaoying(imwzhy@163.com)

**Source title:** Journal of Computational and Applied Mathematics

**Abbreviated source title:** J. Comput. Appl. Math.

**Volume:** 308

**Issue date:** December 15, 2016

**Publication year:** 2016

**Pages:** 199-214

**Language:** English

**ISSN:** 03770427

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** The inverse spectral problem for non-selfadjoint Dirac operator with boundary and jump conditions dependent on the spectral parameter is considered. By introducing the generalized norming constants, the uniqueness theorems are proved, and the constructive procedures for solving the inverse problem are given. © 2016 Elsevier B.V.

**Number of references:** 19

**Main heading:** Inverse problems

**Controlled terms:** Problem solving - Eigenvalues and eigenfunctions

**Uncontrolled terms:** Dirac operators - Eigen-value - Generalized norming constants - Inverse spectral problems - Spectral mappings

**DOI:** 10.1016/j.cam.2016.05.018

**Funding Details:** Number: 2015QNKYCXTD03, Acronym: -, Sponsor: -; Number: 11571212, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** The authors would like to thank the referees for their helpful comments and suggestions which improved and strengthened the presentation of this manuscript. The research was supported in part by the National Natural Science Foundation of China (No. 11571212 ), Youth Innovation Team Fund of Xi'an Shiyou University (No. 2015QNKYCXTD03 ) and Youth Innovation Fund of Xi'an Shiyou University (No. Z15135 ).

**Compendex references:** YES

**Open Access type(s):** All Open Access, Bronze

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 190. An amplitude-preserved Gaussian beam migration based on wave field approximation in effective vicinity under irregular topographical conditions

**Accession number:** 20162502515542

**Authors:** Huang, Jian-Ping (1); Yang, Ji-Dong (1); Li, Zhen-Chun (1); Li, Hui-Feng (2)

**Author affiliation:** (1) Department of Geophysics, China University of Petroleum (East China), Qingdao; 266580, China; (2) Department of Geophysics, Xi'an Shiyou University, Xi'an; 710065, China

**Corresponding author:** Yang, Ji-Dong(yangjidadong\_china@163.com)

**Source title:** Acta Geophysica Sinica

**Abbreviated source title:** Acta Geophys. Sin.

**Volume:** 59

**Issue:** 6

**Issue date:** June 1, 2016

**Publication year:** 2016

**Pages:** 2245-2256

**Language:** Chinese

**ISSN:** 00015733

**Document type:** Journal article (JA)

**Publisher:** Science Press

**Abstract:** With the transformation of seismic exploration to regions with irregular topography areas in China, it is of vital importance for seismic processing, interpretation and subsequent seismic attribute analysis, reservoir prediction to develop a seismic migration method which is highly accurate and strongly robust. Based on the theory of wave field approximation in effective vicinity, we developed a more accurate method of pre-stack amplitude-preserved Gaussian beam migration, which is adaptable for irregular topographical conditions. On the basis of conventional Gaussian beam

migration from horizontal surface and according to the approximate wave field expressed by Gaussian beam in the effective vicinity of central ray, we derived an amplitude-preserved Gaussian beam migration formula under irregular topographical conditions, and proposed a more accurate computation method for propagation angle of paraxial ray. Compared with existing methods for Gaussian beam migration, the proposed method in this paper not only considers the linear effects of irregular topography on travel time, but also first introduces the items of quadratic travel time correction and amplitude correction caused by the irregular topography and the variation in near-surface velocity, leading to more valid and accurate migration results than the previous methods. Two typical numerical examples verify the validity of the proposed method. © 2016, Science Press. All right reserved.

**Number of references:** 19

**Main heading:** Gaussian beams

**Controlled terms:** Gaussian distribution - Numerical methods - Seismology - Computation theory - Topography

**Uncontrolled terms:** Accurate computations - Effective vicinity - Gaussian beam migrations - Irregular topography - Pre-stack amplitude-preserved migration - Reservoir prediction - Seismic attribute analysis - Wavefields

**Classification code:** 484.1 Earthquake Measurements and Analysis - 711 Electromagnetic Waves - 721.1 Computer Theory, Includes Formal Logic, Automata Theory, Switching Theory, Programming Theory - 921.6 Numerical Methods - 922.1 Probability Theory - 922.2 Mathematical Statistics - 951 Materials Science

**DOI:** 10.6038/cjg20160627

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 191. Atomistic study of crack growth behavior in crystalline Mg/amorphous Mg-Al nanocomposites

**Accession number:** 20154001324867

**Authors:** Song, H.Y. (1); Li, Y.L. (2)

**Author affiliation:** (1) College of Material Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) School of Aeronautics, Northwestern Polytechnical University, Xi'an; 710072, China

**Corresponding author:** Song, H.Y.(gsfshy@sohu.com)

**Source title:** Computational Materials Science

**Abbreviated source title:** Comput Mater Sci

**Volume:** 111

**Issue date:** January 1, 2016

**Publication year:** 2016

**Pages:** 125-130

**Language:** English

**ISSN:** 09270256

**CODEN:** CMMSEM

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** The effects of crystalline boundary (CB) spacing and crystal orientation on the crack propagation behavior in crystalline/amorphous (C/A) Mg/Mg-Al nanocomposites under tensile loading are investigated using molecular dynamics simulation method. Three samples with different crystal orientations of initial crack are considered. The results show that although both samples with cracks exhibit plasticity, the deformation mechanisms are drastically different. For samples A and C with larger CB spacing, the deformation twinning and the nucleation and growth of new grain dominate the crack plastic deformation. For samples A and B with smaller CB spacing, the dislocation and interfacial slip are important plastic deformation mode at crack top. However, the crack plastic deformation of sample C with small CB spacing is mainly induced by the nucleation and growth of new grain in neighbor crystalline phase sections. The above mentioned crack deformation behaviors of C/A Mg/Mg-Al nanocomposites are also disclosed and analyzed in present work. The results here provide a strategy for the design of high-performance hexagonal-close-packed metal and alloy materials. © 2015 Elsevier B.V. All rights reserved.

**Number of references:** 45

**Main heading:** Molecular dynamics

**Controlled terms:** Crystalline materials - Grain growth - Binary alloys - Plastic deformation - Crack propagation - Dislocations (crystals) - Nanocomposites - Nucleation - Magnesium alloys - Crystal orientation - Aluminum alloys - Grain boundaries

**Uncontrolled terms:** Crack growth behavior - Crack propagation behavior - Deformation behavior - Deformation mechanism - Hexagonal close packed - Molecular dynamics simulation methods - Molecular dynamics simulations - Nucleation and growth

**Classification code:** 541.2 Aluminum Alloys - 542.2 Magnesium and Alloys - 549.2 Alkaline Earth Metals - 761 Nanotechnology - 801.4 Physical Chemistry - 933 Solid State Physics - 933.1 Crystalline Solids - 933.1.1 Crystal Lattice - 933.1.2 Crystal Growth - 951 Materials Science

**DOI:** 10.1016/j.commat.2015.09.023

**Funding Details:** Number: 2012KJXX-39, Acronym: -, Sponsor: -; Number: 11372256,11572259, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: NCET-12-1046, Acronym: MOE, Sponsor: Ministry of Education of the People's Republic of China; Number: B07050, Acronym: -, Sponsor: Higher Education Discipline Innovation Project;

**Funding text:** This work is supported by the National Natural Science Foundation of China (Grants Nos. 11372256 and 11572259 ), the 111 project (No. B07050 ), the Program for New Century Excellent Talents in University of Ministry of Education of China (Grant No. NCET-12-1046 ) and the Program for New Scientific and Technological Star of Shaanxi Province (Grant No. 2012KJXX-39 ).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 192. Stability and electronic structures of double-walled armchair germanium carbide nanotubes

**Accession number:** 20154001326245

**Authors:** Song, Jiuxu (1, 2); Henry, David J. (2)

**Author affiliation:** (1) School of Electronic Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) School of Engineering and Information Technology, Murdoch University, Perth; 6150, Australia

**Corresponding author:** Henry, David J.(D.Henry@murdoch.edu.au)

**Source title:** Computational Materials Science

**Abbreviated source title:** Comput Mater Sci

**Volume:** 111

**Issue date:** January 1, 2016

**Publication year:** 2016

**Pages:** 86-90

**Language:** English

**ISSN:** 09270256

**CODEN:** CMMSEM

**Document type:** Journal article (JA)

**Publisher:** Elsevier B.V., Netherlands

**Abstract:** First-principle calculations based on density functional theory have been used to investigate the stability and electronic structures of double-walled  $(n_1, n_1)$ - $(n_2, n_2)$  ( $4 \leq n_1 \leq 8$ ,  $n_1 + 3 \leq n_2 \leq n_1 + 6$ ) germanium carbide nanotubes (GeCNTs). For any given  $(n_1, n_1)$  inner tube, the corresponding  $(n_1, n_1)$ - $(n_1 + 5, n_1 + 5)$  GeCNT has the highest formation energy and binding energy per atom, which indicate that the  $(n_1, n_1)$ - $(n_1 + 5, n_1 + 5)$  nanotube is stable. The  $(5, 5)$ - $(10, 10)$  GeCNT has been found to be a particularly stable geometry. The interlayer interaction between the two layers of the double-walled GeCNT leads to an obvious coupling, which results in a narrowing of the band gap. © 2015 Elsevier B.V. All rights reserved.

**Number of references:** 40

**Main heading:** Density functional theory

**Controlled terms:** Carbides - Yarn - Binding energy - Electronic structure - Energy gap - Germanium compounds

**Uncontrolled terms:** Double-walled - First principle calculations - Formation energies - Germanium carbide nanotubes - Inner tubes - Interlayer interactions

**Classification code:** 801.4 Physical Chemistry - 804.2 Inorganic Compounds - 812.1 Ceramics - 819.4 Fiber Products - 922.1 Probability Theory - 931.3 Atomic and Molecular Physics - 931.4 Quantum Theory; Quantum Mechanics

**DOI:** 10.1016/j.commat.2015.08.035

**Funding Details:** Number: 2013K07-14, Acronym: -, Sponsor: Natural Science Foundation of Shaanxi Province; Number: 14JK1581, Acronym: -, Sponsor: Education Department of Shaanxi Province;

**Funding text:** This work is supported by the fund of Shaanxi provincial educational department (No. 14JK1581 ) and the natural science basic research plan in Shaanxi province of China ( 2013K07-14 ). We also gratefully acknowledge the Australian National Computational Infrastructure (NCI) facility for computing time.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 193. Accumulation patterns of natural gas in the Upper Paleozoic in Longdong area, Ordos Basin

**Accession number:** 20162102408436

**Authors:** Li, Jun (1, 2); Wang, Yunuo (3); Zhao, Jingzhou (1, 2); Li, Lei (4); Zheng, Jie (4); Hu, Weiqiang (1)

**Author affiliation:** (1) School of Earth Sciences and Engineering, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (2) Shaanxi Key Lab of Petroleum Accumulation Geology, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (3) School of Earth Sciences and Resources, China University of Geosciences (Beijing), Beijing; 100083, China; (4) Exploration & Development Research Institute of PetroChina Changqing Oilfield Company, Xi'an; Shaanxi; 710018, China

**Source title:** Oil and Gas Geology

**Abbreviated source title:** Oil Gas Geol.

**Volume:** 37

**Issue:** 2

**Issue date:** April 28, 2016

**Publication year:** 2016

**Pages:** 180-188

**Language:** Chinese

**ISSN:** 02539985

**Document type:** Journal article (JA)

**Publisher:** Editorial Department of Oil and Gas Geology

**Abstract:** Based on the analysis of source rocks, reservoirs and cap rocks in the Upper Paleozoic, Longdong area, Ordos Basin, studies were performed on the controlling factors of natural gas accumulation. It's shown that the formation and distribution of gas reservoirs in the Upper Paleozoic are mainly controlled by the source rocks, reservoirs and cap rocks and the coupling relationship among them. Source rocks and cap rocks of the Shanxi Formation jointly control the formation and distribution of the gas reservoir in the region. The gas play fairway of the first member of Shanxi Formation (P2s1) are distributed in area with high gas generation intensity and thick P2s1 cap rock over 35 meters. In contrast, gas play fairway of the eighth member of Shihezi Formation (P2h8) occurs in area where the thickness of P2s1 cap rock is less than 35 meters. Local enrichment of gas is determined by the reservoir conditions. When the source rocks and cap rocks of the first member of the Shanxi Formation are similar, "sweet spot" controls gas distribution, that is to say the better the quality of the reservoir is, the more enrichment the natural gas is. When both the source rocks and cap rocks of the first member of Shanxi Formation are favorable, gas reservoir can also be formed in the relatively poor formations. It is worth noting that best gas enrichment area is not the one where the gas source, seal and reservoir conditions are all favorable, rather the one where the gas source, seal and reservoir conditions match and compensate best. © 2016, Editorial Office of Oil and Gas Geology. All right reserved.

**Number of references:** 36

**Main heading:** Natural gas

**Controlled terms:** Geochronology - Metamorphic rocks - Quality control - Gases - Petroleum reservoirs

**Uncontrolled terms:** Enrichment patterns - Gas accumulation - Longdong area - Ordos Basin - Tight sand gas

**Classification code:** 481.1 Geology - 481.3 Geophysics - 512.1.1 Oil Fields - 522 Gas Fuels - 913.3 Quality Assurance and Control

**Numerical data indexing:** Size 3.50e+01m

**DOI:** 10.11743/ogg20160205

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 194. Enhanced mechanism investigation on violet-blue emission of ZnO films by incorporating Al and Zn to form ZnO-Al-Zn films

**Accession number:** 20164603024643

**Authors:** Chen, Haixia (1, 2); Ding, Jijun (1); Wang, Xiaomeng (2); Wang, Xiaojun (2); Chen, Guoxiang (1); Ma, Li (2)

**Author affiliation:** (1) College of Science, Xi'an Shiyou University, Xi'an; Shaanxi; 710065, China; (2) Department of Physics, Georgia Southern University, Statesboro; GA; 30460, United States

**Corresponding author:** Chen, Haixia(chxia8154@163.com)

**Source title:** Optical Materials

**Abbreviated source title:** Opt Mater

**Volume:** 62**Issue date:** December 1, 2016**Publication year:** 2016**Pages:** 505-511**Language:** English**ISSN:** 09253467**CODEN:** OMATET**Document type:** Journal article (JA)**Publisher:** Elsevier B.V., Netherlands

**Abstract:** ZnO, ZnO-Zn, ZnO-Al0.10-Zn and ZnO-Al0.15-Zn are deposited on glass substrates by radio frequency and direct current magnetron co-sputtering. Photoluminescence (PL) measurements show that the optical performances of samples are strongly dependent on both Al and Zn incorporations. The origin of the defect-related PL emission has been investigated for a long time. Several different hypotheses have been proposed, however, they are still under investigation. Especially for the blue emissions, its origins have been debated intensely for more than thirty years because of its sparsity and instability. In this paper, both violet and blue emissions are observed in all the samples. PL emission decreases sharply as Zn is doped in ZnO to form ZnO-Zn film. However, as both Al and Zn are simultaneously doped in ZnO to form ZnO-Al0.10-Zn film, PL emission conversely increases and attains the maxima. In addition, PL emission decreases again with the increase of Al target power to form ZnO-Al0.15-Zn film. We concluded that violet-blue emission is ascribed to defect types in reverse change trend with interstitial Zn, such as Zn vacancies. This is different from previous universal hypothesis that violet-blue emission is from interstitial Zn defects. © 2016 Elsevier B.V.

**Number of references:** 33**Main heading:** Zinc oxide**Controlled terms:** Magnetrons - II-VI semiconductors - Glass substrates - Aluminum - Photoluminescence - Zinc**Uncontrolled terms:** Blue emission - Direct-current magnetrons - Glass substrates - Mechanism investigation - Optical performance - Photoluminescence measurements - Radio frequencies - Violet-blue emissions**Classification code:** 541.1 Aluminum - 546.3 Zinc and Alloys - 712.1 Semiconducting Materials - 714.1 Electron Tubes - 741.1 Light/Optics - 804.2 Inorganic Compounds - 813.2 Coating Materials**DOI:** 10.1016/j.optmat.2016.10.035**Funding Details:** Number: 11304246,11447116, Acronym: -, Sponsor: -; Number: 2016JQ5037, Acronym: -, Sponsor: -; Number: 16JK1601, Acronym: -, Sponsor: -;**Funding text:** This work was supported by the National Natural Science Foundations of China (Grant Nos. 11447116 and 11304246 ), Natural Science Basic Research Plan in Shaanxi Province of China (No. 2016JQ5037 ), Special Program for Scientific Research of Shaanxi Educational Committee (Grant No. 16JK1601 ) and the Doctoral Scientific Research Startup Foundation of Xi'an Shiyou University (Grant No. YS29031223 ).**Compendex references:** YES**Database:** Compendex**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 195. Inverse dynamics simulation and quantitative evaluation of comfort level for brake operations on workover rig

**Accession number:** 20171203477645**Authors:** Xu, Jianbo (1, 2); Yu, Suihuai (1); Wen, Fan (1)**Author affiliation:** (1) Shaanxi Engineering Laboratory for Industrial Design, Northwestern Polytechnical University, Xi'an; 710072, China; (2) College of Mechanical Engineering, Xi'an Shiyou University, Xi'an; 710065, China**Source title:** Proceedings - 2016 International Conference on Robots and Intelligent System, ICRIS 2016**Abbreviated source title:** Proc. - Int. Conf. Robots Intell. Syst., ICRIS**Part number:** 1 of 1**Issue title:** Proceedings - 2016 International Conference on Robots and Intelligent System, ICRIS 2016**Issue date:** November 28, 2016**Publication year:** 2016**Pages:** 224-227**Article number:** 7757115**Language:** English**ISBN-13:** 9781509041541**Document type:** Conference article (CA)**Conference name:** 2016 International Conference on Robots and Intelligent System, ICRIS 2016

**Conference date:** August 27, 2016 - August 28, 2016

**Conference location:** Zhangjiajie, China

**Conference code:** 125211

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** In order to perform quantitative evaluation for operating posture comfort level of workover rig operators in a more scientific manner, a digital human body model for Chinese adult males with the 50th percentile was established in AMS, the Biomechanical analysis software, based on GB10000-88 anthropometric data of Chinese adults; moreover, specific to brake operation on the workover rig, inverse dynamics simulation was carried out. By regarding the maximum muscle activity of muscle groups related to such an operation as an evaluation indicator, while the relative position of hand brake system as a variable, a quantitative evaluation model is set up for the comfort level of operating postures. In addition, the software SPSS was also adopted to process inverse dynamics simulation results to obtain the corresponding multiple linear regression model; hence, more accurate and more reliable mathematical basis could be provided for the ergonomic evaluations on workover rig as well as the layout optimization of operating cabin. © 2016 IEEE.

**Number of references:** 11

**Main heading:** Muscle

**Controlled terms:** Linear regression - Anthropometry - Dynamics - Computer software - Ergonomics - Brakes

**Uncontrolled terms:** Comfort level - Inverse dynamics - Muscle activities - Operating posture - Workover rig

**Classification code:** 461.2 Biological Materials and Tissue Engineering - 461.3 Biomechanics, Bionics and Biomimetics - 602 Mechanical Drives and Transmissions - 723 Computer Software, Data Handling and Applications - 922.2 Mathematical Statistics

**DOI:** 10.1109/ICRIS.2016.119

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 196. Lithofacies features of organic-rich shale of the Triassic Yanchang Formation in Huachi Aera, Ordos Basin

**Accession number:** 20161302154501

**Authors:** Er, Chuang (1, 2); Luo, Anxiang (3, 4); Zhao, Jingzhou (1, 2); Zhang, Zhongyi (3, 4); Bai, Yubin (1, 2); Cheng, Dangxing (3, 4); Wu, Weitao (1, 2); Wei, Zhikun (1); Zhang, Jie (1)

**Author affiliation:** (1) School of Earth Science and Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Shaanxi Key Lab of Petroleum Accumulation Geology, Xi'an Shiyou University, Xi'an; 710065, China; (3) Research Institute of Petroleum Exploration and Development, Changqing Oil Field Company, PetroChina, Xi'an; 710018, China; (4) National Engineering Laboratory for Exploration and Development of Low-Permeability Oil & Gas Fields, Xi'an; 710018, China

**Source title:** Earth Science Frontiers

**Abbreviated source title:** Earth Sci. Front.

**Volume:** 23

**Issue:** 2

**Issue date:** March 1, 2016

**Publication year:** 2016

**Pages:** 108-117

**Language:** Chinese

**ISSN:** 10052321

**Document type:** Journal article (JA)

**Publisher:** Science Frontiers editorial department

**Abstract:** Organic-rich shale and mudstone developed well in Chang-7 Member of the Triassic Yanchang Formation, which has become an important prospecting target for shale gas and shale oil. Based on fine description of core, micro-structure observation of thin section and grain analysis, three kinds of lithofacies of shale were determined, including black shale, laminar mudstone, and silty mudstone. Brittle minerals content of silty mudstone is higher than that of black shale and laminar mudstone. Pyrite content of the latter is higher than that of the former, and clay minerals content of the three lithofacies are nearly the same. Black shale is the most favorable lithofacies which has high organic abundance and greatest kerogen type (mainly type I). Laminar mudstone is the second favorable lithofacies. During the deposition of Chang-7 Member, the layered anaerobic environment was beneficial to the preservation of organic matter. Lower grade aquatic lives were the main biological precursor of organic matter. Black shale and laminar mudstone developed in deep lacustrine environment which was quiet and not influenced by terrigenous coarse grains. However, silty mudstone developed in the environment that was influenced frequently by terrigenous coarse

grains. As a result, organic matter types of silty mudstone are diverse and complicate. With the combination of fine description of core and logs, the vertical development characteristics of each kind of lithofacies were uncovered. Influenced by base-level changing and sediment supply, the third section of Chang-7 Member (C73) is composed of black shale and laminar mudstone, however, the second section and first section of Chang-7 Member are mainly composed of laminar mudstone and silty mudstone. Black mudstone and shale in C73 have better lithofacies that bear lamellation fracture and lamina facies, better organic matter type and high abundance. C73 is the best prospect target for shale oil and shale gas. © 2016, Editorial Office of Earth Science Frontiers. All right reserved.

**Number of references:** 6

**Main heading:** Shale oil

**Controlled terms:** Organic compounds - Pyrites - Shale gas - Biological materials - Kerogen - Metamorphic rocks - Biogeochemistry

**Uncontrolled terms:** Lithofacies - Ordos Basin - Organic facies - Organic-rich shales - Yanchang Formation

**Classification code:** 461.2 Biological Materials and Tissue Engineering - 481.2 Geochemistry - 512.2 Natural Gas Deposits - 522 Gas Fuels - 523 Liquid Fuels - 801.2 Biochemistry - 804.1 Organic Compounds

**DOI:** 10.13745/j.esf.2016.02.011

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 197. Reconfiguration of the oil-field distribution network considering time-varying oil pumping loads

**Accession number:** 20171403534361

**Authors:** Wu, Xiaomeng (1, 2); Huan, Wang (1); Jiachen, Zhang (1); Xin, Shi (1)

**Author affiliation:** (1) School of Electric Engineering, Xi'an Shiyou University, China; (2) Key Laboratory of Electric Drive Drilling Rig Control Technique of Shaanxi Province, Xi'an, China

**Source title:** Proceedings of 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Abbreviated source title:** Proc. IEEE Adv. Inf. Manag., Commun., Electron. Autom. Control Conf., IMCEC

**Part number:** 1 of 1

**Issue title:** Proceedings of 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Issue date:** February 28, 2017

**Publication year:** 2016

**Pages:** 2062-2066

**Article number:** 7867576

**Language:** English

**ISBN-13:** 9781467396127

**Document type:** Conference article (CA)

**Conference name:** 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Conference date:** October 3, 2016 - October 5, 2016

**Conference location:** Xi'an, China

**Conference code:** 126706

**Sponsor:** Chongqing Global Union Academy of Science and Technology; Global Union Academy of Science and Technology; IEEE Beijing Section; Xi'an Peihua University

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** The load characteristic of oil pumping unit has been analyzed in this paper. According to the variation feature of power to time in oilfield distribution network that active power may vary as sine curve and reactive power may be a constant, different pumping units that connected in the same transformer equal to an equivalent single pumping unit. The approximate power loss equation of oilfield distribution network is calculated. Take this equation as an evaluating formula to reconfigure oilfield distribution network. Take advantage of the existed structure dividing method to separate the network and form adjacency list. Consider that the rapid adaption of topology cannot reach high accurate results, a Tabu Search algorithm has been proposed. This method takes single step as its neighbor search strategy thus enhanced the accuracy of results. The example shows that the proposed power loss equation and the Tabu Search algorithm are effective to the reconfiguration of oilfield distribution network. © 2016 IEEE.

**Number of references:** 9

**Main heading:** Tabu search

**Controlled terms:** Learning algorithms - Electric power distribution - Time varying networks - Pumps - Oil well flooding

**Uncontrolled terms:** Adjacency lists - Load characteristics - Neighbor searches - Network re-configuration - Oil pumping unit - Power-losses - Pumping unit - Tabu search algorithms

**Classification code:** 511.1 Oil Field Production Operations - 618.2 Pumps - 703.1 Electric Networks - 706.1.2 Electric Power Distribution - 723.4.2 Machine Learning - 921.5 Optimization Techniques

**DOI:** 10.1109/IMCEC.2016.7867576

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 198. A Method of Predicting Crude Oil Output Based on RS-C4.5 Algorithm

**Accession number:** 20165003106854

**Authors:** Bao, Xue (1); Guan, Xin (2)

**Author affiliation:** (1) School of Computer Science, Xi'an Shiyou University, Xi'an, Shaanxi Province, China; (2) Research Institute of Petroleum Exploration and Development-LangFang, Langfang, Hebei, China

**Source title:** Proceedings - 2016 3rd International Conference on Information Science and Control Engineering, ICISCE 2016

**Abbreviated source title:** Proc. - Int. Conf. Inf. Sci. Control Eng., ICISCE

**Part number:** 1of1

**Issue title:** Proceedings - 2016 3rd International Conference on Information Science and Control Engineering, ICISCE 2016

**Issue date:** October 31, 2016

**Publication year:** 2016

**Pages:** 63-66

**Article number:** 7726121

**Language:** English

**ISBN-13:** 9781509025350

**Document type:** Conference article (CA)

**Conference name:** 3rd International Conference on Information Science and Control Engineering, ICISCE 2016

**Conference date:** July 8, 2016 - July 10, 2016

**Conference location:** Beijing, China

**Conference code:** 124721

**Sponsor:** Beijing University of Civil Engineering and Architecture; China Jiliang University; et al.; The University of Texas at San Antonio (UTSA); University of Hull; Xiamen University

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** An accurate prediction of crude oil output is crucial to oilfield enterprise in reasonable production arrangement and the production management improvement. This paper proposes a RS-C4.5 data mining method based on the rough set theory and decision tree C4.5 algorithm to predict the crude oil output. Firstly, relevant data of crude oil production is pre-processed by K-Means algorithm to obtain a discrete decision-making data set. Next the attribute reduction by RS-C4.5 algorithm is applied to construct a decision tree to obtain the corresponding rules of classification. Experiment data proved that compared with the traditional decision tree C4.5 algorithm, this algorithm has the advantage of a simpler tree structure and higher operation efficiency, thus becoming a promising method in crude oil output prediction. © 2016 IEEE.

**Number of references:** 11

**Main heading:** Crude oil

**Controlled terms:** Rough set theory - Oil fields - Data mining - Decision trees - Forecasting

**Uncontrolled terms:** Accurate prediction - Attribute reduction - C4.5 algorithm - Crude oil production - Data mining methods - Decision tree c4.5 algorithms - Operation efficiencies - Production management

**Classification code:** 512.1 Petroleum Deposits - 512.1.1 Oil Fields - 723.2 Data Processing and Image Processing - 921.4 Combinatorial Mathematics, Includes Graph Theory, Set Theory - 961 Systems Science

**DOI:** 10.1109/ICISCE.2016.24

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 199. Development and Application of Zirconia Coated Paper Substrate for High Sensitivity Analysis of Therapeutic Drugs in Dried Blood Spots

**Accession number:** 20163002642308

**Authors:** Zheng, Yajun (1); Wang, Qian (1); Wang, Xiaoting (1); Chen, Ying (2); Wang, Xuan (1); Zhang, Xiaoling (1); Bai, Zongquan (1); Han, Xiaoxiao (1); Zhang, Zhiping (1)

**Author affiliation:** (1) School of Chemistry and Chemical Engineering, Xi'an Shiyou University, Xi'an; 710065, China; (2) Clinical Analysis Laboratory, Xi'an Mental Health Center, Xi'an; 710061, China

**Corresponding author:** Zhang, Zhiping(zhangzp0304@gmail.com)

**Source title:** Analytical Chemistry

**Abbreviated source title:** Anal. Chem.

**Volume:** 88

**Issue:** 14

**Issue date:** July 19, 2016

**Publication year:** 2016

**Pages:** 7005-7013

**Language:** English

**ISSN:** 00032700

**E-ISSN:** 15206882

**CODEN:** ANCHAM

**Document type:** Journal article (JA)

**Publisher:** American Chemical Society

**Abstract:** Paper spray mass spectrometry has been demonstrated to be promising for direct analysis of therapeutic drugs in dried blood spots (DBS); however, the strong hydrogen bond and van de Waals interactions between paper substrate and analytes containing polar functional groups (e.g., therapeutic drugs) affect greatly the elution behavior and analysis sensitivity of compounds of interest during paper spray. Herein, we developed a one-sided ZrO<sub>2</sub> coated paper substrate through a facile vacuum filtration approach using commercial ZrO<sub>2</sub> particles as coating material and soluble starch as adhesive agent. Owing to the unique surface properties, as-prepared ZrO<sub>2</sub> paper substrate has been shown to have excellent performance for analysis of therapeutic drugs in DBS during paper spray mass spectrometry. In contrast to original cellulose paper substrates, improvements of 43-189-fold in lower limit of quantitation (LLOQ) were obtained for the tested drugs using ZrO<sub>2</sub> coated paper for paper spray. In comparing with the previously reported grade SG81 paper and one-sided silica coated paper, the LLOQs of the tested drugs with as-prepared ZrO<sub>2</sub> paper decreased 1.5-16.5-fold relative to those from the above two, revealing that ZrO<sub>2</sub> coated paper is a good candidate for paper spray in high sensitivity analysis of therapeutic drugs in DBS. © 2016 American Chemical Society.

**Number of references:** 68

**Main heading:** Silica

**Controlled terms:** Zirconia - Blood - Substrates - Sensitivity analysis - Starch - Hydrogen bonds - Mass spectrometry

**Uncontrolled terms:** Development and applications - Dried blood spot (DBS) - Dried blood spots - High-sensitivity analysis - Lower limit of quantitations - Polar functional groups - Therapeutic drugs - Vacuum filtration

**Classification code:** 461.2 Biological Materials and Tissue Engineering - 801 Chemistry - 801.4 Physical Chemistry - 804.1 Organic Compounds - 804.2 Inorganic Compounds - 815.1.1 Organic Polymers - 921 Mathematics

**DOI:** 10.1021/acs.analchem.5b04732

**Funding Details:** Number: 2014K13-16,2016GY-231, Acronym: -, Sponsor: -; Number: 21205093,21575112, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

**Funding text:** We are grateful for funding from the National Natural Science Foundation of China (Grants 21205093 and 21575112) and Shannxi S&T Research Development Project of China (Grant Nos. 2014K13-16 and 2016GY-231).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 200. An Enhanced Predictive Control Structure for Networked Control System with Random Time Delays and Packet Dropouts

**Accession number:** 20165003106811

**Authors:** Wu, Ying (1); Wu, Yanpeng (2); Zhao, Yue (1)

**Author affiliation:** (1) School of Computer Science, Xi'an Shiyou University, Xi'an City, China; (2) School of Information and Control Engineering, Xi'an University of Architecture and Technology, Xi'an City, China

**Source title:** Proceedings - 2016 3rd International Conference on Information Science and Control Engineering, ICISCE 2016

**Abbreviated source title:** Proc. - Int. Conf. Inf. Sci. Control Eng., ICISCE

**Part number:** 1of1

**Issue title:** Proceedings - 2016 3rd International Conference on Information Science and Control Engineering, ICISCE 2016

**Issue date:** October 31, 2016

**Publication year:** 2016

**Pages:** 834-838

**Article number:** 7726279

**Language:** English

**ISBN-13:** 9781509025350

**Document type:** Conference article (CA)

**Conference name:** 3rd International Conference on Information Science and Control Engineering, ICISCE 2016

**Conference date:** July 8, 2016 - July 10, 2016

**Conference location:** Beijing, China

**Conference code:** 124721

**Sponsor:** Beijing University of Civil Engineering and Architecture; China Jiliang University; et al.; The University of Texas at San Antonio (UTSA); University of Hull; Xiamen University

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** Due to the random and uncertain characteristic of networked induced factors, the performance of networked control systems is seriously affected, which is not merely degraded but also cause system instability. In this paper, a newly enhanced control scheme with an improved smith predictor is proposed to solve the issues caused by the complex and uncertain network conditions. A database is integrated into the network controller to store all possible outputs predicted on line from the smith predictor based on all possible transmission delays and packet dropouts to overcome the main drawback of traditional smith predictor. A selector is added to the actuator to select a suitable control signal from the predicted control sequence based on the actual network conditions. Finally the simulation results demonstrate the effectiveness of the proposed methods. © 2016 IEEE.

**Number of references:** 18

**Main heading:** Robust control

**Controlled terms:** Delay control systems - Packet loss - Timing circuits - Networked control systems - System stability - Time delay

**Uncontrolled terms:** Control schemes - Control sequences - Network condition - Predictive control - Random time delay - Smith predictors - Transmission delays - Uncertain networks

**Classification code:** 713 Electronic Circuits - 713.4 Pulse Circuits - 731 Automatic Control Principles and Applications - 731.1 Control Systems - 731.2 Control System Applications - 961 Systems Science

**DOI:** 10.1109/ICISCE.2016.182

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 201. Characterizing network traffic behaviour using granule-based association rule mining

**Accession number:** 20162802580301

**Authors:** Bian, Yongna (1); Liu, Bin (2); Li, Yuefeng (3); Gao, Jianmin (1)

**Author affiliation:** (1) Xian Jiaotong University, Xian; Shaanxi; 710061, China; (2) Xi'an Shiyou University, Xian; Shaanxi; 710065, China; (3) Queensland University of Technology, Brisbane; QLD 4001, Australia

**Corresponding author:** Bian, Yongna(byn1975@mail.xjtu.edu.cn)

**Source title:** International Journal of Network Management

**Abbreviated source title:** Int J Network Manage

**Volume:** 26

**Issue:** 4

**Issue date:** July 1, 2016

**Publication year:** 2016

**Pages:** 308-329

**Language:** English

**ISSN:** 10557148

**E-ISSN:** 10991190

**CODEN:** INMTEU

**Document type:** Journal article (JA)

**Publisher:** John Wiley and Sons Ltd

**Abstract:** Association rule mining is one important technique to characterize the behaviour of network traffic. However, mining association rules from network traffic data still have three obstacles such as efficiency, huge number of results and insufficiency to represent the behaviour of network traffic. Aiming to tackle these issues, this paper presents a granule-based association rule mining approach, called association hierarchy mining. The proposed approach adopts top-down rule mining strategy to directly generate interesting rules according to subjectively specified rule template hierarchies, which improves the efficiency of rule generation and subjectively filters user uninterested rules. The approach also proposes to prune a new type of redundant rules defined by this research to reduce the number of rules. Finally, the approach introduces the concept of diversity, aiming to select the interesting rules for better interpreting the behaviour of network traffic. The experiments performed on the MAWI network traffic traces show the efficiency and effectiveness of the proposed approach. Copyright © 2016 John Wiley & Sons, Ltd. Copyright © 2016 John Wiley & Sons, Ltd.

**Number of references:** 47

**Main heading:** Data mining

**Controlled terms:** Granulation - Association rules - Efficiency - Copyrights - Filtration

**Uncontrolled terms:** Interesting rules - Mining associations - Network traffic - Network traffic analysis - Redundant rules - Rule generation - Rule mining - Topdown

**Classification code:** 723.2 Data Processing and Image Processing - 802.3 Chemical Operations - 902.3 Legal Aspects - 903.1 Information Sources and Analysis - 913.1 Production Engineering

**DOI:** 10.1002/nem.1935

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 202. Rapidly adaption of topology for network reconfiguration

**Accession number:** 20171403534362

**Authors:** Wu, Xiaomeng (1, 2); Wu, Kai (1); Jiachen, Zhang (1); Zhigang, Wang (1)

**Author affiliation:** (1) School of Electric Engineering, Xi'an Shiyou University, China; (2) Key Laboratory of Electric Drive Drilling Rig Control Technique of Shaanxi Province, Xi'an, China

**Source title:** Proceedings of 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Abbreviated source title:** Proc. IEEE Adv. Inf. Manag., Commun., Electron. Autom. Control Conf., IMCEC

**Part number:** 1 of 1

**Issue title:** Proceedings of 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Issue date:** February 28, 2017

**Publication year:** 2016

**Pages:** 2067-2071

**Article number:** 7867577

**Language:** English

**ISBN-13:** 9781467396127

**Document type:** Conference article (CA)

**Conference name:** 2016 IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC 2016

**Conference date:** October 3, 2016 - October 5, 2016

**Conference location:** Xi'an, China

**Conference code:** 126706

**Sponsor:** Chongqing Global Union Academy of Science and Technology; Global Union Academy of Science and Technology; IEEE Beijing Section; Xi'an Peihua University

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** In this paper, a dividing method for the structure of distribution network has been proposed to adapt rapidly to the variation of the topology and the uncertainty of tide direction caused by network reconfiguration. Based on the definition of out-degree in graph theory, the network has been divided into several branch chains, and the branch chain adjacency list has been set up. The initial results of the power calculation and the back/forward sequence is confirmed by the characteristics of the depth first search. The loop network has been set up by the feature of the branch chain structure as it eliminates the effects of the laterals. When the loop is dissolved, it helps to redistrict the new branch chain and ascertain its back /forward sweep sequence. The results of the calculation example show that the method being proposed is fast and effective. © 2016 IEEE.

**Number of references:** 11

**Main heading:** Chains

**Controlled terms:** Graph theory - Electric utilities

**Uncontrolled terms:** Adjacency lists - Back/forward sweep - Chain structure - Depth first search - Network re-configuration - Out-degree - Power calculation - Reconfiguration

**Classification code:** 602.1 Mechanical Drives - 921.4 Combinatorial Mathematics, Includes Graph Theory, Set Theory

**DOI:** 10.1109/IMCEC.2016.7867577

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 203. Refractive index sensing of in-fiber Mach-Zehnder interferometer based on two fiber tapers

**Accession number:** 20161402193833

**Authors:** Zhao, Xue (1); Shao, Min (1); Qiao, Xue-Guang (2); Fu, Hai-Wei (1); Jia, Zhen-An (1)

**Author affiliation:** (1) Laboratory of Optical Fiber Sensing, School of Science, Xi'an Shiyou University, Xi'an; 710065, China; (2) School of Physics, Northwest University, Xi'an; 710069, China

**Corresponding author:** Shao, Min([shaomin@xsyu.edu.cn](mailto:shaomin@xsyu.edu.cn))

**Source title:** Guangzi Xuebao/Acta Photonica Sinica

**Abbreviated source title:** Guangzi Xuebao

**Volume:** 45

**Issue:** 2

**Issue date:** February 1, 2016

**Publication year:** 2016

**Article number:** 0206006

**Language:** Chinese

**ISSN:** 10044213

**CODEN:** GUXUED

**Document type:** Journal article (JA)

**Publisher:** Chinese Optical Society

**Abstract:** A kind of in-fiber Mach-Zehnder interferometer based on fiber taper was proposed. The sensor is formed by cascaded two fusion tapers in single-mode fiber through a fusion splicer. The fiber taper has a diameter of 43.7  $\mu\text{m}$  and length of 480  $\mu\text{m}$ . The fiber taper acts as couplers, it could not only excite the high-order modes, but also couple these modes into single-mode fiber to form the intermodal interference. When surrounding refractive index and temperature of the surrounding liquid changes, the intermodal phase difference changes. Through monitoring the transmission spectrum of the interferometer, the refractive index and temperature were determined. The experimental results show that the sensor sensitivity is -128.33 nm/RIU in the RI range of 1.335~1.403RIU, and the temperature sensitivity is 0.111 nm/ in the water temperature range of 30~75. The sensor has advantages of easy fabrication, high sensitivity, and inexpensive, which has a potential in biological sensing. © 2016, Science Press. All right reserved.

**Number of references:** 22

**Page count:** 5

**Main heading:** Single mode fibers

**Controlled terms:** Water temperature - Mach-Zehnder interferometers - Refractive index

**Uncontrolled terms:** Fiber sensing - Fiber taper - Intermodal interferences - Refractive index sensing - Refractive index sensitivity

**Classification code:** 641.1 Thermodynamics - 741.1 Light/Optics - 741.1.2 Fiber Optics - 741.3 Optical Devices and Systems - 941.3 Optical Instruments

**Numerical data indexing:** Size 4.37e-05m, Size 4.80e-04m

**DOI:** 10.3788/gzxb20164502.0206006

**Funding Details:** Number: 61275088,61327012, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 14JK1580, Acronym: -, Sponsor: Scientific Research Plan Projects of Shaanxi Education Department;

**Funding text:** The National Science Foundation of China under Grant (Nos.61275088, 61327012), the Science Research Plan Projects of Shaanxi Education Department (No.14JK1580), the Innovation Fund Project of Xi'an Shiyou University (No.YS28032509).

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

### 204. Rough set models in multigranulation spaces

**Accession number:** 20154201407560

**Authors:** Yao, Yiyu (1); She, Yanhong (2)

**Author affiliation:** (1) Department of Computer Science, University of Regina, Regina; SK; S4S 0A2, Canada; (2) College of Science, Xi'an Shiyu University, Xi'an, Shaanxi; 710065, China

**Corresponding author:** She, Yanhong(yanhongshe@gmail.com)

**Source title:** Information Sciences

**Abbreviated source title:** Inf Sci

**Volume:** 327

**Issue date:** January 10, 2016

**Publication year:** 2016

**Pages:** 40-56

**Language:** English

**ISSN:** 00200255

**CODEN:** ISIJBC

**Document type:** Journal article (JA)

**Publisher:** Elsevier Inc.

**Abstract:** There exist several approaches to rough set approximations in a multigranulation space, namely, a family of equivalence relations. In this paper, we propose a unified framework to classify and compare existing studies. An underlying principle is to explain rough sets in a multigranulation space through rough sets derived by using individual equivalence relations. Two basic models are suggested. One model is based on a combination of a family of equivalence relations into an equivalence relation and the construction of approximations with respect to the combined relation. By combining equivalence relations through set intersection and union, respectively, we construct two sub-models. The other model is based on the construction of a family of approximations from a set of equivalence relations and a combination of the family of approximations. By using set intersection and union to combine a family of approximations, respectively, we again build two sub-models. As a result, we have a total of four models. We examine these models and give conditions under which some of them become the same. © 2015 Elsevier Inc.

**Number of references:** 43

**Main heading:** Rough set theory

**Controlled terms:** Approximation algorithms

**Uncontrolled terms:** Equivalence relations - Multi-granulation rough sets - Multi-granulations - Rough set approximation - Rough set models - Set intersection - Underlying principles - Unified framework

**Classification code:** 921 Mathematics - 921.4 Combinatorial Mathematics, Includes Graph Theory, Set Theory

**DOI:** 10.1016/j.ins.2015.08.011

**Funding Details:** Number: -, Acronym: NSERC, Sponsor: Natural Sciences and Engineering Research Council of Canada; Number: 61322211,61472471, Acronym: NSFC, Sponsor: National Natural Science Foundation of China;

Number: 2014JQ1032, Acronym: -, Sponsor: Natural Science Basic Research Program of Shaanxi Province;

**Funding text:** This work was partially supported by National Nature Science Fund of China under grants 61472471 and 61322211, the Natural Science Program for Basic Research of Shaanxi Province, China (no. 2014JQ1032), and a Discovery Grant from NSERC, Canada. The authors are grateful to reviewers for their constructive comments.

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 205. An enhanced smith predictor based robust control over networked control system with random time delays

**Accession number:** 20170503309011

**Authors:** Wu, Ying (1); Wu, Yanpeng (2)

**Author affiliation:** (1) School of Computer Science, Xi'an Shiyu University, Xi'an City, China; (2) School of Information and Control Engineering, Xi'an University of Architecture and Technology, Xi'an City, China

**Source title:** Proceedings of 2016 2nd International Conference on Control Science and Systems Engineering, ICCSSE 2016

**Abbreviated source title:** Proc. Int. Conf. Control Sci. Syst. Eng., ICCSSE

**Part number:** 1of1

**Issue title:** Proceedings of 2016 2nd International Conference on Control Science and Systems Engineering, ICCSSE 2016

**Issue date:** December 14, 2016

**Publication year:** 2016

**Pages:** 50-54

**Article number:** 7784351

**Language:** English

**ISBN-13:** 9781467398725

**Document type:** Conference article (CA)

**Conference name:** 2nd International Conference on Control Science and Systems Engineering, ICCSSE 2016

**Conference date:** July 27, 2016 - July 29, 2016

**Conference location:** Singapore, Singapore

**Conference code:** 125425

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** In this paper, a newly robust control scheme that contains an enhanced smith predictor is proposed to adaptively estimate and identify control law on line to reply to the timevarying network induced delays. A control sequence that contains a series of control signals is generated from a queue of possible future time delays at the controller node and the final option on which control signal is selected is given to the actuator according to the actual transmission delay. Two buffers are used respectively at the controller node and actuator node, which can transform the continuous timevarying delays into several discrete values and make sure time delays exactly predicted. Finally the simulation results demonstrate the effectiveness of the proposed methods to guarantee the robust performance of networked control system with random time-varying delay. © 2016 IEEE.

**Number of references:** 9

**Main heading:** Time delay

**Controlled terms:** Robust control - Networked control systems - Time varying control systems - Delay control systems - Actuators - Timing circuits - Controllers

**Uncontrolled terms:** Control sequences - Random time delay - Robust control scheme - Robust performance - Smith predictors - Time varying- delays - Time-varying delay - Transmission delays

**Classification code:** 713 Electronic Circuits - 713.4 Pulse Circuits - 731 Automatic Control Principles and Applications - 731.1 Control Systems - 731.2 Control System Applications - 732.1 Control Equipment

**DOI:** 10.1109/CCSSE.2016.7784351

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.

## 206. Modeling and control of multi-parallel connected inverters in microgrids

**Accession number:** 20180104609386

**Authors:** Wu, Ying (1); Wu, Yanpeng (2)

**Author affiliation:** (1) School of Computer Science, Xi'an Shiyou University, Xi'an City, China; (2) School of Information and Control Engineering, Xi'an University of Architecture and Technology, Xi'an City, China

**Source title:** Proceedings of 2016 5th International Conference on Computer Science and Network Technology, ICCSNT 2016

**Abbreviated source title:** Proc. Int. Conf. Comput. Sci. Netw. Technol., ICCSNT

**Part number:** 1 of 1

**Issue title:** Proceedings of 2016 5th International Conference on Computer Science and Network Technology, ICCSNT 2016

**Issue date:** October 16, 2017

**Publication year:** 2016

**Pages:** 838-841

**Article number:** 8070277

**Language:** English

**ISBN-13:** 9781509021284

**Document type:** Conference article (CA)

**Conference name:** 5th International Conference on Computer Science and Network Technology, ICCSNT 2016

**Conference date:** December 10, 2016 - December 11, 2016

**Conference location:** Changchun, China

**Conference code:** 131363

**Sponsor:** Changchun Normal University; Jilin University; Northeast Normal University

**Publisher:** Institute of Electrical and Electronics Engineers Inc., United States

**Abstract:** In this paper, modeling and control of multi-parallel connected inverters are studied for microgrid. For the operation of paralleled inverters, the current sharing accuracy is important for the reliability of the system. In order to reduce the circulating current and achieve the power sharing accuracy, a novel decentralized communication-based droop controller is proposed for each energy source unit. Unlike the conventional droop control method, a PID controller is added to compensate the error value caused by the mismatched model parameters of inverters and

different line impedance, which can fast achieve the current sharing accuracy and effectively enhance the power quality in spite of component mismatches. Simulation results from Matlab/Simulink verify that the proposed control strategy effectively solves the problem of circulating current between paralleled inverters. © 2016 IEEE.

**Number of references:** 18

**Main heading:** Decentralized control

**Controlled terms:** Simulink - Controllers - Electric inverters - Quality control - Three term control systems

**Uncontrolled terms:** Circulating current - Control strategies - Decentralized communications - Droop control - Droop control method - Micro grid - Modeling and control - Paralleled inverters

**Classification code:** 723.2 Data Processing and Image Processing - 731.1 Control Systems - 732.1 Control Equipment - 913.3 Quality Assurance and Control

**DOI:** 10.1109/ICCSNT.2016.8070277

**Compendex references:** YES

**Database:** Compendex

**Data Provider:** Engineering Village

Compilation and indexing terms, Copyright 2023 Elsevier Inc.